### REMARKS

Claims 53-58, 71-73 and 86-94 are pending. Claims 53-58, 88 and 90-94 are amended, and new claim 95 is added. No new matter has been added by the amendments.

#### Election/Restrictions

The Applicants note the finality of the Restriction Requirement. The Applicants however respectfully request rejoinder of at least the species SEQ ID NOs: 22 and 23 in view of the submissions herein.

# Specification

The disclosure is objected to for containing an embedded hyperlink and/or other form of browser-executable code at p. 54-55. In response, the paragraph spanning p. 54-55 has been amended to remove the browser-executable code.

## Rejections Under 35 U.S.C. § 112

I. Claims 53-58, 71-73 and 86-94 are rejected under 35 U.S.C. 112, first paragraph, as allegedly failing to comply with the written description requirement. More specifically, while the Examiner acknowledges that the specification describes an actual reduction to practice of SEQ ID NO: 24, the Examiner asserts that the claims are drawn to a large genus of variants of SEQ ID NO: 24, and that the Applicants were allegedly not in possession of this genus with respect to fragments or variants or substantially identical sequences.

Claims 53-55, which are the only pending independent claims, have been amended without prejudice or disclaimer and without acquiescence to the Examiner's assertions, to recite that the claimed polypeptide comprises an amino acid sequence having at least 75% sequence identity to SEQ ID NO: 24 and to recite an "immunogenic fragment." Support for these amendments may

be found throughout the specification at for example page 13, lines 6-28; page 18, line 26 to page 19, line 6; or page 30, line 12, to page 31, line 23. The Applicants respectfully submit that the specification describes at least three variants of SEQ ID NO: 24, *i.e.*, NleA polypeptides from enteropathogenic *E. coli* (EPEC) and from *C. rodentium*, as well as from enterohemorrhagic *E. coli* (EHEC), which fall within the presently claimed sequence identity, and therefore describes a representative number of species with respect to the claimed genus. Furthermore, recitation of an "immunogenic fragment" clarifies that only fragments capable of eliciting an immune response are contemplated. Accordingly, this rejection should be withdrawn.

Π. Claims 53-58, 71-73 and 86-94 are rejected under 35 U.S.C. 112, first paragraph, as allegedly failing to comply with the enablement requirement. More specifically, while the Examiner acknowledges that the specification is enabling for a method for eliciting an immune response against an enterohemorrhagic E. coli (EHEC) or SEQ ID NO: 24 (which is characterized as a component of enterohemorrhagic E. coli O157:H7), or for reducing colonization or shedding of EHEC, or for treating EHEC infection, in an animal by administering an effective amount of a composition or cell culture supernatant including a polypeptide which comprises the amino acid sequence set forth in SEQ ID NO: 24, the Examiner alleges that other aspects of the claimed invention are not enabled. In particular, the Examiner alleges that the specification does not reasonably provide enablement for preventing infection by EHEC in an animal by administering an effective amount of a composition or cell culture supernatant including a polypeptide which comprises the amino acid sequence set forth in SEQ ID NO: 24. The Examiner also alleges that the specification does not reasonably provide enablement for the claimed methods with respect to any other A/E pathogen, or component thereof, or for another polypeptide comprising an amino acid sequence substantially identical to the sequence of SEQ ID NO: 24 or a fragment or variant thereof.

Claims 53-55, which are the only pending independent claims, have been amended without prejudice or disclaimer and without acquiescence to the Examiner's assertions, to recite that the claimed polypeptide comprises an amino acid sequence having at least 75% sequence identity to

SEQ ID NO: 24 and to recite an "immunogenic fragment." In addition, the present claims do not recite prevention of infection.

As indicated herein, the specification describes at least three variants of SEQ ID NO: 24, *i.e.*, NleA polypeptides from EPEC and from *C. rodentium* and therefore describes a representative number of species with respect to the claimed genus. Furthermore, one of ordinary skill in the art would also be able to readily identify NleA variants as, for example, evidenced in the enclosed publication by Creuzburg and Schmidt (J. Clin. Microbiol. 2498-2507, 2007) in which a large number of NleA variants were detected after the initial identification of NleA as a virulence factor by the inventors of the above-referenced application.

The Applicants also respectfully submit that the specification demonstrates the effect of NleA in a *C. rodentium* mouse model of disease and that one of ordinary skill in the art would be able to readily apply the claimed methods to A/E pathogens, as claimed. Accordingly, one of ordinary skill in the art would be able to readily identify variants and immunogenic fragments of NleA proteins, and to use the claimed methods in connection with A/E pathogens, and the Applicants respectfully request withdrawal of this rejection.

# Rejections Under 35 U.S.C. § 102

I. Claims 53-58, 71-72 and 86-94 are rejected under 35 U.S.C. 102(b) as allegedly anticipated by Finlay *et al.* (WO 02/053181) as evidenced by Hideo *et al.* (JP20023550742A2, partial translation and sequence alignment attached as Appendix B and Appendix A, respectively, of the Office Action).

More specifically, the Examiner alleges that Finlay *et al.* teach methods for eliciting an immune response against an A/E pathogen or component thereof, or for reducing colonization of an A/E pathogen, or of reducing shedding (thus allegedly treating an infection by an A/E pathogen) in an animal by administering an effective amount of a composition comprising a culture supernatant. The Examiner further alleges that Hideo *et al.* teach that *E. coli* EHEC

O157:H7 makes a protein comprising the sequence of SEQ ID NO: 24. The Office Action further alleges that the culture supernatant of Finlay *et al.* is prepared from *E. coli* EHEC O157:H7 under identical conditions as SEQ ID NO: 24 of the instant specification.

The Examiner therefore concludes that the culture supernatant of Finlay *et al.* is a composition or culture supernatant which comprises a polypeptide which comprises an amino acid sequence substantially identical to the sequence of SEQ ID NO: 24 and inherently comprises 20% of the cell protein present in the composition. The Examiner is respectfully requested to clarify "inherently comprises 20% of the cell protein present in the composition" in the context of this rejection.

To support a rejection under § 102, a <u>single</u> prior art reference must describe each and every element, either expressly or inherently, of the rejected claims (MPEP § 2131). In the present case, claims 53-55, which are the only pending independent claims, have been amended without prejudice or disclaimer and without acquiescence to the Examiner's assertions, to recite that the claimed polypeptide is "isolated." The term "isolated" as defined in the specification refers to a compound that is "separated from the components that naturally accompany it" (see, for example, the specification at page 10, lines 20-21). The Applicants respectfully submit that Finlay *et al.* do not teach methods relating to an "isolated" polypeptide comprising an amino acid sequence having at least 75% sequence identity to the sequence of SEQ ID NO: 24 as claimed and therefore do not anticipate the claimed invention.

II. Claims 53-58, 71-72, 86, and 88-94 are rejected under 35 U.S.C. 102(b) as allegedly anticipated by Wright (US 5,730,989, 3/24/98) as evidenced by Hideo *et al.* (*supra*).

More specifically, the Examiner alleges that Wright disclose a method for eliciting an immune response against *E. coli* O157:H7 or component thereof, in an animal by administering to the animal an effective amount of inactivated *E. coli* O157:H7. The Examiner further alleges that the *E. coli* O157:H7 of Wright is a composition that comprises a polypeptide which comprises an amino acid sequence substantially identical to the sequence of SEQ ID NOs: 24, as evidenced by

Hideo *et al.*, and that Wright disclose a method for treating *E. coli* infection, thus treatment of the *E. coli* infection will allegedly result in reduction in colonization and shedding of *E. coli* in an animal.

As indicated herein, to support a rejection under § 102, a <u>single</u> prior art reference must describe each and every element, either expressly or inherently, of the rejected claims (MPEP § 2131). In the present case, claims 53-55, which are the only pending independent claims, have been amended without prejudice or disclaimer and without acquiescence to the Examiner's assertions, to recite that the claimed polypeptide is "isolated." The Applicants respectfully submit that Wright *et al.* do not teach methods relating to use of an "isolated" polypeptide comprising an amino acid sequence having at least 75% sequence identity to the sequence of SEQ ID NO: 24 as claimed and therefore do not anticipate the claimed invention.

III. Claims 53-55, 71-72, 86 and 90 are rejected under 35 U.S.C. 102(b) as allegedly anticipated by Hideo *et al.* (*supra*) as evidenced by Wright *et al.* (*supra*).

More specifically, the Examiner alleges that Hideo *et al.* disclose a method of eliciting an immune response against *E. coli* O157:H7 by administering an effective amount of a composition for inducing an immune response against *E. coli* O157:H7 comprising a protein 100% identical to SEQ ID NO: 24. The Examiner further alleges that Hideo *et al.* also disclose treating an infection by *E. coli* O157:H7 using the composition and concludes that treatment of the *E. coli* infection will result in reduction in colonization and shedding of *E. coli* in an animal. The Examiner further alleges that it is inherent that the methods of Hideo *et al.* are to be practiced in animals since Wright *et al.* teach that *E. coli* O157:H7 infects animals.

This rejection is respectfully traversed. As indicated herein, claims 53-55 are the only pending independent claims, and therefore these rejections will be addressed with respect to these claims only. The remaining claims at issue under these rejections are dependent claims and by definition subject to the limitations of claims 53, 54 or 55. Claims 53-55 are directed to methods for eliciting an immune response against an A/E pathogen or component thereof, or for reducing

colonization or shedding of an A/E pathogen, in an animal by administering an effective amount of a composition or culture supernatant including an isolated polypeptide comprising an amino acid sequence having at least 75% sequence identity to the sequence of SEQ ID NO: 24.

The Applicants reiterate that, to support a rejection under § 102, a <u>single</u> prior art reference must describe each and every element, either expressly or inherently, of the rejected claims (MPEP § 2131) and the prior art reference must be enabling:

"...invalidity based on anticipation <u>requires</u> that the assertedly anticipating disclosure <u>enable</u> the subject matter of the reference and thus of the patented invention <u>without undue experimentation.</u>" Elan Pharmaceuticals Inc. v. Mayo Foundation for Medical Education & Research, 346 F.3d 1051, 68 USPQ2d 1372 (Fed. Cir. 2003), hereafter "Elan," emphasis added.

Hideo et al. do not meet these requirements, as discussed herein.

Hideo *et al.* teach nucleotide sequences from enterohemorrhagic *E. coli* O157:H7 SAKAI (referred to hereafter as the "EHEC sequences") and assert that these sequences are not present in non-pathogenic *E. coli* K12 (see page 40, paragraph [0010], and page 71, paragraph [0014], of the enclosed English translation of Hideo *et al.*). Hideo *et al.* also teach <u>predicted</u> amino acid sequences based on the identified nucleotide sequences and comparison of the amino acid sequences to known sequences from various public databases using known algorithms (see page 71, paragraph [0016] of the enclosed English translation of Hideo *et al.*). Hideo *et al.* classify the predicted amino acid sequences into twelve (12) groups (see pages 71-72, paragraph [0017] of the enclosed English translation of Hideo *et al.*), as follows: 1) Proteins having unknown function etc., 2) Proteins which have unknown function, but have significant homology to that of other bacteria, 3) Proteins comprising Insertion Sequences (IS), 4) Proteins derived from phage, 5) Regulatory elements, 6) Proteins relating to fimbriae, 7) Proteins relating to transportation of substance, 8) Proteins relating to synthesis of lipopolysaccharide, 9) Proteins relating to metabolism, 10) Proteins processing DNA/RNA, 11) Proteins relating to pathogenicity, and 12) Other proteins.

Hideo et al. also teach that:

...a protein <u>predicted to be a cell surface protein</u> (membrane protein, especially, OMP, lipoprotein) in them or its gene (or nucleic-acid molecule) <u>may be useful for production of an antibody, vaccine composition, diagnosis of O-157 infection</u> and the like. Furthermore, <u>there is a possibility</u> that they include a protein which has an important function in O-157, for example, transportation and metabolism of a substance, processing of nucleic acids, and relates to a regulatory element and pathogenicity. They are to be useful for diagnosis and therapy of O-157 infection." (see pages 267-270, paragraph [0031] of the enclosed English translation of Hideo *et al.*, emphasis added)

. . .

O-157 specific nucleic-acid molecule of the present invention, a gene included in it, peptide and nucleic-acid sequence encoded by the gene are <u>useful for diagnosis and/or therapy of O-157 infection</u> and prevention of symptom occurred by the <u>infection</u>. They can also be used for detection of the presence of O-157 in a sample and classification of its strain. Furthermore, they can also be used for screening of useful compounds for prevention and/or therapy of O-157 infection and symptom occurred by the infection. (see page 283, paragraph [0047] of the enclosed English translation of Hideo *et al.*, emphasis added)

. . .

the scope of the present invention includes a vaccine composition including genes and/or polynucleotides of the present invention, and a method for prevention and/or therapy of O-157 infection and symptom occurred by the <u>infection</u>. (see page 283, paragraph [0048] of the enclosed English translation of Hideo *et al.*, emphasis added)

. . .

The present invention relates to a <u>peptide vaccine formulation for prevention or therapy of O-157 infection</u> comprising effective amount of, at least one kind of, O-157 specific polypeptides having amino acid sequence set forth in the sequence lists or fragments thereof. The vaccine formulation preferably includes a pharmaceutically acceptable carrier, for example, a known adjuvant in the art. (see page 284, paragraph [0051] of the enclosed English translation of Hideo *et al.*, emphasis added).

. . .

The present invention relates to a method of reducing the risk of O-157 infection in patients or a method for therapy [of the infection]. This method comprises <u>administration</u> of the vaccine formulation of the present invention to a patient so as to reduce the risk of O-157 infection or provide therapy of infection. (see page 285, paragraph [0053] of the enclosed English translation of Hideo *et al.*, emphasis added).

The Applicants respectfully submit that these teachings of Hideo *et al.* do not rise to the level of anticipation of the claimed invention. Firstly, SEQ ID NO: 393 of Hideo *et al.*, which is asserted to be identical to SEQ ID NO: 24 of the instant application, is called out in Group 2 (Proteins which have unknown function, but have significant homology to that of other bacteria) and is described as follows at page 154 of the enclosed English translation of Hideo *et al.*:

SEQ ID NO: 393 -0.239229, 442, a minor capsid protein precursor, similar to minor capsid protein precursors for example ,GpC [Bacteriophage lambda] gi|137565|sp|P03711|VCAC#LAMBD (97% identity in 439 amino acids), capsid assembly protein containing Nu3-homolog;

The Applicants respectfully note that Hideo *et al.* do <u>not</u> identify SEQ ID NO: 393 as relating to pathogenicity – such sequences are listed in Group 11. The Applicants respectfully submit that capsid proteins are bacteriophage (bacterial virus) proteins used as part of the viral assembly process, and present in the viral coat upon maturation. Accordingly, a bacteriophage capsid protein would not be expected to be effective in the methods as claimed.

Secondly, Hideo *et al.* speculate that a protein that is "<u>predicted</u> to be a cell surface protein ... <u>may be useful</u> for production of an antibody, vaccine composition, diagnosis of O-157 infection ...," that "... there is a <u>possibility</u> that they include a protein which has an important function in O-157, for example, transportation and metabolism of a substance, processing of nucleic acids, and relates to a regulatory element and pathogenicity..." and that such proteins "... are to be useful for diagnosis and therapy of O-157 infection."

Accordingly, Hideo *et al.* simply raise the possibility that some of approximately two thousand (2000) sequences may be useful. This assumption appears to be based on the absence of the EHEC sequences from *E. coli* K12. Hideo *et al.* compare the sequence of the pathogenic bacterium, EHEC O157:H7, with that of the non-pathogenic K12 strain, and assert that the EHEC O157:H7 sequences that differ from the K12 sequences are pathogenic simply because EHEC O157:H7 is highly pathogenic and K12 is not. Hideo *et al.* do not provide any experimental data or other evidence to support this assertion.

The Applicants respectfully submit that the assumption that any sequence present in a pathogenic organism and absent from a non-pathogenic organism is necessarily useful is incorrect and that very few of the EHEC O157:H7-specific sequences are implicated in human disease. More specifically, non-pathogenic K12 and EHEC O157:H7 share about 80% sequence identity and are about 20% different. Given that the genomes of these organisms are about 4 million base pairs, the difference is about 800,000 base pairs. All the known virulence factors encode only about 50-100,000 base pairs (e.g., the LEE region, which encodes the Type III secretion system is 34,000 base pairs, the Shiga toxin is 1,000 base pairs, etc.), thus making up only a small fraction of genomic differences between non-pathogenic K12 and pathogenic EHEC O157:H7. For example, many of the non-LEE encoded proteins have no effect on virulence, and are found in O157 but not in non-pathogenic E. coli. Accordingly, one of ordinary skill in the art would recognize that not all of the EHEC O157:H7-specific sequences set out in Hideo et al. encode virulence factors. Furthermore, the inventors of the present application were the <u>first</u> to identify NleA polypeptide (SEQ ID NOs: 22-24) as a virulence factor. The term "virulence factor" is understood by those of skill in the art as a molecule required to cause disease, that is not normally required for viability of the micro-organism producing it in non-disease settings. It is further well known to a skilled person that, once identified, a virulence factor is useful to induce an immune response in animals, but prior to such identification there would be no reason to conclude that any protein would be useful.

Furthermore, Hideo *et al.* make it clear that the contemplated use of the disclosed sequences is in the context of treating <u>infection</u> in a <u>patient</u>. The term "infection" is defined as "[i]nvasion by and multiplication of pathogenic microorganisms in a bodily part or tissue, which may produce subsequent tissue injury and progress to overt disease through a variety of cellular or toxic mechanisms" or the "pathological state resulting from having been infected." (see, infection, Dictionary.com, *The American Heritage® Stedman's Medical Dictionary*. Houghton Mifflin Company. <a href="http://dictionary.reference.com/browse/infection">http://dictionary.reference.com/browse/infection</a>, accessed: November 18, 2010). Therefore, the term "infection" contemplates that the infected subject or animal exhibits symptoms of clinical disease. By contrast, ruminants may be colonized by and shed highly

virulent A/E pathogens, or exhibit an immune response against an A/E pathogen or component thereof, without ever exhibiting symptoms of overt disease.

Accordingly, the Applicants respectfully submit that Hideo *et al.* do not teach methods relating to use of an isolated polypeptide comprising an amino acid sequence having at least 75% sequence identity to the sequence of SEQ ID NO: 24 in ruminants, as claimed, and therefore do not anticipate the claimed invention.

For the sake of completeness, the Applicants note that the Examiner also asserts that Wright et al. teach that E. coli O157:H7 infects animals. With respect, Wright et al. disclose that E. coli O157:H7 "was the first EHEC strain identified in <a href="https://humans.com/humans">humans</a> and remains the most common infectious cause of bloody diarrhea and hemorrhagic colitis in <a href="https://humans">humans</a>" (col. 1, Il. 34-36, emphasis added). Wright et al. also disclose that "...cattle, pigs, lambs and poultry may all be environmental <a href="reservoirs">reservoirs</a> for verocytotoxin-producing enterohemorrhagic E. coli" (col. 1, Il. 49-51, emphasis added). The term "reservoir" is defined as "[a]n organism or a population that directly or indirectly transmits a pathogen while being virtually immune to its effects" (see, reservoir, Dictionary.com, The American Heritage® Stedman's Medical Dictionary. Houghton Mifflin Company. <a href="https://dictionary.reference.com/browse/infection">http://dictionary.reference.com/browse/infection</a>, accessed: November 18, 2010). Accordingly, the Examiner is in error in stating that Wright et al. teach that E. coli O157:H7 <a href="infects">infects</a> animals since the term "infection" contemplates that the infected subject or animal exhibits symptoms of clinical disease.

## Rejections Under 35 U.S.C. § 103

Claims 53-58, 71-72, 86 and 90-94 are rejected under 35 U.S.C. 103(a) as allegedly obvious over Hideo *et al.* (*supra*) in view of Wright *et al.* (*supra*).

More specifically, the Examiner alleges that Hideo *et al.* disclose a method of eliciting an immune response against *E. coli* O157:H7 by administering an effective amount of a composition

for inducing an immune response against *E. coli* O157:H7 comprising a protein identical to SEQ ID NO: 24. The Examiner further alleges that Hideo *et al.* also disclose treating an infection by *E. coli* O157:H7 using the composition. The Examiner further alleges that treatment of the *E. coli* infection will result in reduction in colonization and shedding of *E. coli* in an animal. While the Examiner concedes that Hideo *et al.* do not disclose that the animal is a ruminant or bovine or ovine or human, the Examiner alleges that it is inherent that the methods of Hideo *et al.* are to be practiced in animals since Wright *et al.* teach that *E. coli* or *E. coli* O157:H7 infect animals, such as cattle, lamb and humans and causes diarrhea.

The Examiner therefore alleges that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the instant invention was made to have used the method of Hideo *et al.* for animals such as cattle, lamb and humans, thus resulting in the instant invention with a reasonable expectation of success. The Examiner finds the motivation to do so in the teachings of Wright *et al.* that *E. coli* or *E. coli* O157:H7 infect cattle, lamb and humans and cause diarrhea.

This rejection is respectfully traversed. The Applicants respectfully submit that, further to the Examination Guidelines for Determining Obviousness Under 35 U.S.C. § 103 in View of the Supreme Court Decision in KSR International Co. v. Teleflex Inc. (72 Fed. Reg. 57,526 (Oct. 10, 2007); hereafter the "Guidelines"), a proper rejection under 35 U.S.C. § 103 requires:

- a finding that the prior art included each element claimed, although not necessarily in a single prior art reference, with the <u>only</u> difference between the claimed invention and the prior art being the lack of actual combination of the elements in a single prior art reference;
- a finding that one of ordinary skill in the art could have combined the elements
  as claimed by known methods, and that in combination, each element merely
  would have performed the same function as it did separately;

17

- 3. a finding that one of ordinary skill in the art would have recognized that the results of the combination were predictable; and
- whatever additional findings based on the *Graham* factual inquiries may be necessary, in view of the facts of the case under consideration, to explain a conclusion of obviousness.

In the present case, as discussed herein, the teachings of Hideo *et al.* are speculative and the teachings of Wright *et al.* do not cure the defect in Hideo *et al.* 

More specifically, Hideo *et al.* compare the sequence of the pathogenic bacterium, EHEC O157:H7, with that of the non-pathogenic K12 strain, and speculate that the approximately 2000 EHEC O157:H7 sequences that differ from the K12 sequences are pathogenic simply because EHEC O157:H7 is highly pathogenic and K12 is not. For example, Hideo *et al.* speculate that a protein that is "predicted to be a cell surface protein ... may be useful for production of an antibody, vaccine composition, diagnosis of O-157 infection ...," that "... there is a possibility that they include a protein which has an important function in O-157, for example, transportation and metabolism of a substance, processing of nucleic acids, and relates to a regulatory element and pathogenicity..." and that such proteins "... are to be useful for diagnosis and therapy of O-157 infection." Hideo *et al.* do not provide any experimental data or other evidence to support these speculations.

As is discussed in detail above, the assumptions made by Hideo *et al.* are incorrect and very few of the EHEC O157:H7-specific sequences are implicated in human disease.

Accordingly, one of ordinary skill in the art would recognize that not all of the EHEC O157:H7-specific sequences set out in Hideo *et al.* encode virulence factors.

Furthermore, SEQ ID NO: 393 of Hideo *et al.*, which is asserted to be identical to SEQ ID NO: 24 of the instant application, is identified as being of unknown function but similar to a capsid protein, which are bacteriophage (bacterial virus) proteins used as part of the viral

assembly process and would not be expected to be effective in the methods claimed in the instant application. As discussed above, the inventors of the present application were the <u>first</u> to identify NleA polypeptide (SEQ ID NOs: 22-24) as a virulence factor, which would then lead a skilled person to conclude that it would be useful to induce an immune response. Prior to such identification there would be no reason to conclude that any protein would be useful in the methods claimed in the instant application.

Finally, Hideo *et al.* make it clear that the contemplated use of the disclosed sequences is in the context of treating <u>infection</u> in a <u>patient</u> rather than in <u>ruminants</u>, which may be colonized by and shed highly virulent A/E pathogens, or exhibit an immune response against an A/E pathogen or component thereof, without ever exhibiting symptoms of overt disease.

Turning to Wright et al., this reference discloses that E. coli O157:H7 "was the first EHEC strain identified in <a href="https://dictionary.reference.com/browse/infection">https://dictionary.reference.com/browse/infection</a>, as indicated herein, contemplates that the infected subject or animal exhibits symptoms of clinical disease.

Accordingly, one of ordinary skill in the art would <u>not</u> have recognized that the results of the combination of Hideo *et al.* and Wright *et al.* were predictable since Hideo *et al.* provide no guidance as to which of over 2000 sequences may be useful and Wright *et al.* do not cure this defect. Therefore, Hideo *et al.*, considered alone or in combination with Wright *et al.*, do not render the claimed invention obvious.

Claims 53-55, 71-72, 86, 88-89 and 90 are rejected under 35 U.S.C. 103(a) as allegedly obvious over Hideo *et al.* (*supra*) as evidenced by Wright *et al.* (*supra*) in view of Finlay *et al.* (*supra*).

More specifically, the Office Action alleges that Hideo *et al.* disclose a method of eliciting an immune response against *E. coli* O157:H7 by administering an effective amount of a composition for inducing an immune response against *E. coli* O157:H7 comprising a protein identical to SEQ ID NO: 24. The Office Action further alleges that Hideo *et al.* also disclose treating an infection by *E. coli* O157:H7 using the composition. The Office Action further alleges that treatment of the *E. coli* infection will result in reduction in colonization and shedding of *E. coli* in an animal. The Office Action further alleges that it is inherent that the methods of Hideo *et al.* are to be practiced in animals since Wright *et al.* teach that *E. coli* or *E. coli* O157:H7 infect animals.

While the Office Action concedes that Hideo *et al.* do not disclose that the composition further comprises EspA, EspB, EspD, EspC, intimin and Tir or an adjuvant, the Office Action alleges that Finlay *et al.* teach methods for eliciting an immune response against an A/E pathogen or component thereof, or for reducing colonization of an A/E pathogen, or of reducing shedding (thus allegedly treating an infection by an A/E pathogen) in an animal by administering an effective amount of a composition comprising a culture supernatant where the composition includes EspA, EspB, EspD, EspC, intimin and Tir and/or further includes an adjuvant. The Office Action further alleges that Finlay *et al.* teach that the composition treats the EHEC infection and/or reduces colonization of the animal and teach that administration of the composition to an animal stimulates an immune response against one or more secreted antigens, such as EspA and Tir, which blocks attachment of the EHEC to intestinal epithelial cells.

The Office Action therefore alleges that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the instant invention was made to have combined the composition of Hideo *et al.* with that of Finlay *et al.*, thus resulting in the instant method (wherein the composition further comprises EspA, EspB, EspD, EspC, intimin and Tir or further comprises

an adjuvant) with a reasonable expectation of success. The Office Action finds the motivation to do so because both compositions are allegedly individually taught in the prior art to be useful for the same purpose *i.e.*, inducing an immune response against *E. coli* EHEC O157:H7 and Finlay *et al.* allegedly provide additional motivation in that administration of the composition to an animal stimulates an immune response against one or more secreted antigens, such as EspA and Tir, that blocks attachment of the EHEC to intestinal epithelial cells.

This rejection is respectfully traversed. As discussed herein, in the sections addressing the rejections under 35 U.S.C. 102(b) and 103(a) with respect to Hideo *et al.*, one of ordinary skill in the art would <u>not</u> have recognized that the results of the combination of Hideo *et al.* and Wright *et al.*, with or without Finlay *et al.*, were predictable since Hideo *et al.* provide no guidance as to which of approximately two thousand (2000) sequences may be useful and Wright *et al.* do not cure this defect. The addition of Finlay *et al.* also do not cure the defects in Hideo *et al.* and Wright *et al.* More specifically, as indicated herein, the inventors of the present application were the <u>first</u> to identify NleA polypeptide (SEQ ID NOs: 22-24) as a virulence factor, which would then lead a skilled person to conclude that it would be useful to induce an immune response. Prior to such identification there would be no reason to conclude that any protein would be useful in the methods claimed in the instant application and Finlay *et al.* do not provide such identification. Accordingly Hideo *et al.*, considered alone or in combination with Wright *et al.* and/or Finlay *et al.*, do not render the claimed invention obvious.

21

Date: January 5, 2011

# Conclusion

The Applicants respectfully request that a timely Notice of Allowance be issued in this case.

Respectfully submitted,

By: / Andrew T. Serafini/

Andrew T. Serafini, Reg. No. 41,303

Fenwick & West LLP 801 California Street

Mountain View, CA 94041 Telephone: (206) 389-4596 Facsimile: (650) 938-5200 Appendix A

# Molecular Characterization and Distribution of Genes Encoding Members of the Type III Effector NleA Family among Pathogenic *Escherichia coli* Strains<sup>▽</sup>

Kristina Creuzburg and Herbert Schmidt\*

Institute of Food Science and Biotechnology, Department of Food Microbiology, University of Hohenheim, 70599 Stuttgart, Germany

Received 5 January 2007/Returned for modification 24 February 2007/Accepted 23 May 2007

In this study, we investigated the occurrence of the previously described gene  $nleA_{4795}$  and variants of nleA, putatively encoding non-locus-of-enterocyte-effacement-encoded type III effector proteins with functions that are unknown. nleA variants were detected in 150 out of 170 enteropathogenic *Escherichia coli* strains and enterohemorrhagic *E. coli* strains, two of them being eae negative. Besides the known variants  $nleA_{4795}$ , Z6024, and the espI-like gene, 11 novel nleA variants with different lengths and sequence identities at the deduced amino acid level (between 71% and 96%) have been identified. Whereas most of the serogroups associated with more severe disease were quite homogenous with respect to the presence of a particular nleA variant, other serogroups were not. Moreover, Southern blot hybridization revealed that certain strains carry two copies of nleA in their chromosome, frequently encoding different variants. In most cases, the open reading frame of one of the copies was disrupted, usually by an insertion element. Furthermore, transmission of the type III effector-encoding gene could be shown by transduction of nleA-carrying bacteriophages to a laboratory E. coli strain.

Enterohemorrhagic Escherichia coli (EHEC) and enteropathogenic E. coli (EPEC) can cause serious gastrointestinal diseases and are able to damage the gut epithelia of their hosts by a sophisticated mechanism of attachment and effacement (11). Following adherence to intestinal cells, attaching and effacing (A/E) E. coli organisms interfere with cytoskeletal processes and produce a specific histopathological feature that is characterized by localized destruction of the brush border microvilli and intimate adhesion of the bacteria to the plasma membrane of the host cells (21). The development of A/E lesions is mediated by a type III secretion system (T3SS), which is able to translocate effector proteins via a needle complex directly in the cytoplasm of host cells (18). The machinery of this secretion system and its effector proteins are located within the bacterial chromosome on a pathogenicity island termed the locus of enterocyte effacement (LEE) (14).

It has been shown that additional effector proteins encoded by genes outside the LEE in cryptic or intact prophages are translocated by the LEE-encoded T3SS. The majority of these effectors have been identified by a proteomics approach with the mouse A/E pathogen Citrobacter rodentium (8) as well as by using bioinformatics, proteomics, and translocation assay approaches with the E. coli O157:H7 strain RIMD 0509952 (37). This group of non-LEE-encoded effectors also includes Cif (24), NleA/EspI (16, 27), TccP/EspF<sub>U</sub> (3, 15), EspJ (7), NleB (20), and EspK (38). The cycle-inhibiting factor Cif blocks the cell cycle at the G<sub>2</sub>/M-phase transition and is involved in the

formation of stress fibers (24). The Tir cytoskeleton coupling protein  $TccP/EspF_U$  binds N-WASP and leads to Nck-independent actin polymerization (3, 15). EspJ may play a role in host survival and pathogen transmission (7). NleB is probably a virulence determinant (20), whereas EspK could be involved in intestinal colonization (38).

The non-LEE-encoded effector NleA/EspI of C. rodentium shows 81% identity at the amino acid level to the protein Z6024, encoded by phage CP-933P in E. coli O157:H7 strain EDL933 (30), and 78% and 76% identity, respectively, to NleA<sub>4795</sub>, which is encoded by the Stx1-converting prophage BP-4795 of E. coli O84:H4 strain 4795/97 (6), and the EspI-like protein, encoded together with Cif by a prophage in the genome of the rabbit EPEC O103:H2 strain E22 (24). The non-LEE-encoded effectors NleA and NleA4795 localize close to the Golgi apparatus of HeLa cells (6, 16). Moreover, experiments with a mouse model showed that NleA/EspI is necessary for virulence (16, 27), but the function of this effector protein is still unknown. Mundy et al. (26) examined 232 EPEC and 93 EHEC strains for the presence of espI using colony hybridizations. They could detect espI in 53% of the LEE-positive EPEC strains tested. In eae-positive EHEC isolates, it was found more frequently. Consequently, 37 of 43 (86%) LEEpositive EHEC strains contained espI, and the authors assumed a correlation between the presence of espI and certain intimin subtypes in EPEC strains. However, it was not possible to define such an association for the occurrence of espI and a specific intimin type in EHEC strains. Furthermore, they could detect espI more commonly in strains from patients suffering from a more severe disease (26).

The aim of the present study was to determine the distribution of  $nleA_{4795}$  and related variants among pathogenic intestinal  $E.\ coli$  strains. Furthermore, we were interested in a

<sup>\*</sup> Corresponding author. Mailing address: Department of Food Microbiology, Institute of Food Science and Biotechnology, University of Hohenheim, Garbenstraße 28, 70599 Stuttgart, Germany. Phone: 49-711/459-22305. Fax: 49-711/459-24199. E-mail: hschmidt @uni-hohenheim.de.

<sup>&</sup>lt;sup>∇</sup> Published ahead of print on 6 June 2007.

Vol. 45, 2007 nleA FAMILY 2499

TABLE 1. P	CR primers.	eyeling conditions,	and PCR	product lengths
------------	-------------	---------------------	---------	-----------------

Primer for		PCR e	I amounts of DCD	
nleA target gene variants	Primer nucleotide sequence <sup>a</sup>	Annealing temp (°C)	Elongation time (s)	Length of PCR product (bp)
V83-for2	5'-ACAGCAACATGCACCGGAATGC-3'	58	90	9,59–1,112
V83-rev2	5'-CTTCCATCGCACGTATATCAGC-3'			
V83-for2	5'-ACAGCAACATGCACCGGAATGC-3'	55	90	1,015-1,168
V83-rev3	5'-GATATCGATGACCACATCTTCAGG-3'			
VarA-for*	5'-TATTAAAGCTGTCCACATCGG-3'	50	120	1,4341,584
VarA-rev*	5'-TGGTGTATTTGTTTTGTGGGG-3'			
VarA-for*	5'-TATTAAAGCTGTCCACATCGG-3'	50	120	1,333-1,483
VarA-rev2*	5'-AGCTTAGACTCTTGTTTCTCG-3'			

<sup>&</sup>lt;sup>a</sup> Primers designed to amplify *nleA* and its variants. Asterisks in first column indicate primers used for cycle sequencing reactions for amplification and sequencing of the whole ORF.

possible association and correlation of the presence of *nleA* variants with serotypes and *eae* types.

#### MATERIALS AND METHODS

Bacterial strains. The 170 bacterial strains used in this study mainly were taken from our strain collection. A large set of strains was isolated during routine diagnostic work in the laboratory of Helge Karch at the Institute of Hygiene and Microbiology, University of Würzburg, Germany, in the years 1977 to 2001. Other strains were provided by colleagues during the European Union project QLK-2-20060, and the sequences of some of these strains already have been published (1). Strains with the prefix CB originate from Lothar Beutin, Federal Institute for Risk Assessment, Berlin, Germany. Most of the E. coli O84 strains were a gift of Helmut Tschäpe, Robert-Koch Institute, Wernigerode, Germany, and strain S21195 was provided by Ulrich Busch, Bayerisches Landesamt für Gesundheit und Lebensmittelsicherheit, Oberschleißheim, Germany. The E. coli O103:H2 strain UTI was donated by Phil I. Tarr, Washington University School of Medicine, St. Louis, MO. Other strains included in this study were H.I.8 (13), E2348/69 (22), RDEC-1 (4), EDL933 (28), PMK5 (25), CF11201 (10), CL37 (19), and 95NR1 (39). Serotype, origin, and disease association of the strains are described in Table 2. The E. coli K-12 strain C600 was used as a control in different experiments, and the E. coli K-12 strain C600, harboring plasmid pK18 (31), was used in the transduction experiments.

**Molecular techniques.** Amplification of Shiga toxin genes (stx) and characterization of  $stx_1$ ,  $stx_2$ , and  $stx_{2t}$  were carried out by PCR as described previously (5, 23, 35, 36). Detection of eae and its subtypes  $\iota$ ,  $\kappa$ ,  $\theta$ , and  $\zeta$  was performed as described previously (33, 40). The PCR protocols for the specific detection of other eae subtypes have been modified by increasing the annealing temperature to 67°C (for  $\beta$  and  $\varepsilon$ ), 52°C/62°C (for  $\gamma$ ), and 58°C (for  $\eta$ ) (29, 34, 40).

The amplification of *nleA* variants for subsequent restriction was performed in a total volume of 70  $\mu$ l. Other PCRs were carried out in a total volume of 50  $\mu$ l containing 5 to 6  $\mu$ l of bacterial suspension and containing one to three single colonies in 150 mM NaCl, 200  $\mu$ M of each deoxynucleoside triphosphate, 30  $\mu$ mol of each primer,  $1 \times Taq$  polymerase buffer, and 3 U of Taq DNA polymerase (Genaxxon Bioscience). PCR started with an initial denaturation for 5 min at 94°C, followed by 30 cycles of amplification, consisting of denaturation for 30 s at 94°C, annealing for 60 s at a specific temperature (Table 1), and elongation at 72°C for a certain time course (Table 1). After the last cycle, a final elongation step of 5 min at 72°C completed the reaction.

Restriction of PCR products was performed, according to the manufacturer's recommendations, with BseNI and PstI (Fermentas). For differentiation of nleA8-1 from nleA3 and nleA4, the restriction endonucleases BcII, NheI, and SphI were used, and the variants nleA1, nleA2, and the espI-like gene were distinguished by restriction with BpuI102I and CseI.

For DNA sequencing, nleA variants were amplified with primer pairs VarA-for/VarA-rev and VarA-for/VarA-rev2. To separate mixed PCR products, the respective product was extracted either from a gel using the QIAquick gel extraction kit (QIAGEN) or by being cloned into the pCR2.1-TOPO vector using the TOPO TA cloning kit (Invitrogen) according to the manufacturer instructions. DNA sequencing was performed with the CEQ 8000 genetic analysis system (Beckman Coulter) using the CEQ dye terminator cycle sequencing quick-start kit (Beckman Coulter) by following the manufacturer's recommendations. The sequences obtained from the raw data were edited and analyzed with BioEdit (17).

Preparation of genomic DNA. For preparation of genomic DNA, 2 ml of an overnight culture was centrifuged for 10 min at 6,000 rpm, resuspended in 1 ml 0.9% NaCl solution, and centrifuged again for 5 min at 13,000 rpm in a bench-top centrifuge. The bacterial pellet was resuspended in 400 µl STET buffer (233 mM sucrose, 50 mM Tris-HCl [pH 8.0], 20 mM EDTA [pH 8.0], 5% [vol/vol] Triton X-100, and 1.8 mg/ml lysozyme), incubated for 5 min at room temperature, heated for 1 min to 100°C, and immediately cooled on ice for 2 min. After this procedure, 30 µl of 10% (wt/vol) sodium dodecyl sulfate and 3 µl proteinase K (20 mg/ml) (Carl Roth) were added, and the solution was incubated for 1 h at 56°C. After the addition of 3 µl RNase A (100 mg/ml) (Sigma-Aldrich) and 200 μl distilled water, the mixture was incubated for another 30 min at 37°C. Finally, after extraction with an equal volume of phenol-chloroform-isoamyl alcohol (25:24:1), the liquid phase was transferred into a fresh tube. The genomic DNA was precipitated with 2.5 volumes of ethanol and a 1/10 volume of sodium acetate (pH 7.2) for 30 min at  $-20^{\circ}$ C, followed by centrifugation for 30 min at 13,000 rpm and 4°C. The pellet was washed with 70% ethanol and dissolved in 100 µl distilled water.

Southern blot hybridization. Ten micrograms of genomic DNA was digested overnight with MhI (Fermentas), separated on a 0.8% agarose gel, and transferred to a nylon membrane by vacuum blotting (32). Southern blot hybridization was performed with the DIG DNA labeling and detection kit (Roche Diagnostics) by following the manufacturer's recommendations. The hybridization was conducted at 68°C overnight using an nleA<sub>4795</sub> probe. This probe was generated from E. coli strain 4795/97 by PCR with the primer pair V83-for2/V83-rev3 after purification of two gel extracts with the QIAEX II gel extraction kit (QIAGEN) and was labeled with the Klenow fragment of the DNA polymerase included in the DIG DNA labeling and detection kit (Roche Diagnostics). For identification of the size of the obtained DNA fragments, a GeneRuler I-kb DNA ladder and λ-mix marker 19 (Fermentas) were used.

Phage transduction. An overnight culture of the respective E. coli strain was used to inoculate 200 ml of Luria-Bertani (LB) broth containing 1 ml 1 M CaCl<sub>2</sub>, followed by an incubation with vigorous shaking until an optical density at 600 nm of 0.8 was obtained. After adjusting the culture with 0.05 to 0.25 µg/ml norfloxacin (25 mg/ml in glacial acetic acid) and addition of 1 ml 1 M CaCl<sub>2</sub>, the flask with the bacterial suspension was incubated overnight. The phage particles were separated from the cell debris by centrifugation (7,500  $\times$  g, 30 min, 4°C), followed by filtration through a funnel filter (Whatman). To remove bacterial nucleic acids, DNase I and RNase A (Sigma-Aldrich) were added to final concentrations of 0.5 µg/ml each. After incubation at 37°C for 45 min, sodium chloride was added to a final concentration of 5.8% (wt/vol) and was dissolved, and the solution was incubated on ice for 1 h. After a centrifugation step  $(7,500 \times$ g, 10 min, 4°C), the phage particles were precipitated by adjusting the supernatant to 10% (wt/vol) polyethylene glycol 6000. After polyethylene glycol 6000 was dissolved at room temperature, the mixture was incubated on ice for 1 h. Phage particles were harvested by centrifugation (9,500  $\times$  g, 30 min, 4°C). The resulting phage pellet was dried at room temperature and dissolved in 1 ml of SM buffer (100 mM NaCl, 8 mM MgSO<sub>4</sub> · 7H<sub>2</sub>O, 50 mM Tris-HCl [pH 8], and 0.01% [wt/voll gelatin).

For transduction, 100  $\mu$ l of different dilutions of the obtained phage lysate was mixed with 100  $\mu$ l bacterial culture of *E. coli* C600/pk18 (optical density at 600 nm, ~0.8) and 2  $\mu$ l 1 M CaCl<sub>2</sub>. The culture was incubated for 4 h at 37°C without shaking. Afterwards, 4 ml LB medium, 20  $\mu$ l 1 M CaCl<sub>2</sub>, and 50  $\mu$ g/ml kanamycin were added, followed by an incubation for 48 h at 37°C and shaking at 180 rpm.

TABLE 2. Distribution of six types, eae subtypes, and nleA variants among 170 pathogenic  $E.\ coli$  isolates and restriction fragment lengths from Southern blot hybridizations with an  $nleA_{4795}$  probe

Serotype (no of isolates)	Host	Disease <sup>a</sup> (no. of cases)	stx type	eae type	nleA variant(s)	Hybridization product size(s) in kb (no. of products)
O15:H <sup>-</sup> (1)	Rabbit	D		β	Z6024	
O26:H11 (1)	Human	NK	1	β	Z6024, <sup>b</sup> nleA8-1	8.6, 11.8
O26:H11 (3)	Human	HUS	2	β β	Z6024, <sup>b</sup> nleA8-1	12, 24 (2)
O26:H11 (2)	Human	HUS (1), NK (1)	2	β	nleA8-I	25
O26:H11 (2)	Human	HUS (1), D (1)	1	β β β β	$Z6024$ , $^b$ $nleA8-1$	12, 24
$O26:H^{-}(1)$	Human	NK	1/2	β	Z6024, <sup>b</sup> nleA8-I	8.6, 11.8
$O26:H^{-}(2)$	Human	D (1), AS (1)	1	β	Z6024, <sup>5</sup> nleA8-1	12, 24
O26:H <sup>-</sup> (2)	Human	NK (1), AS (1)	2	β	Z6024, <sup>b</sup> nleA8-1	12, 24
O26:H <sup></sup> (5)	Human	HUS (4), D (1)	2	β	Z6024, <sup>b</sup> nleA8-1	12, 24
O49:H2 (3)	Human	D		β	espI-like gene	20 (2)
O49:H2 (1)	Human	D		β		No signal
O49:H2 (1)	Rabbit	NK		β	<i>espI</i> -like gene	4.3
O49:H10 (1)	$\operatorname{Dog}$	NK		K	Z6024	9
O49:H18 (1)	Pig	NK		κ	nleA2	16
O49:H35 (1)	Cattle	NK		к	nleA2	17
O49:NM (1)	Human	HC		ĸ	nleA10	4.8
O49:NM (1)	Cattle	NK		κ		No signal
O49:NM (1)	Dog	D				No signal
O49:NM (3)	Pig	NK		β	nleA8-1, nleA8-1	4.5, 23
O84:H2 (1)	Cattle	NK	1.	ζ	nleA4	24
O84:H2 (1)	Human	D	1	ζ	nle $A9$ , nle $A8$ - $2^c$	7, 30
O84:H2 (1)	Human	NK	1	ζ	nle $A9$ , nle $A8$ - $2^c$	30
O84:H2 (1)	Human	D	1	B 20 50 50 50 50 50 50 50 50 50 50 50 50 50	$nleA7$ , $nleA8-2^c$	6.8, 30
O84:H4 (1)	Human	D	1	ζ	nleA <sub>4795</sub>	11
O84:H28 (2)	Human	NK	1	Š	nleA <sub>4795</sub>	11(1)
$O84:H^{-}(\hat{1})^{'}$	Human	D	1	ζ	nleA9, nleA8-2°	30 `
O84:H <sup>-</sup> (1)	Human	D	1	ζ	$nleA7$ , $nleA8-2^{\circ}$	6.8, 30
O84:H <sup>-</sup> (2)	Cattle/sheep	NK	1	ž	nleA7, nleA8-2°	6.8, 30
O84:H <sup>-</sup> (1)	Pig	NK		θ	$nleA8-2$ , $nleA8-1^b$	13, 25
O84:nt (1)	Human	D	1		nleA9	30
O84:nt (2)	Human	D (1), NK (1)	1	ζ	$nleA7$ , $nleA8$ - $2^c$	6.8, 30
O84:nt (1)	Human	D	1	ζ ζ ζ	$nleA9$ , $nleA8$ - $2^c$	7, 30
O103:H2 (2)	Rabbit/chicken	D		β	espI-like	13
O103:H2 (1)	Meat		1	ε	<i>espI-</i> like	24.5
O103:H2 (1)	Human	SIDS		ε	<i>espI-</i> -like	24.5
O103:H2 (1)	Human	D		β	espI-like, nleA11	7, 24.5
O103:H2 (3)	Human	HUS	2	ε	<i>espI</i> -like	24.5
O103:H2 (3)	Human	NK (2), AS (1)	1	ε	<i>espI</i> -like	24.5 (3)
O103:H2 (1)	Human	NK	1		<i>espI-</i> like	24.5
O103:H2 (4)	Human	HUS (3), UTI (1)	1	ε	esp1-like	24.5 (3)
O103:H7 (1)	Dog	HC			-	No signal
O103:H11 (1)	Human	NK	1	β	nleA8-I	25
O103:H18 (1)	Human	D	1	ε	<i>espI-</i> like	24.5
$O103:H^{-}(2)$	Human	HUS (1), D (1)	1	3	<i>espI-</i> like	24.5 (1)
$O103:H^{-}(1)$	Human	HUS	2	ε	<i>espI-</i> like	24.5
O111:H2 (1)	Human	NK		β	<i>espI-</i> like	25
O111:H2 (1)	Human	NK		θ	Z6024	11.2
O111:H2 (2)	Human	D	1	θ	nleA8-I	27 (1)
O111:H8 (1)	Human	HUS	1	θ	nleA8-1	27
$O111:H^{-}(1)$	Human	NK		β	<i>espI</i> -like	
$O111:H^{-}(6)$	Human	HUS (2), D (4)	1	θ	nleA8-I	27 (4)
O111:H <sup>-</sup> (7)	Human	HUS	1/2	θ	nleA8-I	27 (2)
$O111:H^{-}(1)$	Human	HUS	1/2		nleA8-1	27
O118:H5 (1)	Human	NK		FC.	Z6024	
O125:H <sup>-</sup> (1)	Human	D		η	nleA8-2	12
O127:H6 (1)	Human	NK		α		No signal
O128:H2 (3)	Human	D (2), AS (1)	1/2			No signal (3)
O128:H2 (7)	Human	D		β	<i>espI-</i> like	20 (3)
O128:H2 (2)	Rabbit/chicken	D (1), AS (1)		β	<i>espI</i> -like	20 `
O128:H2 (1)	Sheep	AS	1/2	*	=	No signal
O128:H2 (2)	Pigeon	AS	2f	β	<i>espI</i> -like	10 (1)
O128:B12 (1)	Human	D	2f	β	espI-like	10
O128:H- (Ì)	Human	D	1	•	*	No signal
$O128:H^{-}(2)$	Human	D (1), AS (1)	1/2			No signal (2)
O145:H4 (1)	Human	NK		ι		No signal

Vol. 45, 2007 nleA FAMILY 2501

TABLE 2-Continued

Serotype (no of isolates)	Host	Disease <sup>a</sup> (no. of cases)	stx type	eae type	nleA variant(s)	Hybridization product size(s) in kb (no. of products)
O145:H28 (1)	Human	HUS	2	γ	nleA3	5
O145:H28 (2)	Human	D	1	γ	nleA5	5.5
O145:H28 (1)	Human	HUS	2	γ	nleA6-I	9.8
O145:H28 (1)	Human	D		·		No signal
O145:H28 (1)	Pig	AS		γ	nleA11	19
O145:H34 (1)	Human	D		i		No signal
O145:NM (6)	Human	HUS (5), D (1)	2	γ	nleA2	30 (2)
O145:NM (2)	Human	HUS (1), D (1)	1	γ̈́	nleA2	30 (2)
O145:NM (1)	Cattle	AS	1	Ÿ	nleA2	30
O145:NM (1)	Pig	NK		γ	nleA2	
O145:NM (1)	Human	HUS	2	β	Z6024	31
O145:NM (1)	Human	HUS	1/2	γ	nleA2	30
O156:H1 (Ì)	Human	AS		ζ	1	6
O156:H8 (4)	Human	NK (3), AS (1)		ě		No signal (4)
O156:H8 (2)	Pig	NK (1), D (1)		θ	Z6024	9(1)
O156:H21 (1)	Human	D	1/2			No signal
O156:H21 (1)	Cattle	NK	1	ζ	$nleA3$ , $nleA8$ - $2^c$	4.8, 6.2
O156:H25 (1)	Human	AS	1	ζ	nleA3, nleA8-2°	4.8, 6.2
O156:H25 (1)	Human	NK		ĕ	$nleA6-2$ , $nleA8-2^{\circ}$	6.2, 9.8
O156:H25 (1)	Human	NK		ζ	$nleA6-1$ , $nleA8-2^{\circ}$	6.2, 9.8
O156:H25 (1)	Cattle	NK		ζ	nleA3, nleA8-2°	5.5, 6.2
O156:H25 (4)	Sheep	NK	1	ζ	$nleA6-1$ , $nleA8-2^c$	6.2, 11.5 (4)
O157:H7 (1)	Human	D		γ̈	Z6024	10
O157:H7 (1)	Ground beef		1/2	γ̈́	Z6024	12
O157:H7 (4)	Human	HUS (3), AS (1)	1/2	Ϋ́	Z6024	12(1)
O157:H7 (4)	Human	HUS (2), D (2)	2	$\dot{\gamma}$	Z6024	12 (2)
O157:H $^{-}$ (1)	Human	NK		γ̈́	Z6024	× 7
O157:H <sup>-</sup> (2)	Human	D (1), AS (1)	1/2	Ý	Z6024	12 (2)
O157:H= (1)	Human	E	1/2	$\dot{\gamma}$	Z6024	* /
$O157:H^{-}(2)$	Human	HUS	2	γ	Z6024	9 (1), 12 (1)
O157:H- (4)	Human	HUS (3), AS (1)	2	ý	Z6024	× // × /

<sup>&</sup>lt;sup>4</sup> NK, not known; D, diarrhea; AS, asymptomatic; HC, hemorrhagic colitis; SIDS, sudden infant death syndrome; UTI, urinary tract infection; E, enteritis.

The culture then was centrifuged for 30 min at  $3,500 \times g$  and at  $4^{\circ}$ C, and the pellet was plated on LB agar containing 50 µg/ml kanamycin.

Nucleotide sequence accession numbers. The coding sequences of the variants nleA1 to nleA11 have been deposited in the GenBank database under continuous accession numbers AM421995 to AM422007.

#### RESULTS

Distribution of nleA variants in EHEC and EPEC strains. One hundred seventy EHEC and EPEC strains, which were predominantly human stool isolates of serogroups O26, O103, O111, O145, and O157 and were associated with severe human disease, as well as animal and human isolates of serogroups O49, O84, O128, and O156, with minor roles in human pathogenicity, were selected for this study. The 135 human isolates originated from asymptomatic carriers and patients with symptoms ranging from diarrhea to hemolytic-uremic syndrome (HUS), which were chosen to assess the occurrence of associations with more severe disease as postulated by Mundy et al. (26). Another 33 strains originated from feces of animals, and 2 were food isolates. The strains mainly were isolated in Germany, other European countries, the United States, Canada, Brazil, and Australia. Mundy et al. (26) detected nleA only in association with the intimin-encoding gene eae. Therefore, we included 157 eae-positive strains. We also used 13 eae-negative

The presence of nleA was determined by PCR with primer

V83-for2 in combination with either V83-rev2 or V83-rev3, which is complementary to conserved regions of this gene. Primer V83-rev3 was constructed because it was not possible to amplify a PCR product from all strains with the primer V83rev2. Total DNA of PCR-negative strains was hybridized with an nleA<sub>4795</sub> probe to exclude the possibility that negative PCR results were due to variations in primer-binding sites. Only one PCR-negative rabbit O49:H2 strain was detected with the nleA<sub>4795</sub> probe. Members of the nleA gene family were detected in 150 out of 170 strains, and 148 of these isolates carried one of the eae alleles  $\beta$ ,  $\varepsilon$ ,  $\gamma$ ,  $\eta$ ,  $\kappa$ ,  $\theta$ , and  $\zeta$  (Table 2). Interestingly, we were able to detect nleA in two eae-negative human isolates with serotypes O103:H2 and O111:H-. nleA genes were absent in two eae t-positive human strains of serogroup O145. Moreover, *nleA* was not detectable in the EPEC strain E2348/69, which expresses intimin  $\alpha$ , in two eae-positive strains of serogroup O49, and in three human eae-positive O156:H8 isolates (Table 2). *nleA* members were present in the two food isolates but were absent from four eae-negative animal isolates and one eae-positive animal isolate. Moreover, they were found in 119 out of the 135 human isolates, whereas the 15 nleA-negative isolates included 8 eae-positive and 8 eae-negative E. coli strains. In addition, we were able to detect nleA genes in all 48 HUS isolates as well as in 40 out of 48 human strains associated with diarrheal disease (Table 2).

<sup>&</sup>lt;sup>b</sup> Variant gene with a 1-bp deletion of either the Z6024 or nleA8-1 sequence.

<sup>&</sup>quot;The 5' end of nleA8-2 was missing from this gene.




FIG. 1. Agarose gel electrophoresis of selected PCR products of *nleA* variants, each of them separately restricted with BseNI (A) or PstI (B). The PCR products were amplified from the following *E. coli* strains (the variant harbored is named in parentheses): lane 1, 4795/97 (*nleA*<sub>4795</sub>); lane 2, EDL933 (Z6024); lane 3, E22 (the *espI*-like gene); lane 4, 5721/96 (*nleA8-I*); lane 5, 0917/99 (*nleA5*); lane 6, PT272 (*nleA6-I*); lane 7, CB6116 (*nleA7*); lane 8, 3439/00 (*nleA8-I*); lane 9, CF11201 (*nleA8-2*); lane 10, CB6389 (*nleA9*); lane 11, CB8745 (*nleA6-2*); lane 12, CB7690 (*nleA10*); lane 13, 1247/95 (Z6024 and *nleA8-I*); lane 14, DG264/4 (*nleA11*). The molecular weight marker (M) is a GeneRuler 100-bp DNA ladder (Fermentas).

Restriction analyses of the nleA variants. The PCR products obtained with primer pairs V83-for2/V83-rev2 and V83-for2/ V83-rev3 did not have the same length. Their sizes ranged from 959 bp to 1,168 bp (Table 1). Two restriction enzymes were chosen for differentiation because of the similarity of nleA4795 and Z6024. Separate restrictions of all PCR products with BseNI (Fig. 1A) and PstI (Fig. 1B) showed 11 different patterns among the 150 PCR products, in addition to the already known variants nleA4795, Z6024, and the espI-like gene of E. coli. The expected restriction pattern for nleA/espI of C. rodentium was not observed. After restriction with BseNI, PCR products obtained with strains 5721/96 and 0917/99, depicted in lanes 4 and 5, respectively, showed the same pattern (Fig. 1), whereas different patterns were obtained by using PstI. Furthermore, PCR products of strains 5721/96, 3439/00, CF11201, and CB6389 in lanes 4, 8, 9, and 10 as well as those of strains PT272 and CB8745 in lanes 6 and 11 share the same PstI restriction pattern (Fig. 1), in contrast to their varying BseNI patterns. Moreover, the addition of molecular weights of BseNI and PstI restriction fragments of strain 1247/95 in lane 13 revealed molecular weights that were approximately double the weights of the other strains. Based on this observation and the arrangement of the restriction fragments, we concluded that this PCR product is a mixture of the two nleA variants shown in lane 2 and lane 8 (Fig. 1).

Molecular characterization of the *nleA* variants. In order to prove the assumption that each restriction pattern represents an independent *nleA* variant, for each pattern, one strain of each serogroup was selected and the respective PCR product was sequenced. Problems arose during sequencing because of the occurrence of mixed products. This finding, along with the detection of the restriction pattern shown in Fig. 1, lane 13, led to the verification of the hypothesis that some strains may carry more than one copy of *nleA*. Therefore, Southern blot hybridization was performed (Fig. 2).

Two copies of *nleA* variants were detected in most of the *nleA*-positive isolates of serogroups O26, O84, and O156. Furthermore, two copies were detectable in three O49:NM strains, originating from pigs that probably were from the same farm,

and one human O103:H2 isolate. All the other *nleA*-positive O49 and O103 strains examined possessed only one copy of the gene. This was also true for all *E. coli* O111, O128, O145, and O157 strains (Fig. 2; Table 2).

DNA fragments were amplified by using primer VarA-for either in combination with VarA-rev, which binds in the region downstream of *nleA*, or in combination with VarA-rev2, which binds at the 3' end of the gene. For DNA sequencing of PCR products of isolates with two copies of *nleA*, the following strategies were used. If the PCR product appeared as a single band, it could be cloned directly into the pCR2.1-TOPO vector of the TOPO TA cloning kit (Invitrogen). If two PCR products were amplified, the PCR product with the expected size was extracted from a gel prior to sequencing.

DNA sequencing resulted in the identification of 11 new nleA variants, termed nleA1 to nleA11, besides the three known variants of pathogenic E. coli (Fig. 3). We defined an open reading frame (ORF) with a cutoff value of less than 97% sequence identity at the deduced amino acid level as an individual variant of nleA. By sequencing, two nleA variants were identified that shared a restriction pattern that was the same as that of the espI-like gene. To distinguish variants nleA1, nleA2, and the espl-like gene, PCR products with the primer pair V83-for2/V83-rev2 from all concerned strains were restricted either by Bpul102I or by Csel. Moreover, many members of variant nleA8-1 (see below) differ in 1 bp in the recognition site of BseNI, resulting in different restriction patterns. This is shown in lanes 4 and 8 in Fig. 1. To distinguish this variant, nleA8-1, from nleA3 and nleA4, which had the restriction pattern shown in lane 4 (Fig. 1), the restriction enzymes BcII, NheI, and SphI were used.

The 15 variants, including *nleA* of *C. rodentium*, revealed sequence identities to each other of between 71% and 96% at the deduced amino acid level. Several variants showed strain-specific differences in the amino acid sequences that were caused by one to three point mutations. These mutations were not taken into consideration in this study. Only the strain-specific differences in the sequence of variant NleA6 and NleA8 were separated by an additional numerical suffix, be-

Vol. 45, 2007 nleA FAMILY 2503




FIG. 2. Southern blot hybridization of different nleA variants with an  $nleA_{4795}$  probe. The following  $E.\ coli$  strains were used (the variant harbored is named in parentheses): lane 1, O84:H4 strain 4795/97 ( $nleA_{4795}$ ); lane 2, O157:H7 strain 0136/96 (Z6024); lane 3, O103:H2 strain 2576/97 (the espI-like gene); lane 4, O156:H1 strain LTEC94460 (nleAI); lane 5, O145:NM strain 4672/99 (nleA2); lane 6, O111:H2 strain 5721/96 (nleA8-1); lane 7, O84:H2 strain CB7197 (nleA4); lane 8, O145:H28 strain 0917/99 (nleA5); lane 9, O127:H6 strain E2348/69 (nleA8-1); lane 10, O156:H25 strain PT272 (nleA6-1 and nleA8-2); lane 11, O84:H $^-$  strain CB6116 (nleA7 and nleA8-2); lane 12, O26:H11 strain 3439/00 (nleA8-1); lane 13, O125:H $^-$  strain CF11201 (nleA8-2); lane 14, O84:H $^-$  strain CB6389 (nleA8-2 and nleA9); lane 15, O156:H25 strain CB8745 (nleA6-2 and nleA8-2); lane 16, O49:NM strain CB7690 (nleA10); lane 17, O26:H $^-$  strain 5720/96 (Z6024 and nleA8-1); lane 18, O145:H28 strain DG264/4 (nleA11).  $M_1$  is the lambda mix marker 19;  $M_2$  is a GeneRuler 1-kb DNA ladder (Fermentas).

cause NleA6-2 possessed an insertion of four amino acids that were absent from NleA6-1, resulting in a deduced protein length of 462 amino acids. On the other hand, NleA8-1 and NleA8-2 varied in 10 amino acids of the C-terminal end (Fig. 3). This difference seems to be associated with specific serogroups (Table 2). Moreover, the length of the 15 deduced proteins varied between 412 and 462 amino acids (Fig. 3). These variations are due to the repeated occurrence of amino acids, in particular of alanine, serine, and threonine, in the middle region of the deduced proteins (Fig. 3). Furthermore, this region includes a putative transmembrane helix. Because of the absence of this region, this putative helix is missing from the variants EspI-like protein, NleA1, NleA2, NleA7, NleA10, and NleA of C. rodentium (Fig. 3). Another putative transmembrane helix is located in the C-terminal third of the deduced amino acid sequence. This one is present in all variants described (Fig. 3).

Most of the strains of serogroups O26, O84, and O156, as well as three O49:NM isolates from pigs, probably originating from the same farm, and one O103:H2 strain, harbored two copies of the gene *nleA* (Table 2). Moreover, one copy of *nleA* was disrupted in isolates of serogroups O26, O84, and O156. Sequencing of variant Z6024 of serogroup O26 revealed the deletion of 1 bp, resulting in a truncated, possibly nonfunctional putative protein. This was also the case for *nleA8-1* of the O84:H<sup>-</sup> isolate that harbored variants *nleA8-1* and *nleA8-2*. Other strains of serogroup O84 harboring *nleA7* and *nleA8-2* or *nleA9* and *nleA8-2* showed a disrupted ORF of

variant *nleA8-2* because of the insertion of the insertion sequence (IS) element ISEc8 651 bp upstream of the 3' end of the gene. In contrast, 117 bp of the 5' end of variant *nleA8-2*, present in serogroup O156, was missing. The inserted sequence resembled the region upstream of *nleA<sub>4795</sub>* of the prophage BP-4795 and, to some extent, an ISEc8 element. Therefore, 179 bp that was in BP-4795 was missing from this sequence. Furthermore, the first 34 bp of the *espI*-like gene of one O128:H2 pigeon isolate was deleted due to insertion of an IS element, in contrast to other strains of serotype O128:H2 that harbored a complete ORF of the *espI*-like gene. Variant *nleA4* also may encode a truncated protein because of the insertion of 5 bp located 78 bp downstream of the 5' end of the gene.

Most of the isolates of serogroups associated with severe human disease harbored variant Z6024, *nleA8-1*, or the *espI*-like gene (Table 2). Moreover, only one or three different variants of *nleA* could be detected from the serogroups O26, O157, O103, and O111. In contrast, serogroup O145 appeared to be heterogeneous, with six different variants. Whereas serotype O145:NM was nearly uniform, four variants of *nleA* were detected in the six O145:H28 isolates examined. This also was the case for serogroups O49, O84, and O156. These serogroups harbored five to six different variants, whereas *nleA*-positive O128 strains possessed only the *espI*-like gene. Variants Z6024, *nleA8-1*, and the *espI*-like gene occurred most frequently, followed by variants *nleA8-2* and *nleA2*. In contrast, the other nine variants were detected only in one to six isolates (Table 2). Furthermore, most of the *eae* subtypes β, γ, θ, ζ, and

	1			38	159						222
MERALIN	- Paridalindag :	t frtesøkelske	tauloty productivity v		SECURE AND SECURE	100000000000000000000000000000000000000			Magnetea.	101018170189171900	er i kvej tipavaskask. Kvej rij
26924							. 200000000000				a description
Hoge I - Like	vw.sr.							200000		******	o Ballana V
aneri a	********					************			**********		G M.MV
Miekā											Q 8.89
nigau-		المكافعة والمراوية	A-K.A.~, A.						3		
N2.684	3535355555555555		T-888, A.		*******		******			*:	
niers		B	T~ T		garde e elevere						
Sleks-l			A.,			-88			. 8. 20. 8.2		2 - 282 - 11 - 12 - 1
N3 ea6 - 2	******				********				.A.Y;88		
Ble87											
Ml@88-1	ere various survivations				* * * * * * * * * * * * * *					<b></b>	
NileAi-2					مامام مامام والمام والمام						A CONTRACTOR
Sless's					******				X		2 28
NijeAdd	TI				anar Promis	******************				**************************************	S .38
812811					********					***************************************	A ARRESTANA.
Nleh	318		MECCAL MERSE	S. D PR.		Sec. Sec.	and an area of the termination of the second	and the second second second	as a process a segment as a	and the second second	N 28
	295.				344	415					
Niekgys	295 Germenta (			i i i i i i i i i i i i i i i i i i i	344 BYGSBAGGAL		ERRERDEDAAL	DXISS-0-6484	MESPYVETVE	XIREERY	459
Niek <sub>tyst</sub> 26004	295 Georgythya (		***************************************	FAST. J 5.	BYSBERGGAL	AMMERICAN AMMERICAN			mesmandino ee.		443
%6004 %sp%-like	GLOMPOCHYA		88.0	YASTS. YY.Y.AS.	BYGSSSSGEL V.A.V3 V.V.IIIV	AMMERICANIE 	8		818.	448444	441 412
%6024 EspX-like NieAl	SHARPENNYA S			fašts. TV.V.As. TT.T.A3.	Bresessocal A.Y	AND STEVEN AND AND AND AND AND AND AND AND AND AN	3	8	838. 84.394	Q Q	441 413 413
26024 EspI-like MiwAl Was2	SEEASEWINNA S		\$ 0 9 9 9	fasts. Tt.T.As. Tt.T.AS. Tt.TBAS.	BYSEERGGRI A.Yo3 .V	20000000000000000000000000000000000000		8398 8399 9339			843 412 423 813
Z6024 EspI-like Miwal Wlead Miwad	SURREVINNA S		3.0 0 1.0 1.0	BAST	BYGERBOOKL V.A.V.S V	788885VPVBE 1,500 1,500 1,500	8	8388 9388 9388 8884		- Quint - Quin	441 413 413 413 413 439
26024 EspI-liko Nical Wlok2 MicA3 WicA4	SHEAFFEINIA		8.0 8.0 6.0 6.0 8.0	8487. J	BTGEREGGEL  A VV. 8  V	2000 STORY OF THE	8.8	8			441 413 423 413 439 439 423
25024 EspI-like NieAl WleA2 NieA3 DieA4 WleA3	CLOSPICINA		28.0 28.0 28.0 28.0	VASY	Brgesagal	\$45050VPVD61 		8236 9288 6286 8287 8287			441 413 413 413 439 423 439
26004 Espi-like Disal Eleki Misas Eleki Misas Disas	ELEASYUNYA			YAST	BY A WOUND OF THE PROPERTY OF	\$45050000000000000000000000000000000000	8	2000 (300 (300 (300 (300 (300 (300 (300			643 413 413 613 439 423 439 458
26024 Esp2-like RieAl RleA2 RleA3 SleA3 RleA5 RieA6-l	CLOSPICINYS			YAST	HYDERINGAL  .A.VA  .V  .B.VA  .A.V. VA  .A.VA  .A.VA  .A.VA	A0000000000000000000000000000000000000	8	20000000000000000000000000000000000000	8. 125 8. 75 8. 75 8. 75 8. 75	1000000 1000000 1000000 1000000 1000000 1000000	\$41, \$10, \$13, \$13, \$23, \$23, \$39, \$58, \$60,
26004 Esp5-like NieAl WleA3 NieA3 WleA5 NieA6-l WleA6-2 NieA6-2	CLOSPICINYS			VAST	HYSERRERAL  A.V 8  V	2 (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	33	82980	8. 15 8. 15 8. 15 		481 812 413 813 813 823 823 839 458 860 814
26004 Esp2-like NieAl WleAl SleAl WleAl NieAl NieAl NieAl NieAl	CLOSPICINA SSSSSSSSSS.		0.8 0.0 0.1 0.1 0.1 0.1 0.1 0.1	FAST	BY A V. A	2000 30 7 V 16 1	8.8.	E. 2288  R. 538  R. 528  E. 528  E. 277  E. 277			481 413 413 413 413 439 439 439 440 414 444
86024 Espi-like NieAl WleAS SieAS NieAS-l WleAS-l WleAT NieAS-l NieAS-l	SS		8.9 9.0 1.0 8.3 8.5	VANI S YY. Y.A. S. YY. Y.A. S. YY. Y.A. S. YY. S. S. S. S. S. S. S. S. YY. S. S. YY. S.	BY A V. A		S. B.	9, 2000, 8	8.19 8.19 8.19 8.29 9.4	20000000000000000000000000000000000000	481 413 413 413 439 433 439 456 414 440
86004 Espi-like Nieal Whead Niead Whead-l Whead-l Niead-l Niead-l Niead-l	SECRETARINA SECRETARIA		8.0 9.0 9.0 9.3 8.2 8.2 8.2	YAYY	BY A V. A A A V.		%			Q	843 413 413 413 433 435 435 435 445 444 444 444
26024 EspX-like Sical Slcad Slcad Slcad Slcad Nlcad-l Slcad-l Nlcad-l Nlcad-l Nlcad-l Slcad Slcad Slcad	ELEASTONYA S		9.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	VANI	REGREGAL REG	2000307V066 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1	8	8 208		Q	843 413 613 613 623 439 439 458 663 444 643 643
86004 Espi-like Nieal Whead Niead Whead-l Whead-l Niead-l Niead-l Niead-l	SECRETARINA SECRETARIA		8.0 9.0 1.0 8.8 8.8 8	VANI	BYSEREGAL  A.V. 8  V  B.V. A  A.V. V8  A.V. V8  A.V. V8  A.V. A  V  A.V. A  V  A.V. A  V  A.V. A		8	### ##################################		Q	843 413 413 413 433 435 435 435 445 444 444 444

FIG. 3. Alignment of the deduced amino acid sequences of the four known nleA variants  $NleA_{4795}$ , Z6024, the EspI-like protein, and NleA, as well as the newly discovered variants NleA1 to NleA11. Only the N-terminal regions, the two putative transmembrane helices, and the C-terminal regions are shown. The position numbers refer to the sequence of  $NleA_{4795}$ . Identical amino acids are depicted by dots, and amino acids that are absent from a particular sequence are indicated by dashes. The putative transmembrane helices are labeled in gray.

ε, detected in a larger number of isolates, were associated with four to eight different *nleA* variants (Table 2). Because of the rare occurrence of most of the *nleA* variants as well as the association of the *espI*-like gene, *nleA8-1*, and Z6024 with at least two different *eae* subtypes, a direct correlation between a certain variant of *nleA* and a specific *eae* subtype could not be defined.

Transduction of nleA variants. Previously, it was shown that nleA4795 and the espI-like gene are located in the genome of prophages, which are fully inducible to produce phage particle progeny, whereas Z6024 is located on a cryptic prophage (6, 24, 30). In order to determine whether the newly discovered variants are within intact phages that are able to spread the nleA-encoded T3SS effector by horizontal gene transfer, transduction experiments were carried out. A collection of 24 pathogenic E. coli strains harboring different nleA variants were chosen as donor strains for these experiments (Table 3). E. coli C600/pK18 was used as the recipient to prevent the growth of single wild-type cells, which were not detached during preparation of phage lysates. The 11 isolates carrying stx2 or stx2f that were examined carried inducible Stx2-converting prophages, which were transducible in E. coli C600/pK18 (Table 3). All strains harboring stx<sub>2</sub> belonged to serogroups associated with severe human disease, and most of them originated from patients with HUS. Only one strain, the O145:H28 isolate CB4973, also possessed the variant nleA6-1 in the genome of an inducible prophage. Furthermore, the three isolates 4795/ 97, 01-08612, and CB6389 of serogroup O84, as well as the O49:NM strain CB7690, obviously harbored functional prophages carrying an nleA variant, which could be transduced in the E. coli K-12 strain C600/pK18 (data not shown). Strains CB7690, 4795/97, and 01-08612 carried variant nleA10 or nleA<sub>4795</sub> in the genome of an inducible bacteriophage. Strain CB6389 possessed an intact prophage harboring variant nleA9 that is not disrupted by an IS element, and the similar variant nleA8-2 was located in the genome of this isolate as well. Moreover, each of these three O84 strains exhibited an intact Stx1-converting prophage. This also was the case for the O84:H2 isolate CB7197. However, it was not possible to transduce the variant nleA4 of this isolate in the E. coli strain C600/pK18. No bacteriophages harboring stx, or a variant of nleA and originating from the other eight stx1-positive or stxnegative strains were detectable after transduction in C600/ pK18. Thus, we were able to demonstrate the transduction of five nleA-carrying phages with the method described above. However, we cannot exclude completely the possibility that the other 19 analyzed E. coli strains also harbor inducible nleA phages that could not be detected in this assay.

#### DISCUSSION

The detection of different variants of the gene *nleA* in 150 out of 170 *E. coli* strains examined shows the widespread oc-

Vol. 45, 2007 nleA FAMILY 2505

TABLE 3. E. coli donor strains used for transduction of phages to the recipient E. coli C600/pK18 and transduced genetic traits

Strain	Serotype	Host	Disease <sup>a</sup>	stx type	eae type	nleA type	Transduced trait(s)
1530/99	O26:H11	Human	HUS	2	β	Z6024, <sup>b</sup> nleA8-1	stx <sub>2</sub>
3439/00	O26:H11	Human	NK	2	β	nleA8-I	stx <sub>2</sub>
CB7690	O49:NM	Human	$^{\mathrm{HC}}$		ĸ	nleA10	nleA10
CB7197	O84:H2	Cattle	NK	1	ζ	nleA4	$stx_1$
03-06145	O84:H2	Human	D	1	Ğ	nleA7, nleA8-2°	
4795/97	O84:H4	Human	D	1	ζ	nleA <sub>4795</sub>	$stx_1$ , $nleA_{4795}$
01-08612	O84:H28	Human	NK	1	ζ	nleA <sub>4795</sub>	$stx_1$ , $nleA_{4795}$
CB8966	O84:H	Pig	NK		θ	$nleA8-2$ , $nleA8-1^b$	
CB6389	O84:nt	Human	D	1	ζ	nle $A9$ , nle $A8$ - $2^{\circ}$	$stx_1$ , $nleA9$
UTI	O103:H2	Human	UTI	1	3	espI-like	
2636/97	$O103:H^{-}$	Human	HUS	2	ε	<i>espI-</i> like	$stx_2$
1639/77	$O111:H^{-}$	Human	D	1	θ	nleA8-I	
1187/00	O111:H <sup></sup>	Human	HUS	1/2		nleA8-1	$stx_2$
T4/97	O128:H2	Pigeon	AS	2f	β	<i>espI-</i> like <sup>c</sup>	$stx_{2f}$
0917/99	O145:H28	Human	D	1	γ	nleA5	
4557/99	O145:H28	Human	HUS	2	γ	nleA3	$stx_2$
CB4973	O145:H28	Human	HUS	2	γ	nleA6-I	$stx_2$ , $nleA6-1$
DG264/4	O145:H28	Pig	AS		$\gamma$	nleA11	
4392/97	O145:NM	Human	HUS	2	β	Z6024	$stx_2$
4672/99	O145:NM	Human	HUS	1/2	γ	nleA2	$stx_2$
CB8104	O145:NM	Human	HUS	2	γ	nleA2	$stx_2$
LTEC94460	O156:H1	Human	AS		ζ	nleAI	
PT272	O156:H25	Sheep	NK	1	ζ	nle $A6$ - $I$ , nle $A8$ - $2^c$	
2492/00	$O157:H^{-}$	Human	HUS	2	γ	Z6024	$stx_2$

<sup>&</sup>quot;NK, not known; HC, hemorrhagic colitis; D, diarrhea; UTI, urinary tract infection; AS, asymptomatic.

currence of this non-LEE-encoded T3SS effector among pathogenic *E. coli* strains. With the exception of two strains, we could confirm the appearance of *nleA* in association with *eae* as determined by Mundy et al. (26). It has yet to be proven whether the two *eae*-negative isolates are able to secrete NleA or if the gene represents a relic of extensive genetic rearrangement without any known function. Moreover, although the function of the virulence determinant NleA is unknown, the widespread distribution of the encoding gene points to an apparent selective advantage for *E. coli* strains harboring copies of this gene.

DNA sequencing revealed 15 gene variants of different lengths. Interestingly, a region of 4 to 51 deduced amino acids approximately located in the middle of the encoded deduced protein was lacking in some variants. This region, characterized by the predominant occurrence of alanine, serine, and threonine, includes a putative transmembrane helix. Therefore, in variants of *nleA* with a deletion of 36 to 51 amino acids, this helix is missing. Thus, these variants exhibit only one putative transmembrane helix, whereas other members of the *nleA* gene family possess two helices. At present, the role of the number of helices is unknown. Possibly, there are differences in the location or function of the deduced proteins inside eukaryotic cells.

The intimin subtypes seem to be responsible for different host tissue tropisms in the intestine (9). Therefore, they may contribute to the severity of symptoms during a disease caused by EHEC or EPEC. Such an association also was shown for Stx variants. Stx2 often causes more severe disease than those caused by Stx1, whereas differences appear among the heterogeneous members of the Stx2 group (2, 12). Until now, no significant correlation could be determined between the occurrence of a certain *nleA* variant and the appearance of a specific

eae type, stx type, or pathotype. The distribution of different members of the nleA gene family seems to be associated more closely with the serogroup of E. coli strains. Thus, with the exception of E. coli O145 strains, the serogroups associated with more severe disease in humans predominantly contain one or two different nleA variants, whereas less important serogroups contain a larger number of variants (Table 2). The majority of O26, O103, O111, and O157 strains harbor Z6024, the espI-like gene, or nleA8-1. On the other hand, strains of serogroups O49, O84, and O156 harbor a variety of members of the nleA gene family. Therefore, these strains may be depicting a pool for genetic rearrangements.

Whereas Z6024 is harbored by the cryptic prophage CP-933P (30), nleA4795 and the espI-like gene are carried by inducible bacteriophages (6, 24). Transduction experiments also revealed the location of nleA6-1, nleA9, and nleA10 in the genome of inducible phages. T3SS effector protein-encoding genes often are present at one end of bacteriophages, presumably a result of incorrect excision during the lytic life cycle. Moreover, the transduction of bacteriophages that carry a variant of the gene nleA to a laboratory E. coli strain raises the possibility that NleA-converting bacteriophages can be spread by horizontal gene transfer. Some strains harbored two copies of mostly different nleA variants. In the majority of the concerned isolates, one of these copies was deleted by an IS element, or some base pairs were missing. This perhaps results from the ability of bacteriophages harboring a member of the nleA gene family to infect the E. coli strain when parts of another lysogenic phage in the genome of this E. coli strain were destroyed by genetic rearrangements. These results indicate a major role for bacteriophages in the distribution of the members of the nleA gene family.

<sup>&</sup>lt;sup>b</sup> Variant gene with a 1-bp deletion of either the Z6024 or nleA8-1 sequence.

<sup>&</sup>quot;The 5' end of nleA8-2 or the espI-like gene was missing from this gene.

Recently, it was shown that  $nleA_{4795}$  is harbored together with  $stx_1$  on a single bacteriophage (6). Whether this is the case for other bacteriophages, such as BP-01-08612, BP-CB6389, and BP-CB4973, remains to be elucidated.

Interestingly, the *nleA* variants investigated in this study and those investigated by other authors are linked to phage DNA. This fits with the concept that the specific characteristics of pathogenic *E. coli* strains are located on mobile genetic elements. To elucidate the role of the phage-encoded type III effectors in more detail, further research is needed.

#### **ACKNOWLEDGMENTS**

We thank Markus Kranz for skillful technical assistance. This work was supported by grant Schm1360/1-3 from the Deutsche Forschungsgemeinschaft.

#### REFERENCES

- Beutin, L., S. Kaulfuss, S. Herold, E. Oswald, and H. Schmidt. 2005. Genetic analysis of enteropathogenic and enterohemorrhagic *Escherichia coli* serogroup O103 strains by molecular typing of virulence and housekeeping genes and pulsed-field gel electrophoresis. J. Clin. Microbiol. 43:1552–1563.
- Boerlin, P., S. A. McEwen, F. Boerlin-Petzold, J. B. Wilson, R. P. Johnson, and C. L. Gyles. 1999. Associations between virulence factors of Shiga toxin-producing *Escherichia coli* and disease in humans. J. Clin. Microbiol. 37:407–503
- Campellone, K. G., D. Robbins, and J. M. Leong. 2004. EspF<sub>U</sub> is a translocated EHEC effector that interacts with Tir and N-WASP and promotes Nck-independent actin assembly. Dev. Cell 7:217–228.
- Cantey, J. R., and R. K. Blake. 1977. Diarrhea due to Escherichia coli in the rabbit: a novel mechanism. J. Infect. Dis. 135:454–462.
- Cebula, T. A., W. L. Payne, and P. Feng. 1995. Simultaneous identification of strains of Escherichia coli serotype O157:H7 and their Shiga-like toxin type by mismatch amplification mutation assay-multiplex PCR. J. Clin. Microbiol. 33:248-250
- Creuzburg, K., J. Recktenwald, V. Kuhle, S. Herold, M. Hensel, and H. Schmidt. 2005. The Shiga toxin 1-converting bacteriophage BP-4795 encodes an NleA-like type III effector protein. J. Bacteriol. 187:8494–8498.
- Dahan, S., S. Wiles, R. M. La Ragione, A. Best, M. J. Woodward, M. P. Stevens, R. K. Shaw, Y. Chong, S. Knutton, A. Phillips, and G. Frankel. 2005. EspJ is a prophage-carried type III effector protein of attaching and effacing pathogens that modulates infection dynamics. Infect. Immun. 73: 679-686.
- Deng, W., J. L. Puente, S. Gruenheid, Y. Li, B. A. Vallance, A. Vazquez, J. Barba, J. A. Ibarra, P. O'Donnell, P. Metalnikov, K. Ashman, S. Lee, D. Goode, T. Pawson, and B. B. Finlay. 2004. Dissecting virulence: systematic and functional analyses of a pathogenicity island. Proc. Natl. Acad. Sci. USA 101:3597–3602.
- Fitzhenry, R. J., D. J. Pickard, E. L. Hartland, S. Reece, G. Dougan, A. B. Phillips, and G. Frankel. 2002. Intimin type influences the site of human intestinal mucosal colonisation by enterohaemorrhagic *Escherichia coli* O157:H7. Gut 50:180-185.
- Forestier, C., A. Darfeuille-Michaud, E. Wasch, C. Rich, E. Petat, F. Denis, and B. Joly. 1989. Adhesive properties of enteropathogenic *Escherichia coli* isolated from infants with acute diarrhea in Africa. Eur. J. Clin. Microbiol. Infect. Dis. 8:979–983.
- Frankel, G., A. D. Phillips, I. Rosenshine, G. Dougan, J. B. Kaper, and S. Knutton. 1998. Enteropathogenic and enterohaemorrhagic Escherichia coll: more subversive elements. Mol. Microbiol. 30:911–921.
- Friedrich, A. W., M. Bielaszewska, W. L. Zhang, M. Pulz, T. Kuczius, A. Ammon, and H. Karch. 2002. Escherichia coli harboring Shiga toxin 2 gene variants: frequency and association with clinical symptoms. J. Infect. Dis. 185:74–84.
- Gannon, V. P., C. Teerling, S. A. Masri, and C. L. Gyles. 1990. Molecular cloning and nucleotide sequence of another variant of the *Escherichia coli* Shiga-like toxin II family. J. Gen. Microbiol. 136:1125–1135.
- Garmendia, J., G. Frankel, and V. F. Crepin. 2005. Enteropathogenic and enterohemorrhagic Escherichia coli infections: translocation, translocation, translocation. Infect. Immun. 73:2573–2585.
- Garmendia, J., A. D. Phillips, M. F. Carlier, Y. Chong, S. Schüller, O. Marches, S. Bahan, E. Oswald, R. K. Shaw, S. Knutton, and G. Frankel. 2004. TecP is an enterohaemorrhagic *Escherichia coli* O157:H7 type III effector protein that couples Tir to the actin-cytoskeleton. Cell. Microbiol. 61167, 1182.
- Gruenheid, S., I. Sekirov, N. A. Thomas, W. Deng, P. O'Donnell, D. Goode, Y. Li, E. A. Frey, N. F. Brown, P. Metalnikov, T. Pawson, K. Ashman, and

- B. B. Finlay. 2004. Identification and characterization of NIeA, a non-LEE-encoded type III translocated virulence factor of enterohaemorrhagic *Escherichia coli* O157:H7. Mol. Microbiol. 51:1233–1249.
- Hall, T. A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. Nucleic Acids Symp. Ser. 41:95–98.
- Hueck, C. J. 1998. Type III protein secretion systems in bacterial pathogens of animals and plants. Microbiol. Mol. Biol. Rev. 62:379-433.
- Karmali, M. A., B. T. Steele, M. Petric, and C. Lim. 1983. Sporadic cases of haemolytic-uraemic syndrome associated with faecal cytotoxin and cytotoxin-producing *Escherichia coli* in stools. Lancet i:619–620.
- Kelly, M., E. Hart, R. Mundy, O. Marches, S. Wiles, L. Badea, S. Luck, M. Tauschek, G. Frankel, R. M. Robins-Browne, and E. L. Hartland. 2006.
   Essential role of the type III secretion system effector NleB in colonization of mice by Citrobacter rodentium. Infect. Immun. 74:2328–2337.
- Knutton, S., D. R. Lloyd, and A. S. McNeish. 1987. Adhesion of enteropathogenic *Escherichia coli* to human intestinal enterocytes and cultured human intestinal mucosa. Infect. Immun. 55:69-77.
- Levine, M. M., E. J. Bergquist, D. R. Nalin, D. H. Waterman, R. B. Hornick, C. R. Young, and S. Sotman. 1978. Escherichia coli strains that cause diarrhoea but do not produce heat-labile or heat-stable enterotoxins and are non-invasive. Lancet i:1119–1122.
- Lin, Z., H. Kurazono, S. Yamasaki, and Y. Takeda. 1993. Detection of various variant verotoxin genes in *Escherichia coli* by polymerase chain reaction. Microbiol. Immunol. 37:543-548.
- 24. Marches, O., T. N. Ledger, M. Boury, M. Ohara, X. Tu, F. Goffaux, J. Mainil, I. Rosenshine, M. Sugai, J. De Rycke, and E. Oswald. 2003. Enteropathogenic and enterohaemorrhagic Escherichia coli deliver a novel effector called Cif, which blocks cell cycle G2/M transition. Mol. Microbiol. 50:1553-1567.
- Mariani-Kurkdjian, P., E. Denamur, A. Milon, B. Picard, H. Cave, N. Lambert-Zechovsky, C. Loirat, P. Goullet, P. J. Sansonetti, and J. Elion. 1993. Identification of a clone of *Escherichia coli* O103:H2 as a potential agent of hemolytic-uremic syndrome in France. J. Clin. Microbiol. 31:296–301.
- Mundy, R., C. Jenkins, J. Yu, H. Smith, and G. Frankel. 2004. Distribution of esp1 among clinical enterohaemorrhagic and enteropathogenic Escherichia coli isolates. J. Med. Microbiol. 53:1145–1149.
- 27. Mundy, R., L. Petrovska, K. Smollett, N. Simpson, R. K. Wilson, J. Yu, X. Tu, I. Rosenshine, S. Clare, G. Bougan, and G. Frankel. 2004. Identification of a novel Citrobacter rodentium type III secreted protein, EspI, and roles of this and other secreted proteins in infection. Infect. Immun. 72:2288-2302.
- O'Brien, A. D., J. W. Newland, S. F. Miller, R. K. Holmes, H. W. Smith, and S. B. Formal. 1984. Shiga-like toxin-converting phages from *Escherichia coli* strains that cause hemorrhagic colitis or infantile diarrhea. Science 226:694– 696.
- Oswald, E., H. Schmidt, S. Morabito, H. Karch, O. Marches, and A. Caprioli. 2000. Typing of intimin genes in human and animal enterohemorrhagic and enteropathogenic *Escherichia coli*: characterization of a new intimin variant. Infect. Immun. 68:64–71.
- 30. Perna, N. T., G. Plunkett III, V. Burland, B. Mau, J. D. Glasuer, D. J. Rose, G. F. Mayhew, P. S. Evans, J. Gregor, H. A. Kirkpatrick, G. Posfai, J. Hackett, S. Klink, A. Boutin, Y. Shao, L. Miller, E. J. Grotbeck, N. W. Davis, A. Lim, E. T. Dimalanta, K. D. Potamousis, J. Apodaca, T. S. Anantharaman, J. Lin, G. Yen, D. C. Schwartz, R. A. Welch, and F. R. Blattner. 2001. Genome sequence of enterohaemorrhagic Escherichia coli O157:H7. Nature 409:529-533.
- Pridmore, R. D. 1987. New and versatile cloning vectors with kanamycinresistance marker. Gene 56:309–312.
- Sambrook, J., E. F. Fritsch, and T. Maniatis. 1989. Molecular cloning: a laboratory manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Schmidt, H., B. Plaschke, S. Franke, H. Rüssmann, A. Schwarzkopf, J. Heesemann, and H. Karch. 1994. Differentiation in virulence patterns of Escherichia coli possessing eae genes. Med. Microbiol. Immunol. 183:23–31.
- Schmidt, H., H. Rüssmann, and H. Karch. 1993. Virulence determinants in nontoxinogenic Escherichia coli O157 strains that cause infantile diarrhea. Infect. Immun. 61:4894

  –4898.
- Schmidt, H., H. Rüssmann, A. Schwarzkopf, S. Aleksic, J. Heesemann, and H. Karch. 1994. Prevalence of attaching and effacing Escherichia coli in stool samples from patients and controls. Zentbl. Bakteriol. 281:201–213.
- Schmidt, H., J. Scheef, S. Morabito, A. Caprioli, L. H. Wieler, and H. Karch. 2000. A new Shiga toxin 2 variant (Stx2f) from Escherichia coli isolated from pigeons. Appl. Environ. Microbiol. 66:1205–1208.
- 37. Tobe, T., S. A. Beatson, H. Taniguchi, H. Abe, C. M. Bailey, A. Fivian, R. Younis, S. Matthews, O. Marches, G. Franket, T. Hayashi, and M. J. Pallen. 2006. An extensive repertoire of type III secretion effectors in *Escherichia coli* O157 and the role of lambdoid phages in their dissemination. Proc. Natl. Acad. Sci. USA 103:14941–14946.

Downloaded from jcm.asm.org by on October 21, 2008

Vol. 45, 2007 nleA FAMILY 2507

 Vlisidou, I., O. Marches, F. Dziva, R. Mundy, G. Frankel, and M. P. Stevens. 2006. Identification and characterization of EspK, a type III secreted effector protein of enterohaemorrhagic Escherichia coli O157:H7. FEMS Microbiol. Lett. 263:32-40.

- 39. Voss, E., A. W. Paton, P. A. Manning, and J. C. Paton. 1998. Molecular analysis of Shiga toxigenic *Escherichia coli* O111:H<sup>-</sup> proteins which react
- with sera from patients with hemolytic-uremic syndrome. Infect. Immun. 66:1467-1472.

  40. Zhang, W. L., B. Köhler, E. Oswald, L. Bentin, H. Karch, S. Morabito, A.
- Zhang, W. L., B. Köhler, E. Oswald, L. Beutin, H. Karch, S. Morabito, A. Caprioli, S. Suerbaum, and H. Schmidt. 2002. Genetic diversity of intimin genes of attaching and effacing *Escherichia coli* strains. J. Clin. Microbiol. 40:4486–4492.

Appendix B

# Appendix B: Hideo et al. Full Translation

# <Translation of JP2002-355074 A >

Pub. No.: p2002-355074 A

Publication Date: Dec. 10, 2002

p2002-15959 Application No.:

Filing Date: Jan. 24, 2004

IPC: C12N 15/09 ZNA

A61K 31/7088

39/00

10 48/00

A61P 31/04

C07K 14/245

16/12

C12M 1/00

15 C12N 1/15

1/19

1/21

5/10

C12P 21/02

20 C12Q 1/68

G01N 33/15

33/50

33/53

33/566

25 37/00 102

> Applicants: UNIVERSITY OF TSUKUBA; 1-1-1, Tennodai,

Tsukuba-shi, Ibaraki 3058577 (JP)

Agent:

of

30

Inventors: HAYASHI Hideo et al. (JP)

Title: A nucleic-acid molecule and a polypeptide specific

enterohemorrhagic E. coli O-157:H7 and a method to

TAKAGI Thiyosi et al.

using thereof

Priority Data: 2001-112010 Jan. 24, 2001 (JP) 35 CLAIMS

40

45

- 1. A nucleic-acid molecule specific to enterohemorrhagic pathogenic-E. coli O-157:H7.
- 2. The nucleic-acid molecule of claim 1, which is a nucleic-acid molecule specific to enterohemorrhagic pathogenic-E. coli O-157:H7 and has
- (a) a nucleotide sequence selected from a group comprising the following SEQ IDs: SEQ ID NO:1, SEQ ID NO:132, SEQ ID NO:244, SEQ ID NO:337, SEQID NO:410, SEQ ID NO:484, SEQ ID NO:554, SEQ ID NO:630, SEQ ID NO:689, SEQ ID NO:755, SEQ ID NO:816, SEQ ID NO:876, SEQ ID NO:927, SEQID NO:978, SEQ ID NO:1013, SEQ ID NO:1029, SEQ ID NO:1055, SEQ ID NO:1060, SEQ ID NO:1093, SEQ ID NO:1128, SEQ ID NO:1157, SEQ ID NO:1191, SEQ ID NO:1212, SEQ ID NO:1240, SEQ ID NO:1258, SEQ ID NO:1274, SEQ ID NO:1288, SEQ ID NO:1302, SEQ ID NO:1309, SEQ ID NO:1321,
- NO:1288, SEQ ID NO:1302, SEQ ID NO:1309, SEQ ID NO:1321, SEQID NO:1329, SEQ ID NO:1338, SEQ ID NO:1348, SEQ ID NO:1359, SEQ ID NO:1366, SEQ ID NO:1374, SEQ ID NO:1380, SEQ ID NO:1386, SEQ ID NO:1394, SEQ ID NO:1401, SEQ ID NO:1408, SEQ ID NO:1411, SEQ ID NO:1418, SEQ ID NO:1426,
- 55 SEQ ID NO:1436, SEQ ID NO:1443, SEQ ID NO:1450, SEQID NO:1457, SEQ ID NO:1460, SEQ ID NO:1467, SEQ ID NO:1471, SEQ IDNO:1473, SEQ ID NO:1478, SEQ ID NO:1487, SEQ ID NO:1489, SEQ ID NO:1494, SEQ ID NO:1499, SEQ, ID NO: 1501, SEQ ID NO:1506, SEQ ID NO:1508, SEQ ID NO:1510,
- SEQ ID NO:1511, SEQ ID NO:1516, SEQ ID NO:1520, SEQ ID NO:1526, SEQ ID NO:1532, SEQ ID NO:1537, SEQ ID NO:1540, SEQ ID NO:1545, SEQ ID NO:1547, SEQ ID NO:1549, SEQ ID NO:1551, SEQ ID NO:1553, SEQ ID NO:1555, SEQ ID NO:1558, SEQ ID NO:1563, SEQ ID NO:1566, SEQ ID NO:1569, SEQ ID
- 65 NO:1571, SEQ ID NO:1576, SEQ ID NO:1580, SEQ ID NO:1584, SEQ ID NO:1587, SEQ ID NO:1591, SEQ ID NO:1594, SEQID NO:1596, SEQ ID NO:1599, SEQ ID NO:1601, SEQ ID NO:1603, SEQ ID NO:1604, SEQ ID NO:1605, SEQ ID NO:1607, SEQ ID

NO:1612, SEQ ID NO:1615, SEQ ID NO:1617, SEQ ID NO:1619, 70 SEQ ID NO: 1622, SEQ ID NO: 1624, SEQ ID NO: 1626, SEQ ID NO:1627, SEQ ID NO:1629, SEQ ID NO:1632, SEQID NO:1635, SEQ ID NO: 1636, SEQ ID NO: 1637, SEQ ID NO: 1639, SEQ IDNO:1640, SEQ ID NO:1643, SEQ ID NO:1646, SEQ ID NO: 1649, SEQ ID NO:1652, SEQ ID NO:1655, SEQ ID NO:1658, SEQ ID NO: 1660, SEQ ID NO: 1662, SEQ ID NO: 1664, SEQ ID 75 NO:1666, SEQ ID NO:1668, SEQ ID NO:1669, SEQ ID NO:1670, SEQ ID NO:1672, SEQ ID NO:1673, SEQ ID NO:1675, SEQ IDNO:1677, SEQ ID NO:1680, SEQ ID NO:1682, SEQ ID NO: 1683, SEQ ID NO:1685, SEQ ID NO:1688, SEQ ID NO:1690, 80 SEQ ID NO:1691, SEQ ID NO:1694, SEQ ID NO:1696, SEQ ID NO:1699, SEQ ID NO:1700, SEQ ID NO:1701, SEQ ID NO:1704, SEQ ID NO:1705, SEQ ID NO:1706, SEQ ID NO:1707, SEQID NO:1708, SEQ ID NO:1709, SEQ ID NO:1710, SEQ ID NO:1711, SEQ ID NO:1712, SEQ ID NO:1713, SEQ ID NO:1715, SEQ ID NO:1716, SEQ ID NO:1717, SEQ ID NO:1718,, SEQ ID NO: 85 1719, SEQ ID NO:1720, SEQ ID NO:1721, SEQ ID NO:1722, SEQ ID NO:1723, SEQ ID NO:1724, SEQ ID NO:1725, SEQ ID NO:1726, SEQ ID NO:1727, SEQ ID NO:1728, SEQ ID NO:1729, SEQ IDNO: 1730, SEQ ID NO: 1731, SEQ ID NO: 1732, SEQ ID NO:1733, SEQ ID NO:1734, SEQ ID NO:1735, SEQ ID NO:1736, 90 SEQ ID NO:1737, SEQ ID NO:1738, SEQ ID NO:1739, SEQ ID NO:1740, SEQ ID NO:1741, SEQ ID NO:1742, SEQ ID NO:1743, SEQ ID NO:1744, SEQ ID NO:1745, SEQ ID NO:1746, SEQID NO:1747, SEQ ID NO:1748, SEQ ID NO:1749, SEQ ID NO:1750, 95 SEQ ID NO:1751, SEQ ID NO:1752, SEQ ID NO:1753, SEQ ID NO:1754, SEQ ID NO:1755, SEQ ID NO:1756, SEQ ID NO:1757, SEQ ID NO:1758, SEQ ID NO:1759, SEQ ID NO:1760, SEQ ID NO:1761, SEQ ID NO:1762, SEQ ID NO:1763, SEQID NO:1764, SEQ ID NO:1765, SEQ ID NO:1766, SEQ ID NO:1767, SEQ 100 IDNO:1768, SEQ ID NO:1769, SEQ ID NO:1770, SEQ ID NO: 1771, SEQ ID NO:1772, SEQ ID NO:1773, SEQ ID NO:1774, SEQ ID NO:1775, SEQ ID NO:1776, SEQ ID NO:1777, SEQ ID

NO:1778, SEQ ID NO:1779, SEQ ID NO:1780, SEQ ID NO:1781, SEQ ID NO:1782, SEQ ID NO:1783, SEQ ID NO:1784, SEQ 105 IDNO:1785, SEQ ID NO:1786, SEQ ID NO:1787, SEQ ID NO: 1788, SEQ ID NO:1789, SEQ ID NO:1790, SEQ ID NO:1791, SEQ ID NO:1792, SEQ ID NO:1793, SEQ ID NO:1794, SEQ ID NO:1795, SEQ ID NO:1796, SEQ ID NO:1797, SEQ ID NO:1798, SEQ ID NO:1799, SEQ ID NO:1800, SEQ ID NO:1801, SEQID NO:1802, SEQ ID NO:1803, SEQ ID NO:1804, SEQ ID NO:1805, 110 SEQ ID NO:1806, SEQ ID NO:1807, SEQ ID NO:1808, SEQ ID NO:1809, SEQ ID NO:1810, SEQ ID NO:1811, SEQ ID NO:1812, SEQ ID NO:1813, SEQ ID NO:1814, SEQ ID NO:1815, SEQ ID NO:1816, SEQ ID NO:1817, SEQ ID NO:1818, SEQID NO:1819, 115 SEQ ID NO:1820, SEQ ID NO:1821, SEQ ID NO:1822, SEQ IDNO:1823, SEQ ID NO:1824, SEQ ID NO:1825, SEQ ID NO: 1826, SEQ ID NO:1827, SEQ ID NO:1828, SEQ ID NO:1829, SEQ ID NO:1830, SEQ ID NO:1831, SEQ ID NO:1832, SEQ ID NO:1833, SEQ ID NO:1834, SEQ ID NO:1835, SEQ ID NO:1836, 120 SEQ ID NO:1837, SEQ ID NO:1838, SEQ ID NO:1839, SEQ IDNO:1840, SEQ ID NO:1841, SEQ ID NO:1842, SEQ ID NO: 1843, SEQ ID NO:1844, SEQ ID NO:1845, SEQ ID NO:1846, SEQ ID NO:1847, SEQ ID NO:1848, SEQ ID NO:1849, SEQ ID NO:1850, SEQ ID NO:1851, SEQ ID NO:1852, SEQ ID NO:1853, SEQ ID NO:1854, SEQ ID NO:1855, SEQ ID NO:1856, SEQID 125 NO:1857, SEQ ID NO:1858, SEQ ID NO:1859, SEQ ID NO:1860, SEQ ID NO: 1861, SEQ ID NO: 1862, SEQ ID NO: 1863, SEQ ID NO:1864, SEQ ID NO:1865, and SEQ ID NO:1866

- (b) a moiety in the nucleotide sequences set forth in (a);
- 130 (c) a complementary nucleotide sequence to the nucleotide sequences set forth in (a) or (b); or

135

(d) a nucleotide sequence hybridizing to the nucleotide sequences set forth in (a), (b) or (c) under a stringent condition.

3. The nucleic-acid molecule of claim 1, which is a nucleic-acid molecule encoding a polypeptide specific to enterohemorrhagic pathogenic-E. coli O·157:H7 and encodes

```
(a) an amino acid sequence selected from a group
     comprising the following SEQ IDs or a moiety thereof: SEQ ID
     NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:
140
     6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 10,
     SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14,
     SEQ ID NO:15, SEQ IDNO:16, SEQ ID NO:17, SEQ ID NO:18,
     SEQ ID NO: 19, SEQ ID NO: 20, SEQID NO: 21, SEQ ID NO: 22,
     SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 26,
     SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30,
145
     SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 33, SEQ ID NO: 34,
     SEQ ID NO: 35, SEQ ID NO: 36, SEQ ID NO: 37, SEQ ID NO: 38,
     SEQ ID NO: 39, SEQ IDNO: 40, SEQ ID NO: 41, SEQ ID NO: 42,
     SEQ ID NO: 43, SEQ ID NO: 44, SEQID NO: 45, SEQ ID NO: 46,
150
     SEQ ID NO: 47, SEQ ID NO: 48, SEQ ID NO: 49, SEQ ID NO: 50,
     SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54,
     SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58,
     SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62,
     SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66,
     SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70,
155
     SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74,
     SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 78,
     SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 81, SEQ ID NO: 82,
     SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86,
     SEQ ID NO:87, SEQ IDNO:88, SEQ ID NO:89, SEQ ID NO:90,
160
     SEQ ID NO:91, SEQ ID NO:92, SEQID NO:93, SEQ ID NO:94,
     SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98,
     SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:
     102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID
     NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109,
165
     SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:
     113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID
     NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120,
     SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:
     124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID
170
```

NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO: 175 147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID 180 NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO: 169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO: 185 180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO: 191, SEQ ID NO: 192, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO: 190 202, SEQ ID NO: 203, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO: 213, SEQ ID NO: 214, SEQ ID NO: 215, SEQ ID NO: 216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, 195 SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO: 224, SEQ ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 200 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, 205 SEQ ID NO: 255, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 260, SEQ ID NO: 261, SEQ ID NO:262, SEQ ID NO:263, SEQ ID NO:264, SEQ ID NO:265, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 270, SEQ ID NO: 271, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, 210 SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 280, SEQ ID NO:281, SEQ ID NO:282, SEQ ID NO:283, SEQ ID NO:284, SEQ ID NO:285, SEQ ID NO:286, SEQ ID NO:287, SEQ ID NO: 288, SEQ ID NO: 289, SEQ ID NO: 290, SEQ ID NO: 215 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO:295, SEQ ID NO:296, SEQ ID NO:297, SEQ ID NO:298, SEQ ID NO: 299, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 302, SEQ ID NO:303, SEQ ID NO:304, SEQ ID NO:305, SEQ ID NO:306, SEQ ID NO:307, SEQ ID NO:308, SEQ ID NO:309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 220 313, SEQ ID NO: 314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID NO:317, SEQ ID NO:318, SEQ ID NO:319, SEQ ID NO:320, SEQ ID NO:321, SEQ ID NO:322, SEQ ID NO:323, SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 327, SEQ ID NO:328, SEQ ID NO:329, SEQ ID NO:330, SEQ ID NO:331, 225 SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO:340, SEQ ID NO:341, SEQ ID NO:342, SEQ ID NO:343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO: 230 347, SEQ ID NO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO:351, SEQ ID NO:352, SEQ ID NO:353, SEQ ID NO:354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 359, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO:362, SEQ ID NO:363, SEQ ID NO:364, SEQ ID NO:365, 235 SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID NO:373, SEQ ID NO:374, SEQ ID NO:375, SEQ ID NO:376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO:

380, SEQ ID NO:381, SEQ ID NO:382, SEQ ID NO:383, SEQ ID NO:384, SEQ ID NO:385, SEQ ID NO:386, SEQ ID NO:387, 240 SEQ ID NO:388, SEQ ID NO:389, SEQ ID NO:390, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 394, SEQ ID NO:395, SEQ ID NO:396, SEQ ID NO:397, SEQ ID NO:398, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO: 402, SEQ ID NO:403, SEQ ID NO:404, SEQ ID NO:405, SEQ ID 245 NO:406, SEQ ID NO:407, SEQ ID NO:408, SEQ ID NO:409, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO:418, SEQ ID NO:419, SEQ ID NO:420, SEQ ID NO:421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 250 425, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO:429, SEQ ID NO:430, SEQ ID NO:431, SEQ ID NO:432, SEQ ID NO: 433, SEQ ID NO: 434, SEQ ID NO: 435, SEQ ID NO: 436, SEQ ID NO: 437, SEQ ID NO: 438, SEQ ID NO: 439, SEQ ID NO:440, SEQ ID NO:441, SEQ ID NO:442, SEQ ID NO:443, 255 SEQ ID NO: 444, SEQ ID NO: 445, SEQ ID NO: 446, SEQ ID NO: 447, SEQ ID NO:448, SEQ ID NO:449, SEQ ID NO:450, SEQ ID NO: 451, SEQ ID NO: 452, SEQ ID NO: 453, SEQ ID NO: 454, SEQ ID NO: 455, SEQ ID NO: 456, SEQ ID NO: 457, SEQ ID NO: 458, SEQ ID NO: 459, SEQ ID NO: 460, SEQ ID NO: 461, SEQ ID 260 NO:462, SEQ ID NO:463, SEQ ID NO:464, SEQ ID NO:465, SEQ ID NO: 466, SEQ ID NO: 467, SEQ ID NO: 468, SEQ ID NO: 469, SEQ ID NO: 470, SEQ ID NO: 471, SEQ ID NO: 472, SEQ ID NO: 473, SEQ ID NO: 474, SEQ ID NO: 475, SEQ ID NO: 476, SEQ ID NO:477, SEQ ID NO:478, SEQ ID NO:479, SEQ ID NO: 265 480, SEQ ID NO:481, SEQ ID NO:482, SEQ ID NO:483, SEQ ID NO:485, SEQ ID NO:486, SEQ ID NO:487, SEQ ID NO:488, SEQ ID NO: 489, SEQ ID NO: 490, SEQ ID NO: 491, SEQ ID NO: 492, SEQ ID NO: 493, SEQ ID NO: 494, SEQ ID NO: 495, SEQ ID 270 NO:496, SEQ ID NO:497, SEQ ID NO:498, SEQ ID NO:499, SEQ ID NO:500, SEQ ID NO:501, SEQ ID NO:502, SEQ ID NO: 503, SEQ ID NO: 504, SEQ ID NO: 505, SEQ ID NO: 506, SEQ ID

NO:507, SEQ ID NO:508, SEQ ID NO:509, SEQ ID NO:510, SEQ ID NO:511, SEQ ID NO:512, SEQ ID NO:513, SEQ ID NO: 514, SEQ ID NO:515, SEQ ID NO:516, SEQ ID NO:517, SEQ ID 275 NO:518, SEQ ID NO:519, SEQ ID NO:520, SEQ ID NO:521, SEQ ID NO:522, SEQ ID NO:523, SEQ ID NO:524, SEQ ID NO: 525, SEQ ID NO: 526, SEQ ID NO: 527, SEQ ID NO: 528, SEQ ID NO:529, SEQ ID NO:530, SEQ ID NO:531, SEQ ID NO:532, 280 SEQ ID NO:533, SEQ ID NO:534, SEQ ID NO:535, SEQ ID NO:536, SEQ ID NO:537, SEQ ID NO:538, SEQ ID NO:539, SEQ ID NO:540, SEQ ID NO:541, SEQ ID NO:542, SEQ ID NO: 543, SEQ ID NO: 544, SEQ ID NO: 545, SEQ ID NO: 546, SEQ ID NO:547, SEQ ID NO:548, SEQ ID NO:549, SEQ ID NO:550, 285 SEQ ID NO:551, SEQ ID NO:552, SEQ ID NO:553, SEQ ID NO: 555, SEQ ID NO:556, SEQ ID NO:557, SEQ ID NO:558, SEQ ID NO:559, SEQ ID NO:560, SEQ ID NO:561, SEQ ID NO:562, SEQ ID NO: 563, SEQ ID NO: 564, SEQ ID NO: 565, SEQ ID NO: 566, SEQ ID NO: 567, SEQ ID NO: 568, SEQ ID NO: 569, SEQ ID NO:570, SEQ ID NO:571, SEQ ID NO:572, SEQ ID NO:573, 290 SEQ ID NO: 574, SEQ ID NO: 575, SEQ ID NO: 576, SEQ ID NO: 577, SEQ ID NO: 578, SEQ ID NO: 579, SEQ ID NO: 580, SEQ ID NO:581, SEQ ID NO:582, SEQ ID NO:583, SEQ ID NO:584, SEQ ID NO:585, SEQ ID NO:586, SEQ ID NO:587, SEQ ID NO: 588, SEQ ID NO:589, SEQ ID NO:590, SEQ ID NO:591, SEQ ID 295 NO:592, SEQ ID NO:593, SEQ ID NO:594, SEQ ID NO:595, SEQ ID NO:596, SEQ ID NO:597, SEQ ID NO:598, SEQ ID NO: 599, SEQ ID NO: 600, SEQ ID NO: 601, SEQ ID NO: 602, SEQ ID NO:603, SEQ ID NO:604, SEQ ID NO:605, SEQ ID NO:606, 300 SEQ ID NO: 607, SEQ ID NO: 608, SEQ ID NO: 609, SEQ ID NO: 610, SEQ ID NO: 611, SEQ ID NO: 612, SEQ ID NO: 613, SEQ ID NO:614, SEQ ID NO:615, SEQ ID NO:616, SEQ ID NO:617, SEQ ID NO: 618, SEQ ID NO: 619, SEQ ID NO: 620, SEQ ID NO: 621, SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624, SEQ ID 305 NO:625, SEQ ID NO:626, SEQ ID NO:627, SEQ ID NO:628, SEQ ID NO: 629, SEQ ID NO: 631, SEQ ID NO: 632, SEQ ID NO:

633, SEQ ID NO:634, SEQ ID NO:635, SEQ ID NO:636, SEQ ID NO:637, SEQ ID NO:638, SEQ ID NO:639, SEQ ID NO:640, SEQ ID NO:641, SEQ ID NO:642, SEQ ID NO:643, SEQ ID NO: 310 644, SEQ ID NO: 645, SEQ ID NO: 646, SEQ ID NO: 647, SEQ ID NO:648, SEQ ID NO:649, SEQ ID NO:650, SEQ ID NO:651, SEQ ID NO:652, SEQ ID NO:653, SEQ ID NO:654, SEQ ID NO: 655, SEQ ID NO:656, SEQ ID NO:657, SEQ ID NO:658, SEQ ID NO:659, SEQ ID NO:660, SEQ ID NO:661, SEQ ID NO:662, SEQ ID NO: 663, SEQ ID NO: 664, SEQ ID NO: 665, SEQ ID NO: 315 666, SEQ ID NO:667, SEQ ID NO:668, SEQ ID NO:669, SEQ ID NO:670, SEQ ID NO:671, SEQ ID NO:672, SEQ ID NO:673, SEQ ID NO: 674, SEQ ID NO: 675, SEQ ID NO: 676, SEQ ID NO: 677, SEQ ID NO: 678, SEQ ID NO: 679, SEQ ID NO: 680, SEQ ID 320 NO:681, SEQ ID NO:682, SEQ ID NO:683, SEQ ID NO:684, SEQ ID NO: 685, SEQ ID NO: 686, SEQ ID NO: 687, SEQ ID NO: 688, SEQ ID NO:690, SEQ ID NO:691, SEQ ID NO:692, SEQ ID NO:693, SEQ ID NO:694, SEQ ID NO:695, SEQ ID NO:696, SEQ ID NO:697, SEQ ID NO:698, SEQ ID NO:699, SEQ ID NO: 700, SEQ ID NO: 701, SEQ ID NO: 702, SEQ ID NO: 703, SEQ ID 325 NO:704, SEQ ID NO:705, SEQ ID NO:706, SEQ ID NO:707, SEQ ID NO: 708, SEQ ID NO: 709, SEQ ID NO: 710, SEQ ID NO: 711, SEQ ID NO: 712, SEQ ID NO: 713, SEQ ID NO: 714, SEQ ID NO: 715, SEQ ID NO: 716, SEQ ID NO: 717, SEQ ID NO: 718, SEQ ID NO:719, SEQ ID NO:720, SEQ ID NO:721, SEQ ID NO: 330 722, SEQ ID NO: 723, SEQ ID NO: 724, SEQ ID NO: 725, SEQ ID NO:726, SEQ ID NO:727, SEQ ID NO:728, SEQ ID NO:729, SEQ ID NO: 730, SEQ ID NO: 731, SEQ ID NO: 732, SEQ ID NO: 733, SEQ ID NO: 734, SEQ ID NO: 735, SEQ ID NO: 736, SEQ ID NO: 737, SEQ ID NO: 738, SEQ ID NO: 739, SEQ ID NO: 740, 335 SEQ ID NO:741, SEQ ID NO:742, SEQ ID NO:743, SEQ ID NO: 744, SEQ ID NO: 745, SEQ ID NO: 746, SEQ ID NO: 747, SEQ ID NO:748, SEQ ID NO:749, SEQ ID NO:750, SEQ ID NO:751, SEQ ID NO: 752, SEQ ID NO: 753, SEQ ID NO: 754, SEQ ID NO: 756, SEQ ID NO: 757, SEQ ID NO: 758, SEQ ID NO: 759, SEQ ID 340

NO: 760, SEQ ID NO: 761, SEQ ID NO: 762, SEQ ID NO: 763, SEQ ID NO: 764, SEQ ID NO: 765, SEQ ID NO: 766, SEQ ID NO: 767, SEQ ID NO: 768, SEQ ID NO: 769, SEQ ID NO: 770, SEQ ID NO:771, SEQ ID NO:772, SEQ ID NO:773, SEQ ID NO:774, SEQ ID NO:775, SEQ ID NO:776, SEQ ID NO:777, SEQ ID NO: 345 778, SEQ ID NO:779, SEQ ID NO:780, SEQ ID NO:781, SEQ ID NO: 782, SEQ ID NO: 783, SEQ ID NO: 784, SEQ ID NO: 785, SEQ ID NO: 786, SEQ ID NO: 787, SEQ ID NO: 788, SEQ ID NO: 789, SEQ ID NO: 790, SEQ ID NO: 791, SEQ ID NO: 792, SEQ ID 350 NO:793, SEQ ID NO:794, SEQ ID NO:795, SEQ ID NO:796, SEQ ID NO:797, SEQ ID NO:798, SEQ ID NO:799, SEQ ID N O:800, SEQ ID NO:801, SEQ ID NO:802, SEQ ID NO:803, SEQ ID NO:804, SEQ ID NO:805, SEQ ID NO:806, SEQ ID NO:807, SEQ ID NO:808, SEQ ID NO:809, SEQ ID NO:810, SEQ ID NO: 811, SEQ ID NO:812, SEQ ID NO:813, SEQ ID NO:814, SEQ ID 355 NO:815, SEQ ID NO:817, SEQ ID NO:818, SEQ ID NO:819, SEQ ID NO:820, SEQ ID NO:821, SEQ ID NO:822, SEQ ID NO: 823, SEQ ID NO: 824, SEQ ID NO: 825, SEQ ID NO: 826, SEQ ID NO:827, SEQ ID NO:828, SEQ ID NO:829, SEQ ID NO:830, SEQ ID NO:831, SEQ ID NO:832, SEQ ID NO:833, SEQ ID NO: 360 834, SEQ ID NO: 835, SEQ ID NO: 836, SEQ ID NO: 837, SEQ ID NO:838, SEQ ID NO:839, SEQ ID NO:840, SEQ ID NO:841, SEQ ID NO:842, SEQ ID NO:843, SEQ ID NO:844, SEQ ID NO: 845, SEQ ID NO:846, SEQ ID NO:847, SEQ ID NO:848, SEQ ID NO:849, SEQ ID NO:850, SEQ ID NO:851, SEQ ID NO:852, 365 SEQ ID NO:853, SEQ ID NO:854, SEQ ID NO:855, SEQ ID NO: 856, SEQ ID NO:857, SEQ ID NO:858, SEQ ID NO:859, SEQ ID NO:860, SEQ ID NO:861, SEQ ID NO:862, SEQ ID NO:863, SEQ ID NO: 864, SEQ ID NO: 865, SEQ ID NO: 866, SEQ ID NO: 867, SEQ ID NO:868, SEQ ID NO:869, SEQ ID NO:870, SEQ ID 370 NO:871, SEQ ID NO:872, SEQ ID NO:873, SEQ ID NO:874, SEQ ID NO: 875, SEQ ID NO: 877, SEQ ID NO: 878, SEQ ID NO: 879, SEQ ID NO:880, SEQ ID NO:881, SEQ ID NO:882, SEQ ID NO:883, SEQ ID NO:884, SEQ ID NO:885, SEQ ID NO:886, 375 SEQ ID NO:887, SEQ ID NO:888, SEQ ID NO:889, SEQ ID NO: 890, SEQ ID NO:891, SEQ ID NO:892, SEQ ID NO:893, SEQ ID NO:894, SEQ ID NO:895, SEQ ID NO:896, SEQ ID NO:897, SEQ ID NO:898, SEQ ID NO:899, SEQ ID NO:900, SEQ ID NO: 901, SEQ ID NO: 902, SEQ ID NO: 903, SEQ ID NO: 904, SEQ ID NO:905, SEQ ID NO:906, SEQ ID NO:907, SEQ ID NO:908, 380 SEQ ID NO: 909, SEQ ID NO: 910, SEQ ID NO: 911, SEQ ID NO: 912, SEQ ID NO: 913, SEQ ID NO: 914, SEQ ID NO: 915, SEQ ID NO:916, SEQ ID NO:917, SEQ ID NO:918, SEQ ID NO:919, SEQ ID NO: 920, SEQ ID NO: 921, SEQ ID NO: 922, SEQ ID NO: 385 923, SEQ ID NO: 924, SEQ ID NO: 925, SEQ ID NO: 926, SEQ ID NO:928, SEQ ID NO:929, SEQ ID NO:930, SEQ ID NO:931, SEQ ID NO:932, SEQ ID NO:933, SEQ ID NO:934, SEQ ID NO: 935, SEQ ID NO: 936, SEQ ID NO: 937, SEQ ID NO: 938, SEQ ID NO: 939, SEQ ID NO: 940, SEQ ID NO: 941, SEQ ID NO: 942, SEQ ID NO: 943, SEQ ID NO: 944, SEQ ID NO: 945, SEQ ID NO: 390 946, SEQ ID NO: 947, SEQ ID NO: 948, SEQ ID NO: 949, SEQ ID NO:950, SEQ ID NO:951, SEQ ID NO:952, SEQ ID NO:953, SEQ ID NO: 954, SEQ ID NO: 955, SEQ ID NO: 956, SEQ ID NO: 957, SEQ ID NO: 958, SEQ ID NO: 959, SEQ ID NO: 960, SEQ ID 395 NO:961, SEQ ID NO:962, SEQ ID NO:963, SEQ ID NO:964, SEQ ID NO: 965, SEQ ID NO: 966, SEQ ID NO: 967, SEQ ID NO: 968, SEQ ID NO:969, SEQ ID NO:970, SEQ ID NO:971, SEQ ID NO: 972, SEQ ID NO: 973, SEQ ID NO: 974, SEQ ID NO: 975, SEQ ID NO: 976, SEQ ID NO: 977, SEQ ID NO: 979, SEQ ID NO: 400 980, SEQ ID NO:981, SEQ ID NO:982, SEQ ID NO:983, SEQ ID NO:984, SEQ ID NO:985, SEQ ID NO:986, SEQ ID NO:987, SEQ ID NO: 988, SEQ ID NO: 989, SEQ ID NO: 990, SEQ ID NO: 991, SEQ ID NO:992, SEQ ID NO:993, SEQ ID NO:994, SEQ ID NO:995, SEQ ID NO:996, SEQ ID NO:997, SEQ ID NO:998, 405 SEQ ID NO:999, SEQ ID NO:1000, SEQ ID NO:1001, SEQ ID NO:1002, SEQ ID NO:1003, SEQ ID NO:1004, SEQ ID NO:1005, SEQID NO: 1006, SEQ ID NO: 1007, SEQ ID NO: 1008, SEQ ID NO:1009, SEQ IDNO:1010, SEQ ID NO:1011, SEQ ID NO:1012,

SEQ ID NO: 1014, SEQ ID NO: 1015, SEQ ID NO: 1016, SEQ ID 410 NO:1017, SEQ ID NO:1018, SEQ ID NO:1019, SEQ ID NO:1020, SEQ ID NO:1021, SEQ ID NO:1022, SEQ ID NO:1023, SEQ ID NO:1024, SEQ ID NO:1025, SEQ ID NO:1026, SEQ ID NO:1027, SEQ IDNO: 1028, SEQ ID NO: 1030, SEQ ID NO: 1031, SEQ ID NO:1032, SEQ ID NO:1033, SEQ ID NO:1034, SEQ ID NO:1035, SEQ ID NO: 1036, SEQ ID NO: 1037, SEQ ID NO: 1038, SEQ ID 415 NO:1039, SEQ ID NO:1040, SEQ ID NO:1041, SEQ ID NO:1042, SEQ ID NO: 1043, SEQ ID NO: 1044, SEQ ID NO: 1045, SEQID NO:1046, SEQ ID NO:1047, SEQ ID NO:1048, SEQ ID NO:1049, SEQ ID NO: 1050, SEQ ID NO: 1051, SEQ ID NO: 1052, SEQ ID 420 NO:1053, SEQ ID NO:1054, SEQ ID NO:1056, SEQ ID NO:1057, SEQ ID NO: 1058, SEQ ID NO: 1059, SEQ ID NO: 1061, SEQ ID NO:1062, SEQ ID NO:1063, SEQ ID NO:1064, SEQID NO:1065, SEQ ID NO:1066, SEQ ID NO:1067, SEQ ID NO:1068, SEQ IDNO:1069, SEQ ID NO:1070, SEQ ID NO:1071, SEQ ID NO: 425 1072, SEQ ID NO:1073, SEQ ID NO:1074, SEQ ID NO:1075, SEQ ID NO: 1076, SEQ ID NO: 1077, SEQ ID NO: 1078, SEQ ID NO:1079, SEQ ID NO:1080, SEQ ID NO:1081, SEQ ID NO:1082, SEQ ID NO: 1083, SEQ ID NO: 1084, SEQ ID NO: 1085, SEQ IDNO:1086, SEQ ID NO:1087, SEQ ID NO:1088, SEQ ID NO: 1089, SEQ ID NO:1090, SEQ ID NO:1091, SEQ ID NO:1092, 430 SEQ ID NO: 1094, SEQ ID NO: 1095, SEQ ID NO: 1096, SEQ ID NO:1097, SEQ ID NO:1098, SEQ ID NO:1099, SEQ ID NO:1100, SEQ ID NO:1101, SEQ ID NO:1102, SEQ ID NO:1103, SEQID NO:1104, SEQ ID NO:1105, SEQ ID NO:1106, SEQ ID NO:1107, SEQ ID NO:1108, SEQ ID NO:1109, SEQ ID NO:1110, SEQ ID 435 NO:1111, SEQ ID NO:1112, SEQ ID NO:1113, SEQ ID NO:1114, SEQ ID NO:1115, SEQ ID NO:1116, SEQ ID NO:1117, SEQ ID NO:1118, SEQ ID NO:1119, SEQ ID NO:1120, SEQID NO:1121, SEQ ID NO: 1122, SEQ ID NO: 1123, SEQ ID NO: 1124, SEQ 440 IDNO:1125, SEQ ID NO:1126, SEQ ID NO:1127, SEQ ID NO: 1129, SEQ ID NO:1130, SEQ ID NO:1131, SEQ ID NO:1132, SEQ ID NO: 1133, SEQ ID NO: 1134, SEQ ID NO: 1135, SEQ ID

NO:1136, SEQ ID NO:1137, SEQ ID NO:1138, SEQ ID NO:1139, SEQ ID NO: 1140, SEQ ID NO: 1141, SEQ ID NO: 1142, SEQ IDNO:1143, SEQ ID NO:1144, SEQ ID NO:1145, SEQ ID NO: 445 1146, SEQ ID NO: 1147, SEQ ID NO: 1148, SEQ ID NO: 1149, SEQ ID NO: 1150, SEQ ID NO: 1151, SEQ ID NO: 1152, SEQ ID NO:1153, SEQ ID NO:1154, SEQ ID NO:1155, SEQ ID NO:1156, SEQ ID NO:1158, SEQ ID NO:1159, SEQ ID NO:1160, SEQID 450 NO:1161, SEQ ID NO:1162, SEQ ID NO:1163, SEQ ID NO:1164, SEQ ID NO:1165, SEQ ID NO:1166, SEQ ID NO:1167, SEQ ID NO:1168, SEQ ID NO:1169, SEQ ID NO:1170, SEQ ID NO:1171, SEQ ID NO:1172, SEQ ID NO:1173, SEQ ID NO:1174, SEQ ID NO:1175, SEQ ID NO:1176, SEQ ID NO:1177, SEQID NO:1178, 455 SEQ ID NO: 1179, SEQ ID NO: 1180, SEQ ID NO: 1181, SEQ IDNO:1182, SEQ ID NO:1183, SEQ ID NO:1184, SEQ ID NO: 1185, SEQ ID NO:1186, SEQ ID NO:1187, SEQ ID NO:1188, SEQ ID NO:1189, SEQ ID NO:1190, SEQ ID NO:1192, SEQ ID NO:1193, SEQ ID NO:1194, SEQ ID NO:1195, SEQ ID NO:1196, SEQ ID NO:1197, SEQ ID NO:1198, SEQ ID NO:1199, SEQ 460 IDNO:1200, SEQ ID NO:1201, SEQ ID NO:1202, SEQ ID NO: 1203, SEQ ID NO:1204, SEQ ID NO:1205, SEQ ID NO:1206, SEQ ID NO: 1207, SEQ ID NO: 1208, SEQ ID NO: 1209, SEQ ID NO:1210, SEQ ID NO:1211, SEQ ID NO:1213, SEQ ID NO:1214, SEQ ID NO:1215, SEQ ID NO:1216, SEQ ID NO:1217, SEQID 465 NO:1218, SEQ ID NO:1219, SEQ ID NO:1220, SEQ ID NO:1221, SEQ ID NO:1222, SEQ ID NO:1223, SEQ ID NO:1224, SEQ ID NO:1225, SEQ ID NO:1226, SEQ ID NO:1227, SEQ ID NO:1228, SEQ ID NO:1229, SEQ ID NO:1230, SEQ ID NO:1231, SEQ ID 470 NO:1232, SEQ ID NO:1233, SEQ ID NO:1234, SEQID NO:1235, SEQ ID NO:1236, SEQ ID NO:1237, SEQ ID NO:1238, SEQ IDNO:1239, SEQ ID NO:1241, SEQ ID NO:1242, SEQ ID NO: 1243, SEQ ID NO:1244, SEQ ID NO:1245, SEQ ID NO:1246, SEQ ID NO:1247, SEQ ID NO:1248, SEQ ID NO:1249, SEQ ID 475 NO:1250, SEQ ID NO:1251, SEQ ID NO:1252, SEQ ID NO:1253, SEQ ID NO: 1254, SEQ ID NO: 1255, SEQ ID NO: 1256, SEQ

IDNO:1257, SEQ ID NO:1259, SEQ ID NO:1260, SEQ ID NO: 1261, SEQ ID NO:1262, SEQ ID NO:1263, SEQ ID NO:1264, SEQ ID NO:1265, SEQ ID NO:1266, SEQ ID NO:1267, SEQ ID NO:1268, SEQ ID NO:1269, SEQ ID NO:1270, SEQ ID NO:1271, 480 SEQ ID NO:1272, SEQ ID NO:1273, SEQ ID NO:1275, SEQID NO:1276, SEQ ID NO:1277, SEQ ID NO:1278, SEQ ID NO:1279, SEQ ID NO: 1280, SEQ ID NO: 1281, SEQ ID NO: 1282, SEQ ID NO:1283, SEQ ID NO:1284, SEQ ID NO:1285, SEQ ID NO:1286, SEQ ID NO:1287, SEQ ID NO:1289, SEQ ID NO:1290, SEQ ID 485 NO:1291, SEQ ID NO:1292, SEQ ID NO:1293, SEQID NO:1294, SEQ ID NO:1295, SEQ ID NO:1296, SEQ ID NO:1297, SEQ IDNO:1298, SEQ ID NO:1299, SEQ ID NO:1300, SEQ ID NO: 1301, SEQ ID NO:1303, SEQ ID NO:1304, SEQ ID NO:1305, 490 SEQ ID NO:1306, SEQ ID NO:1307, SEQ ID NO:1308, SEQ ID NO:1310, SEQ ID NO:1311, SEQ ID NO:1312, SEQ ID NO:1313, SEQ ID NO:1314, SEQ ID NO:1315, SEQ ID NO:1316, SEQ IDNO:1317, SEQ ID NO:1318, SEQ ID NO:1319, SEQ ID NO: 1320, SEQ ID NO:1322, SEQ ID NO:1323, SEQ ID NO:1324, SEQ ID NO:1325, SEQ ID NO:1326, SEQ ID NO:1327, SEQ ID 495 NO:1328, SEQ ID NO:1330, SEQ ID NO:1331, SEQ ID NO:1332, SEQ ID NO: 1333, SEQ ID NO: 1334, SEQ ID NO: 1335, SEQID NO:1336, SEQ ID NO:1337, SEQ ID NO:1339, SEQ ID NO:1340, SEQ ID NO:1341, SEQ ID NO:1342, SEQ ID NO:1343, SEQ ID NO:1344, SEQ ID NO:1345, SEQ ID NO:1346, SEQ ID NO:1347, 500 SEQ ID NO:1349, SEQ ID NO:1350, SEQ ID NO:1351, SEQ ID NO:1352, SEQ ID NO:1353, SEQ ID NO:1354, SEQID NO:1355, SEQ ID NO:1356, SEQ ID NO:1357, SEQ ID NO:1358, SEQ IDNO:1360, SEQ ID NO:1361, SEQ ID NO:1362, SEQ ID NO: 1363, SEQ ID NO:1364, SEQ ID NO:1365, SEQ ID NO:1367, 505 SEQ ID NO: 1368, SEQ ID NO: 1369, SEQ ID NO: 1370, SEQ ID NO:1371, SEQ ID NO:1375, SEQ ID NO:1376, SEQ ID NO:1377, SEQ ID NO:1378, SEQ ID NO:1379, SEQ ID NO:1381, SEQ IDNO:1382, SEQ ID NO:1383, SEQ ID NO:1384, SEQ ID NO: 1385, SEQ ID NO:1387, SEQ ID NO:1388, SEQ ID NO:1389, 510

SEQ ID NO: 1390, SEQ ID NO: 1391, SEQ ID NO: 1392, SEQ ID NO:1393, SEQ ID NO:1395, SEQ ID NO:1396, SEQ ID NO:1397, SEQ ID NO:1398, SEQ ID NO:1399, SEQ ID NO:1400, SEQID NO:1402, SEQ ID NO:1403, SEQ ID NO:1404, SEQ ID NO:1405, SEQ ID NO:1406, SEQ ID NO:1407, SEQ ID NO:1409, SEQ ID 515 NO:1410, SEQ ID NO:1412, SEQ ID NO:1413, SEQ ID NO:1414, SEQ ID NO:1415, SEQ ID NO:1416, SEQ ID NO:1417, SEQ ID NO:1419, SEQ ID NO:1420, SEQ ID NO:1421, SEQID NO:1422, SEQ ID NO:1423, SEQ ID NO:1424, SEQ ID NO:1425, SEQ 520 IDNO:1427, SEQ ID NO:1428, SEQ ID NO:1429, SEQ ID NO: 1430, SEQ ID NO:1431, SEQ ID NO:1432, SEQ ID NO:1433, SEQ ID NO:1434, SEQ ID NO:1435, SEQ ID NO:1437, SEQ ID NO:1438, SEQ ID NO:1439, SEQ ID NO:1440, SEQ ID NO:1441, SEQ ID NO:1442, SEQ ID NO:1444, SEQ ID NO:1445, SEQ 525 IDNO:1446, SEQ ID NO:1447, SEQ ID NO:1448, SEQ ID NO: 1449. SEQ ID NO:1451, SEQ ID NO:1452, SEQ ID NO:1453. SEQ ID NO:1454, SEQ ID NO:1455, SEQ ID NO:1456, SEQ ID NO:1458, SEQ ID NO:1459, SEQ ID NO:1461, SEQ ID NO:1462, SEQ ID NO:1463, SEQ ID NO:1464, SEQ ID NO:1465, SEQID NO:1466, SEQ ID NO:1468, SEQ ID NO:1469, SEQ ID NO:1470, 530 SEQ ID NO: 1472, SEQ ID NO: 1474, SEQ ID NO: 1475, SEQ ID NO:1476, SEQ ID NO:1477, SEQ ID NO:1479, SEQ ID NO:1480, SEQ ID NO:1481, SEQ ID NO:1482, SEQ ID NO:1483, SEQ ID NO:1484, SEQ ID NO:1485, SEQ ID NO:1486, SEQID NO:1488, SEQ ID NO:1490, SEQ ID NO:1491, SEQ ID NO:1492, SEQ 535 IDNO:1493, SEQ ID NO:1495, SEQ ID NO:1496, SEQ ID NO: 1497, SEQ ID NO:1498, SEQ ID NO:1500, SEQ ID NO:1502, SEQ ID NO: 1503, SEQ ID NO: 1504, SEQ ID NO: 1505, SEQ ID NO:1507, SEQ ID NO:1509, SEQ ID NO:1512, SEQ ID NO:1513, 540 SEQ ID NO:1514, SEQ ID NO:1515, SEQ ID NO:1517, SEQ IDNO:1518, SEQ ID NO:1519, SEQ ID NO:1521, SEQ ID NO: 1522, SEQ ID NO:1523, SEQ ID NO:1524, SEQ ID NO:1525, SEQ ID NO:1527, SEQ ID NO:1528, SEQ ID NO:1529, SEQ ID NO:1530, SEQ ID NO:1531, SEQ ID NO:1533, SEQ ID NO:1534,

- SEQ ID NO: 1535, SEQ ID NO: 1536, SEQ ID NO: 1538, SEQID 545 NO:1539, SEQ ID NO:1541, SEQ ID NO:1542, SEQ ID NO:1543, SEQ ID NO:1544, SEQ ID NO:1546, SEQ ID NO:1548, SEQ ID NO:1550, SEQ ID NO:1552, SEQ ID NO:1554, SEQ ID NO:1556, SEQ ID NO:1557, SEQ ID NO:1559, SEQ ID NO:1560, SEQ ID 550 NO: 1561, SEQ ID NO: 1562, SEQ ID NO: 1564, SEQID NO: 1565, SEQ ID NO:1567, SEQ ID NO:1568, SEQ ID NO:1570, SEQ IDNO:1572, SEQ ID NO:1573, SEQ ID NO:1574, SEQ ID NO: 1575, SEQ ID NO:1577, SEQ ID NO:1578, SEQ ID NO:1579, SEQ ID NO:1581, SEQ ID NO:1582, SEQ ID NO:1583, SEQ ID NO:1585, SEQ ID NO:1586, SEQ ID NO:1588, SEQ ID NO:1589, 555 SEQ ID NO:1590, SEQ ID NO:1592, SEQ ID NO:1593, SEQ IDNO:1595, SEQ ID NO:1597, SEQ ID NO:1598, SEQ ID NO: 1600, SEQ ID NO:1602, SEQ ID NO:1606, SEQ ID NO:1608. SEQ ID NO:1609, SEQ ID NO:1610, SEQ ID NO:1611, SEQ ID NO:1613, SEQ ID NO:1614, SEQ ID NO:1616, SEQ ID NO:1618, 560 SEQ ID NO:1620, SEQ ID NO:1621, SEQ ID NO:1623, SEQID NO:1625, SEQ ID NO:1628, SEQ ID NO:1630, SEQ ID NO:1631, SEQ ID NO:1633, SEQ ID NO:1634, SEQ ID NO:1638, SEQ ID NO:1641, SEQ ID NO:1642, SEQ ID NO:1644, SEQ ID NO:1645, SEQ ID NO:1647, SEQ ID NO:1648, SEQ ID NO:1650, SEQ ID 565 NO:1651, SEQ ID NO:1653, SEQ ID NO:1654, SEQID NO:1656, SEQ ID NO:1657, SEQ ID NO:1659, SEQ ID NO:1661, SEQ IDNO:1663, SEQ ID NO:1665, SEQ ID NO:1667, SEQ ID NO: 1671, SEQ ID NO:1674, SEQ ID NO:1676, SEQ ID NO:1678, 570 SEQ ID NO:1679, SEQ ID NO:1681, SEQ ID NO:1684, SEQ ID NO:1686, SEQ ID NO:1687, SEQ ID NO:1689, SEQ ID NO:1692, SEQ ID NO:1693, SEQ ID NO:1695, SEQ ID NO:1697, SEQ IDNO:1698, SEQ ID NO:1702, and SEQ ID NO:1703
- , or (b) a polypeptide comprising an amino acid sequences in the amino acid sequences set forth in (a) in which several amino acids are deleted, replaced or added.
  - 4. A polypeptide specific to enterohemorrhagic pathogenic-E. coli O-157:H7.

# 5. The polypeptide of claim 4 comprising

```
580
          (a) an amino acid sequence selected from a group
     comprising the following SEQ IDs or a moiety thereof: SEQ ID
     NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ IDNO:5, SEQ ID NO:
     6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10,
     SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14,
     SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18,
585
     SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22,
     SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 26,
     SEQ ID NO: 27, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 30,
     SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34,
590
     SEQ ID NO: 35, SEQ ID NO: 36, SEQ ID NO: 37, SEQ ID NO: 38,
     SEQ ID NO: 39, SEQ ID NO: 40, SEQ ID NO: 41, SEQ ID NO: 42,
     SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 46,
     SEQ ID NO: 47, SEQ ID NO: 48, SEQ ID NO: 49, SEQ ID NO: 50,
     SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54,
595
     SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58,
     SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62,
     SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66,
     SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70,
     SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74,
     SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 78.
600
     SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 81, SEQ ID NO: 82,
     SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86,
     SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90,
     SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94,
     SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98,
605
     SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:
     102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID
     NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109,
     SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:
610
     113, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 116, SEQ ID
     NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120,
     SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:
```

124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO: 615 136, SEQ ID NO: 137, SEQ ID NO: 138, SEQ ID NO: 139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO: 147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, 620 SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO: 625 169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO: 180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO: 630 191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 203, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO: 209, 635 SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO: 213, SEQ ID NO: 214, SEQ ID NO: 215, SEQ ID NO: 216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO: 640 224, SEQ ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 241, SEQ ID NO: 242, 645 SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID

NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, SEQ ID NO: 255, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 260, SEQ ID NO: 261, SEQ ID 650 NO: 262, SEQ ID NO: 263, SEQ ID NO: 264, SEQ ID NO: 265, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 270, SEQ ID NO: 271, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 280, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID 655 NO:284, SEQ ID NO:285, SEQ ID NO:286, SEQ ID NO:287, SEQ ID NO: 288, SEQ ID NO: 289, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO:295, SEQ ID NO:296, SEQ ID NO:297, SEQ ID NO:298, 660 SEQ ID NO: 299, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 302, SEQ ID NO:303, SEQ ID NO:304, SEQ ID NO:305, SEQ ID NO:306, SEQ ID NO:307, SEQ ID NO:308, SEQ ID NO:309, SEQ ID NO:310, SEQ ID NO:311, SEQ ID NO:312, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID 665 NO:317, SEQ ID NO:318, SEQ ID NO:319, SEQ ID NO:320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 327, SEQ ID NO:328, SEQ ID NO:329, SEQ ID NO:330, SEQ ID NO:331, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID 670 NO:340, SEQ ID NO:341, SEQ ID NO:342, SEQ ID NO:343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO:351, SEQ ID NO:352, SEQ ID NO:353, SEQ ID NO:354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 675 358, SEQ ID NO: 359, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID NO:373, SEQ ID NO:374, SEQ ID NO:375, SEQ ID NO:376, 680

SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 380, SEQ ID NO:381, SEQ ID NO:382, SEQ ID NO:383, SEQ ID NO:384, SEQ ID NO:385, SEQ ID NO:386, SEQ ID NO:387, SEQ ID NO:388, SEQ ID NO:389, SEQ ID NO:390, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 394, SEQ ID 685 NO:395, SEQ ID NO:396, SEQ ID NO:397, SEQ ID NO:398, SEQ ID NO:399, SEQ ID NO:400, SEQ ID NO:401, SEQ ID NO: 402, SEQ ID NO:403, SEQ ID NO:404, SEQ ID NO:405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409, 690 SEQ ID NO:411, SEQ ID NO:412, SEQ ID NO:413, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO:418, SEQ ID NO:419, SEQ ID NO:420, SEQ ID NO:421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 425, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID 695 NO: 429, SEQ ID NO: 430, SEQ ID NO: 431, SEQ ID NO: 432, SEQ ID NO: 433, SEQ ID NO: 434, SEQ ID NO: 435, SEQ ID NO: 436, SEQ ID NO: 437, SEQ ID NO: 438, SEQ ID NO: 439, SEQ ID NO:440, SEQ ID NO:441, SEQ ID NO:442, SEQ ID NO:443, SEQ ID NO: 444, SEQ ID NO: 445, SEQ ID NO: 446, SEQ ID NO: 447, SEQ ID NO: 448, SEQ ID NO: 449, SEQ ID NO: 450, SEQ ID 700 NO:451, SEQ ID NO:452, SEQ ID NO:453, SEQ ID NO:454, SEQ ID NO: 455, SEQ ID NO: 456, SEQ ID NO: 457, SEQ ID NO: 458, SEQ ID NO: 459, SEQ ID NO: 460, SEQ ID NO: 461, SEQ ID NO: 462, SEQ ID NO: 463, SEQ ID NO: 464, SEQ ID NO: 465, SEQ ID NO: 466, SEQ ID NO: 467, SEQ ID NO: 468, SEQ ID NO: 705 469, SEQ ID NO: 470, SEQ ID NO: 471, SEQ ID NO: 472, SEQ ID NO: 473, SEQ ID NO: 474, SEQ ID NO: 475, SEQ ID NO: 476, SEQ ID NO: 477, SEQ ID NO: 478, SEQ ID NO: 479, SEQ ID NO: 480, SEQ ID NO:481, SEQ ID NO:482, SEQ ID NO:483, SEQ ID 710 NO:485, SEQ ID NO:486, SEQ ID NO:487, SEQ ID NO:488. SEQ ID NO: 489, SEQ ID NO: 490, SEQ ID NO: 491, SEQ ID NO: 492, SEQ ID NO: 493, SEQ ID NO: 494, SEQ ID NO: 495, SEQ ID NO:496, SEQ ID NO:497, SEQ ID NO:498, SEQ ID NO:499, SEQ ID NO:500, SEQ ID NO:501, SEQ ID NO:502, SEQ ID NO:

503, SEQ ID NO:504, SEQ ID NO:505, SEQ ID NO:506, SEQ ID 715 NO:507, SEQ ID NO:508, SEQ ID NO:509, SEQ ID NO:510, SEQ ID NO:511, SEQ ID NO:512, SEQ ID NO:513, SEQ ID NO: 514, SEQ ID NO: 515, SEQ ID NO: 516, SEQ ID NO: 517, SEQ ID NO:518, SEQ ID NO:519, SEQ ID NO:520, SEQ ID NO:521, SEQ ID NO:522, SEQ ID NO:523, SEQ ID NO:524, SEQ ID NO: 720 525, SEQ ID NO:526, SEQ ID NO:527, SEQ ID NO:528, SEQ ID NO:529, SEQ ID NO:530, SEQ ID NO:531, SEQ ID NO:532, SEQ ID NO:533, SEQ ID NO:534, SEQ ID NO:535, SEQ ID NO: 536, SEQ ID NO: 537, SEQ ID NO: 538, SEQ ID NO: 539, SEQ ID NO:540, SEQ ID NO:541, SEQ ID NO:542, SEQ ID NO:543, 725 SEQ ID NO:544, SEQ ID NO:545, SEQ ID NO:546, SEQ ID NO: 547, SEQ ID NO: 548, SEQ ID NO: 549, SEQ ID NO: 550, SEQ ID NO:551, SEQ ID NO:552, SEQ ID NO:553, SEQ ID NO:555, SEQ ID NO:556, SEQ ID NO:557, SEQ ID NO:558, SEQ ID NO: 559, SEQ ID NO:560, SEQ ID NO:561, SEQ ID NO:562, SEQ ID 730 NO:563, SEQ ID NO:564, SEQ ID NO:565, SEQ ID NO:566, SEQ ID NO:567, SEQ ID NO:568, SEQ ID NO:569, SEQ ID NO: 570, SEQ ID NO: 571, SEQ ID NO: 572, SEQ ID NO: 573, SEQ ID NO:574, SEQ ID NO:575, SEQ ID NO:576, SEQ ID NO:577, 735 SEQ ID NO:578, SEQ ID NO:579, SEQ ID NO:580, SEQ ID NO: 581, SEQ ID NO:582, SEQ ID NO:583, SEQ ID NO:584, SEQ ID NO:585, SEQ ID NO:586, SEQ ID NO:587, SEQ ID NO:588, SEQ ID NO:589, SEQ ID NO:590, SEQ ID NO:591, SEQ ID NO: 592, SEQ ID NO: 593, SEQ ID NO: 594, SEQ ID NO: 595, SEQ ID 740 NO:596, SEQ ID NO:597, SEQ ID NO:598, SEQ ID NO:599, SEQ ID NO:600, SEQ ID NO:601, SEQ ID NO:602, SEQ ID NO: 603, SEQ ID NO:604, SEQ ID NO:605, SEQ ID NO:606, SEQ I D NO:607, SEQ ID NO:608, SEQ ID NO:609, SEQ ID NO:610, SEQ ID NO:611, SEQ ID NO:612, SEQ ID NO:613, SEQ ID NO: 745 614, SEQ ID NO:615, SEQ ID NO:616, SEQ ID NO:617, SEQ ID NO:618, SEQ ID NO:619, SEQ ID NO:620, SEQ ID NO:621, SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624, SEQ ID NO: 625, SEQ ID NO: 626, SEQ ID NO: 627, SEQ ID NO: 628, SEQ ID

NO:629, SEQ ID NO:631, SEQ ID NO:632, SEQ ID NO:633, 750 SEQ ID NO:634, SEQ ID NO:635, SEQ ID NO:636, SEQ ID NO: 637, SEQ ID NO: 638, SEQ ID NO: 639, SEQ ID NO: 640, SEQ ID NO:641, SEQ ID NO:642, SEQ ID NO:643, SEQ ID NO:644, SEQ ID NO:645, SEQ ID NO:646, SEQ ID NO:647, SEQ ID NO: 648, SEQ ID NO:649, SEQ ID NO:650, SEQ ID NO:651, SEQ ID NO:652, SEQ ID NO:653, SEQ ID NO:654, SEQ ID NO:655, 755 SEQ ID NO:656, SEQ ID NO:657, SEQ ID NO:658, SEQ ID NO: 659, SEQ ID NO:660, SEQ ID NO:661, SEQ ID NO:662, SEQ ID NO:663, SEQ ID NO:664, SEQ ID NO:665, SEQ ID NO:666, SEQ ID NO:667, SEQ ID NO:668, SEQ ID NO:669, SEQ ID NO: 670, SEQ ID NO: 671, SEQ ID NO: 672, SEQ ID NO: 673, SEQ ID 760 NO:674, SEQ ID NO:675, SEQ ID NO:676, SEQ ID NO:677, SEQ ID NO: 678, SEQ ID NO: 679, SEQ ID NO: 680, SEQ ID NO: 681, SEQ ID NO:682, SEQ ID NO:683, SEQ ID NO:684, SEQ ID NO:685, SEQ ID NO:686, SEQ ID NO:687, SEQ ID NO:688, 765 SEQ ID NO:690, SEQ ID NO:691, SEQ ID NO:692, SEQ ID NO: 693, SEQ ID NO:694, SEQ ID NO:695, SEQ ID NO:696, SEQ ID NO:697, SEQ ID NO:698, SEQ ID NO:699, SEQ ID NO:700, SEQ ID NO: 701, SEQ ID NO: 702, SEQ ID NO: 703, SEQ ID NO: 704, SEQ ID NO: 705, SEQ ID NO: 706, SEQ ID NO: 707, SEQ ID NO:708, SEQ ID NO:709, SEQ ID NO:710, SEQ ID NO:711, 770 SEQ ID NO:712, SEQ ID NO:713, SEQ ID NO:714, SEQ ID NO: 715, SEQ ID NO:716, SEQ ID NO:717, SEQ ID NO:718, SEQ ID NO:719, SEQ ID NO:720, SEQ ID NO:721, SEQ ID NO:722, SEQ ID NO: 723, SEQ ID NO: 724, SEQ ID NO: 725, SEQ ID NO: 726, SEQ ID NO: 727, SEQ ID NO: 728, SEQ ID NO: 729, SEQ ID 775 NO:730, SEQ ID NO:731, SEQ ID NO:732, SEQ ID NO:733, SEQ ID NO: 734, SEQ ID NO: 735, SEQ ID NO: 736, SEQ ID NO: 737, SEQ ID NO:738, SEQ ID NO:739, SEQ ID NO:740, SEQ ID NO: 741, SEQ ID NO: 742, SEQ ID NO: 743, SEQ ID NO: 744, 780 SEQ ID NO: 745, SEQ ID NO: 746, SEQ ID NO: 747, SEQ ID NO: 748, SEQ ID NO: 749, SEQ ID NO: 750, SEQ ID NO: 751, SEQ ID NO:752, SEQ ID NO:753, SEQ ID NO:754, SEQ ID NO:756,

SEQ ID NO:757, SEQ ID NO:758, SEQ ID NO:759, SEQ ID NO: 760, SEQ ID NO: 761, SEQ ID NO: 762, SEQ ID NO: 763, SEQ ID NO: 764, SEQ ID NO: 765, SEQ ID NO: 766, SEQ ID NO: 767, 785 SEQ ID NO: 768, SEQ ID NO: 769, SEQ ID NO: 770, SEQ ID NO: 771, SEQ ID NO: 772, SEQ ID NO: 773, SEQ ID NO: 774, SEQ ID NO:775, SEQ ID NO:776, SEQ ID NO:777, SEQ ID NO:778, SEQ ID NO: 779, SEQ ID NO: 780, SEQ ID NO: 781, SEQ ID NO: 790 782, SEQ ID NO:783, SEQ ID NO:784, SEQ ID NO:785, SEQ ID NO:786, SEQ ID NO:787, SEQ ID NO:788, SEQ ID NO:789, SEQ ID NO: 790, SEQ ID NO: 791, SEQ ID NO: 792, SEQ ID NO: 793, SEQ ID NO: 794, SEQ ID NO: 795, SEQ ID NO: 796, SEQ ID NO:797, SEQ ID NO:798, SEQ ID NO:799, SEQ ID NO:800, 795 SEQ ID NO:801, SEQ ID NO:802, SEQ ID NO:803, SEQ ID NO: 804, SEQ ID NO:805, SEQ ID NO:806, SEQ ID NO:807, SEQ ID NO:808, SEQ ID NO:809, SEQ ID NO:810, SEQ ID NO:811, SEQ ID NO:812, SEQ ID NO:813, SEQ ID NO:814, SEQ ID NO: 815, SEQ ID NO:817, SEQ ID NO:818, SEQ ID NO:819, SEQ ID NO:820, SEQ ID NO:821, SEQ ID NO:822, SEQ ID NO:823, 800 SEQ ID NO:824, SEQ ID NO:825, SEQ ID NO:826, SEQ ID NO: 827, SEQ ID NO: 828, SEQ ID NO: 829, SEQ ID NO: 830, SEQ ID NO:831, SEQ ID NO:832, SEQ ID NO:833, SEQ ID NO:834, SEQ ID NO:835, SEQ ID NO:836, SEQ ID NO:837, SEQ ID NO: 805 838, SEQ ID NO:839, SEQ ID NO:840, SEQ ID NO:841, SEQ ID NO:842, SEQ ID NO:843, SEQ ID NO:844, SEQ ID NO:845, SEQ ID NO:846, SEQ ID NO:847, SEQ ID NO:848, SEQ ID NO: 849, SEQ ID NO:850, SEQ ID NO:851, SEQ ID NO:852, SEQ ID NO:853, SEQ ID NO:854, SEQ ID NO:855, SEQ ID NO:856, 810 SEQ ID NO:857, SEQ ID NO:858, SEQ ID NO:859, SEQ ID NO: 860, SEQ ID NO:861, SEQ ID NO:862, SEQ ID NO:863, SEQ ID NO:864, SEQ ID NO:865, SEQ ID NO:866, SEQ ID NO:867, SEQ ID NO:868, SEQ ID NO:869, SEQ ID NO:870, SEQ ID NO: 871, SEQ ID NO:872, SEQ ID NO:873, SEQ ID NO:874, SEQ 815 ID NO:875, SEQ ID NO:877, SEQ ID NO:878, SEQ ID NO:879, SEQ ID NO:880, SEQ ID NO:881, SEQ ID NO:882, SEQ ID NO:

883, SEQ ID NO:884, SEQ ID NO:885, SEQ ID NO:886, SEQ ID NO:887, SEQ ID NO:888, SEQ ID NO:889, SEQ ID NO:890, SEQ ID NO:891, SEQ ID NO:892, SEQ ID NO:893, SEQ ID NO: 894, SEQ ID NO: 895, SEQ ID NO: 896, SEQ ID NO: 897, SEQ ID 820 NO:898, SEQ ID NO:899, SEQ ID NO:900, SEQ ID NO:901, SEQ ID NO:902, SEQ ID NO:903, SEQ ID NO:904, SEQ ID NO: 905, SEQ ID NO: 906, SEQ ID NO: 907, SEQ ID NO: 908, SEQ ID NO:909, SEQ ID NO:910, SEQ ID NO:911, SEQ ID NO:912, SEQ ID NO: 913, SEQ ID NO: 914, SEQ ID NO: 915, SEQ ID NO: 825 916, SEQ ID NO: 917, SEQ ID NO: 918, SEQ ID NO: 919, SEQ ID NO:920, SEQ ID NO:921, SEQ ID NO:922, SEQ ID NO:923, SEQ ID NO: 924, SEQ ID NO: 925, SEQ ID NO: 926, SEQ ID NO: 928, SEQ ID NO: 929, SEQ ID NO: 930, SEQ ID NO: 931, SEQ ID 830 NO:932, SEQ ID NO:933, SEQ ID NO:934, SEQ ID NO:935, SEQ ID NO: 936, SEQ ID NO: 937, SEQ ID NO: 938, SEQ ID NO: 939, SEQ ID NO:940, SEQ ID NO:941, SEQ ID NO:942, SEQ ID NO:943, SEQ ID NO:944, SEQ ID NO:945, SEQ ID NO:946, SEQ ID NO: 947, SEQ ID NO: 948, SEQ ID NO: 949, SEQ ID NO: 835 950, SEQ ID NO: 951, SEQ ID NO: 952, SEQ ID NO: 953, SEQ ID NO:954, SEQ ID NO:955, SEQ ID NO:956, SEQ ID NO:957, SEQ ID NO: 958, SEQ ID NO: 959, SEQ ID NO: 960, SEQ ID NO: 961, SEQ ID NO: 962, SEQ ID NO: 963, SEQ ID NO: 964, SEQ ID NO:965, SEQ ID NO:966, SEQ ID NO:967, SEQ ID NO:968, SEQ ID NO: 969, SEQ ID NO: 970, SEQ ID NO: 971, SEQ ID NO: 840 972, SEQ ID NO: 973, SEQ ID NO: 974, SEQ ID NO: 975, SEQ ID NO:976, SEQ ID NO:977, SEQ ID NO:979, SEQ ID NO:980, SEQ ID NO: 981, SEQ ID NO: 982, SEQ ID NO: 983, SEQ ID NO: 984, SEQ ID NO: 985, SEQ ID NO: 986, SEQ ID NO: 987, SEQ ID NO:988, SEQ ID NO:989, SEQ ID NO:990, SEQ ID NO:991, 845 SEQ ID NO: 992, SEQ ID NO: 993, SEQ ID NO: 994, SEQ ID NO: 995, SEQ ID NO:996, SEQ ID NO:997, SEQ ID NO:998, SEQ ID NO:999, SEQ ID NO:1000, SEQ ID NO:1001, SEQ ID NO:1002, SEQ ID NO: 1003, SEQ ID NO: 1004, SEQID NO: 1005, SEQ ID NO:1006, SEQ ID NO:1007, SEQ ID NO:1008, SEQ ID NO:1009, 850

SEQ ID NO:1010, SEQ ID NO:1011, SEQ ID NO:1012, SEQ ID NO:1014, SEQ ID NO:1015, SEQ ID NO:1016, SEQ ID NO:1017, SEQ ID NO:1018, SEQ ID NO:1019, SEQ ID NO:1020, SEQ ID NO:1021, SEQ ID NO:1022, SEQID NO:1023, SEQ ID NO:1024, SEQ ID NO: 1025, SEQ ID NO: 1026, SEQ IDNO: 1027, SEQ ID 855 NO:1028, SEQ ID NO:1030, SEQ ID NO:1031, SEQ ID NO:1032, SEQ ID NO: 1033, SEQ ID NO: 1034, SEQ ID NO: 1035, SEQ ID NO:1036, SEQ ID NO:1037, SEQ ID NO:1038, SEQ ID NO:1039, SEQ ID NO: 1040, SEQ ID NO: 1041, SEQ ID NO: 1042, SEQ ID NO:1043, SEQ ID NO:1044, SEQ IDNO:1045, SEQ ID NO:1046, 860 SEQ ID NO: 1047, SEQ ID NO: 1048, SEQ ID NO: 1049, SEQ ID NO:1050, SEQ ID NO:1051, SEQ ID NO:1052, SEQ ID NO:1053, SEQ ID NO: 1054, SEQ ID NO: 1056, SEQ ID NO: 1057, SEQ ID NO:1058, SEQ ID NO:1059, SEQ ID NO:1061, SEQ ID NO:1062, 865 SEQ ID NO: 1063, SEQID NO: 1064, SEQ ID NO: 1065, SEQ ID NO: 1066, SEQ ID NO: 1067, SEQ ID NO: 1068, SEQ ID NO: 1069, SEQ ID NO:1070, SEQ ID NO:1071, SEQ ID NO:1072, SEQ ID NO:1073, SEQ ID NO:1074, SEQ ID NO:1075, SEQ ID NO: 1076, SEQ ID NO: 1077, SEQ ID NO: 1078, SEQ ID NO: 1079, SEQ ID NO: 1080, SEQID NO: 1081, SEQ ID NO: 1082, SEQ ID 870 NO:1083, SEQ ID NO:1084, SEQ IDNO:1085, SEQ ID NO:1086, SEQ ID NO: 1087, SEQ ID NO: 1088, SEQ ID NO: 1089, SEQ ID NO:1090, SEQ ID NO:1091, SEQ ID NO:1092, SEQ ID NO:1094, SEQ ID NO: 1095, SEQ ID NO: 1096, SEQ ID NO: 1097, SEQ ID NO:1098, SEQ ID NO:1099, SEQ ID NO:1100, SEQ ID NO:1101, 875 SEQ ID NO:1102, SEQ IDNO:1103, SEQ ID NO:1104, SEQ ID NO:1105, SEQ ID NO:1106, SEQ ID NO:1107, SEQ ID NO:1108, SEQ ID NO:1109, SEQ ID NO:1110, SEQ ID NO:1111, SEQ ID NO:1112, SEQ ID NO:1113, SEQ ID NO:1114, SEQ ID NO: 880 1115, SEQ ID NO: 1116, SEQ ID NO: 1117, SEQ ID NO: 1118, SEQ ID NO:1119, SEQID NO:1120, SEQ ID NO:1121, SEQ ID NO: 1122, SEQ ID NO: 1123, SEQ ID NO: 1124, SEQ ID NO: 1125, SEQ ID NO:1126, SEQ ID NO:1127, SEQ ID NO:1129, SEQ ID NO:1130, SEQ ID NO:1131, SEQ ID NO:1132, SEQ ID NO:

1133, SEQ ID NO: 1134, SEQ ID NO: 1135, SEQ ID NO: 1136, 885 SEQ ID NO: 1137, SEQID NO: 1138, SEQ ID NO: 1139, SEQ ID NO:1140, SEQ ID NO:1141, SEQ IDNO:1142, SEQ ID NO:1143, SEQ ID NO: 1144, SEQ ID NO: 1145, SEQ ID NO: 1146, SEQ ID NO:1147, SEQ ID NO:1148, SEQ ID NO:1149, SEQ ID NO:1150, 890 SEQ ID NO:1151, SEQ ID NO:1152, SEQ ID NO:1153, SEQ ID NO: 1154, SEQ ID NO: 1155, SEQ ID NO: 1156, SEQ ID NO: 1158, SEQ ID NO:1159, SEQ IDNO:1160, SEQ ID NO:1161, SEQ ID NO: 1162, SEQ ID NO: 1163, SEQ ID NO: 1164, SEQ ID NO: 1165, SEQ ID NO: 1166, SEQ ID NO: 1167, SEQ ID NO: 1168, SEQ ID NO:1169, SEQ ID NO:1170, SEQ ID NO:1171, SEQ ID NO: 895 1172, SEQ ID NO: 1173, SEQ ID NO: 1174, SEQ ID NO: 1175, SEQ ID NO:1176, SEQID NO:1177, SEQ ID NO:1178, SEQ ID NO:1179, SEQ ID NO:1180, SEQ ID NO:1181, SEQ ID NO:1182, SEQ ID NO:1183, SEQ ID NO:1184, SEQ ID NO:1185, SEQ ID 900 NO:1186, SEQ ID NO:1187, SEQ ID NO:1188, SEQ ID NO: 1189, SEQ ID NO: 1190, SEQ ID NO: 1192, SEQ ID NO: 1193, SEQ ID NO:1194, SEQID NO:1195, SEQ ID NO:1196, SEQ ID NO:1197, SEQ ID NO:1198, SEQ IDNO:1199, SEQ ID NO:1200, SEQ ID NO:1201, SEQ ID NO:1202, SEQ ID NO:1203, SEQ ID 905 NO:1204, SEQ ID NO:1205, SEQ ID NO:1206, SEQ ID NO:1207, SEQ ID NO:1208, SEQ ID NO:1209, SEQ ID NO:1210, SEQ ID NO:1211, SEQ ID NO:1213, SEQ ID NO:1214, SEQ ID NO:1215, SEQ ID NO:1216, SEQ IDNO:1217, SEQ ID NO:1218, SEQ ID NO:1219, SEQ ID NO:1220, SEQ ID NO:1221, SEQ ID NO:1222, 910 SEQ ID NO:1223, SEQ ID NO:1224, SEQ ID NO:1225, SEQ ID NO:1226, SEQ ID NO:1227, SEQ ID NO:1228, SEQ ID NO: 1229, SEQ ID NO:1230, SEQ ID NO:1231, SEQ ID NO:1232, SEQ ID NO:1233, SEQID NO:1234, SEQ ID NO:1235, SEQ ID NO:1236, SEQ ID NO:1237, SEQ ID NO:1238, SEQ ID NO:1239, 915 SEQ ID NO:1241, SEQ ID NO:1242, SEQ ID NO:1243, SEQ ID NO:1244, SEQ ID NO:1245, SEQ ID NO:1246, SEQ ID NO: 1247, SEQ ID NO: 1248, SEQ ID NO: 1249, SEQ ID NO: 1250, SEQ ID NO: 1251, SEQID NO: 1252, SEQ ID NO: 1253, SEQ ID

NO:1254, SEQ ID NO:1255, SEQ IDNO:1256, SEQ ID NO:1257, 920 SEQ ID NO:1259, SEQ ID NO:1260, SEQ ID NO:1261, SEQ ID NO:1262, SEQ ID NO:1263, SEQ ID NO:1264, SEQ ID NO:1265, SEQ ID NO:1266, SEQ ID NO:1267, SEQ ID NO:1268, SEQ ID NO:1269, SEQ ID NO:1270, SEQ ID NO:1271, SEQ ID NO:1272, SEQ ID NO:1273, SEQ IDNO:1275, SEQ ID NO:1276, SEQ ID NO:1277, SEQ ID NO:1278, SEQ ID NO:1279, SEQ ID NO:1280, 925 SEQ ID NO:1281, SEQ ID NO:1282, SEQ ID NO:1283, SEQ ID NO:1284, SEQ ID NO:1285, SEQ ID NO:1286, SEQ ID NO: 1287, SEQ ID NO:1289, SEQ ID NO:1290, SEQ ID NO:1291, SEQ ID NO:1292, SEQID NO:1293, SEQ ID NO:1294, SEQ ID 930 NO:1295, SEQ ID NO:1296, SEQ ID NO:1297, SEQ ID NO:1298, SEQ ID NO:1299, SEQ ID NO:1300, SEQ ID NO:1301, SEQ ID NO:1303, SEQ ID NO:1304, SEQ ID NO:1305, SEQ ID NO: 1306, SEQ ID NO: 1307, SEQ ID NO: 1308, SEQ ID NO: 1310, SEQ ID NO:1311, SEQID NO:1312, SEQ ID NO:1313, SEQ ID 935 NO:1314, SEQ ID NO:1315, SEQ IDNO:1316, SEQ ID NO:1317, SEQ ID NO: 1318, SEQ ID NO: 1319, SEQ ID NO: 1320, SEQ ID NO:1322, SEQ ID NO:1323, SEQ ID NO:1324, SEQ ID NO:1325, SEQ ID NO:1326, SEQ ID NO:1327, SEQ ID NO:1328, SEQ ID NO:1330, SEQ ID NO:1331, SEQ ID NO:1332, SEQ ID NO:1333, SEQ ID NO:1334, SEQ IDNO:1335, SEQ ID NO:1336, SEQ ID 940 NO:1337, SEQ ID NO:1339, SEQ ID NO:1340, SEQ ID NO:1341, SEQ ID NO:1342, SEQ ID NO:1343, SEQ ID NO:1344, SEQ ID NO:1345, SEQ ID NO:1346, SEQ ID NO:1347, SEQ ID NO: 1349, SEQ ID NO: 1350, SEQ ID NO: 1351, SEQ ID NO: 1352, SEQ ID NO: 1353, SEQID NO: 1354, SEQ ID NO: 1355, SEQ ID 945 NO:1356, SEQ ID NO:1357, SEQ ID NO:1358, SEQ ID NO:1360, SEQ ID NO:1361, SEQ ID NO:1362, SEQ ID NO:1363, SEQ ID NO:1364, SEQ ID NO:1365, SEQ ID NO:1367, SEQ ID NO: 1368, SEQ ID NO: 1369, SEQ ID NO: 1370, SEQ ID NO: 1371, 950 SEQ ID NO:1375, SEQID NO:1376, SEQ ID NO:1377, SEQ ID NO:1378, SEQ ID NO:1379, SEQ IDNO:1381, SEQ ID NO:1382, SEQ ID NO: 1383, SEQ ID NO: 1384, SEQ ID NO: 1385, SEQ ID

NO:1387, SEQ ID NO:1388, SEQ ID NO:1389, SEQ ID NO:1390, SEQ ID NO:1391, SEQ ID NO:1392, SEQ ID NO:1393, SEQ ID NO:1395, SEQ ID NO:1396, SEQ ID NO:1397, SEQ ID NO:1398, 955 SEQ ID NO:1399, SEQ IDNO:1400, SEQ ID NO:1402, SEQ ID NO:1403, SEQ ID NO:1404, SEQ ID NO:1405, SEQ ID NO:1406, SEQ ID NO:1407, SEQ ID NO:1409, SEQ ID NO:1410, SEQ ID NO:1412, SEQ ID NO:1413, SEQ ID NO:1414, SEQ ID NO: 1415, SEQ ID NO: 1416, SEQ ID NO: 1417, SEQ ID NO: 1419, 960 SEQ ID NO:1420, SEQID NO:1421, SEQ ID NO:1422, SEQ ID NO:1423, SEQ ID NO:1424, SEQ ID NO:1425, SEQ ID NO:1427, SEQ ID NO:1428, SEQ ID NO:1429, SEQ ID NO:1430, SEQ ID NO:1431, SEQ ID NO:1432, SEQ ID NO:1433, SEQ ID NO: 965 1434, SEQ ID NO: 1435, SEQ ID NO: 1437, SEQ ID NO: 1438, SEQ ID NO:1439, SEQID NO:1440, SEQ ID NO:1441, SEQ ID NO: 1442, SEQ ID NO: 1444, SEQ IDNO: 1445, SEQ ID NO: 1446, SEQ ID NO:1447, SEQ ID NO:1448, SEQ ID NO:1449, SEQ ID NO:1451, SEQ ID NO:1452, SEQ ID NO:1453, SEQ ID NO:1454, 970 SEQ ID NO:1455, SEQ ID NO:1456, SEQ ID NO:1458, SEQ ID NO:1459, SEQ ID NO:1461, SEQ ID NO:1462, SEQ ID NO:1463, SEQ ID NO: 1464, SEQ IDNO: 1465, SEQ ID NO: 1466, SEQ ID NO:1468, SEQ ID NO:1469, SEQ ID NO:1470, SEQ ID NO:1472, SEQ ID NO:1474, SEQ ID NO:1475, SEQ ID NO:1476, SEQ ID NO:1477, SEQ ID NO:1479, SEQ ID NO:1480, SEQ ID NO: 975 1481, SEQ ID NO: 1482, SEQ ID NO: 1483, SEQ ID NO: 1484, SEQ ID NO:1485, SEQID NO:1486, SEQ ID NO:1488, SEQ ID NO:1490, SEQ ID NO:1491, SEQ ID NO:1492, SEQ ID NO:1493, SEQ ID NO:1495, SEQ ID NO:1496, SEQ ID NO:1497, SEQ ID 980 NO:1498, SEQ ID NO:1500, SEQ ID NO:1502, SEQ ID NO: 1503, SEQ ID NO: 1504, SEQ ID NO: 1505, SEQ ID NO: 1507, SEQ ID NO:1509, SEQID NO:1512, SEQ ID NO:1513, SEQ ID NO:1514, SEQ ID NO:1515, SEQ IDNO:1517, SEQ ID NO:1518, SEQ ID NO:1519, SEQ ID NO:1521, SEQ ID NO:1522, SEQ ID 985 NO:1523, SEQ ID NO:1524, SEQ ID NO:1525, SEQ ID NO:1527, SEQ ID NO: 1528, SEQ ID NO: 1529, SEQ ID NO: 1530, SEQ ID

NO: 1531, SEQ ID NO: 1533, SEQ ID NO: 1534, SEQ ID NO: 1535, SEQ ID NO: 1536, SEQ IDNO: 1538, SEQ ID NO: 1539, SEQ ID NO:1541, SEQ ID NO:1542, SEQ ID NO:1543, SEQ ID NO:1544, 990 SEQ ID NO:1546, SEQ ID NO:1548, SEQ ID NO:1550, SEQ ID NO:1552, SEQ ID NO:1554, SEQ ID NO:1556, SEQ ID NO: 1557, SEQ ID NO: 1559, SEQ ID NO: 1560, SEQ ID NO: 1561, SEQ ID NO: 1562, SEQID NO: 1564, SEQ ID NO: 1565, SEQ ID NO:1567, SEQ ID NO:1568, SEQ ID NO:1570, SEQ ID NO:1572, 995 SEQ ID NO:1573, SEQ ID NO:1574, SEQ ID NO:1575, SEQ ID NO:1577, SEQ ID NO:1578, SEQ ID NO:1579, SEQ ID NO: 1581, SEQ ID NO: 1582, SEQ ID NO: 1583, SEQ ID NO: 1585, SEQ ID NO:1586, SEQID NO:1588, SEQ ID NO:1589, SEQ ID NO:1590, SEQ ID NO:1592, SEQ IDNO:1593, SEQ ID NO:1595, 1000 SEQ ID NO:1597, SEQ ID NO:1598, SEQ ID NO:1600, SEQ ID NO:1602, SEQ ID NO:1606, SEQ ID NO:1608, SEQ ID NO:1609, SEQ ID NO:1610, SEQ ID NO:1611, SEQ ID NO:1613, SEQ ID NO:1614, SEQ ID NO:1616, SEQ ID NO:1618, SEQ ID NO:1620, SEQ ID NO:1621, SEQ IDNO:1623, SEQ ID NO:1625, SEQ ID NO:1628, SEQ ID NO:1630, SEQ ID NO:1631, SEQ ID NO:1633, 1005 SEQ ID NO:1634, SEQ ID NO:1638, SEQ ID NO:1641, SEQ ID NO:1642, SEQ ID NO:1644, SEQ ID NO:1645, SEQ ID NO: 1647, SEQ ID NO: 1648, SEQ ID NO: 1650, SEQ ID NO: 1651, SEQ ID NO:1653, SEQID NO:1654, SEQ ID NO:1656, SEQ ID 1010 NO:1657, SEQ ID NO:1659, SEQ ID NO:1661, SEQ ID NO:1663, SEQ ID NO:1665, SEQ ID NO:1667, SEQ ID NO:1671, SEQ ID NO:1674, SEQ ID NO:1676, SEQ ID NO:1678, SEQ ID NO: 1679, SEQ ID NO: 1681, SEQ ID NO: 1684, SEQ ID NO: 1686, SEQ ID NO:1687, SEQID NO:1689, SEQ ID NO:1692, SEQ ID NO:1693, SEQ ID NO:1695, SEQ IDNO:1697, SEQ ID NO:1698, 1015 SEQ ID NO:1702, and SEQ ID NO:1703

- , or (b) an amino acid sequence in the amino acid sequences set forth in (a) in which several amino acids are deleted, replaced or added.
- 1020 6. A vector dontaining the nucleic-acid molecule of claim 1

as an inserted substance.

- 7. The vector of claim 6, wherein the inserted substance is linked with an element of transcriptional regulation in their action.
- 1025 8. A host cell which is transformed with the vector of claim 7.
  - 9. A method of producing a polypeptide specific to O-157:H7 comprising cultivation of the host cell of claim 8.
- 1030 10. An oligonucleotide or polynucleotide specific to enterohemorrhagic pathogenic E. coli O-157:H7 comprising a nucleotide sequence constituted of at least 8 nucleotides in
  - (a) a nucleotide sequence selected from a group comprising the following SEQ IDs: SEQ ID NO:1, SEQ ID NO:
- 1035 132, SEQ ID NO: 244, SEQ ID NO: 337, SEQ ID NO: 410, SEQ ID NO: 484, SEQ ID NO: 554, SEQ ID NO: 630, SEQ ID NO: 689, SEQ ID NO: 755, SEQ ID NO: 816, SEQ ID NO: 876, SEQ ID NO: 927, SEQ ID NO: 978, SEQ ID NO: 1013, SEQ ID NO: 1029, SEQ IDNO: 1055, SEQ ID NO: 1060, SEQ ID NO: 1093, SEQ ID NO:
- 1040 1128, SEQ ID NO:1157, SEQ ID NO:1191, SEQ ID NO:1212, SEQ ID NO:1240, SEQ ID NO:1258, SEQ ID NO:1274, SEQ ID NO:1288, SEQ ID NO:1302, SEQ ID NO:1309, SEQ ID NO:1321, SEQ ID NO:1329, SEQ ID NO:1338, SEQ ID NO:1348, SEQID NO:1359, SEQ ID NO:1366, SEQ ID NO:1374, SEQ ID NO:1380,
- 1045 SEQ ID NO:1386, SEQ ID NO:1394, SEQ ID NO:1401, SEQ ID NO:1408, SEQ ID NO:1411, SEQ ID NO:1418, SEQ ID NO:1426, SEQ ID NO:1436, SEQ ID NO:1443, SEQ ID NO:1450, SEQ ID NO:1457, SEQ ID NO:1460, SEQ ID NO:1467, SEQID NO:1471, SEQ ID NO:1473, SEQ ID NO:1478, SEQ ID NO:1487, SEQ
- 1050 IDNO:1489, SEQ ID NO:1494, SEQ ID NO:1499, SEQ, ID NO: 1501, SEQ ID NO:1506, SEQ ID NO:1508, SEQ ID NO:1510, SEQ ID NO:1511, SEQ ID NO:1516, SEQ ID NO:1520, SEQ ID NO:1526, SEQ ID NO:1532, SEQ ID NO:1537, SEQ ID NO:1540, SEQ ID NO:1545, SEQ ID NO:1547, SEQ ID NO:1549, SEQID

NO: 1551, SEQ ID NO: 1553, SEQ ID NO: 1555, SEQ ID NO: 1558, 1055 SEQ ID NO: 1563, SEQ ID NO: 1566, SEQ ID NO: 1569, SEQ ID NO:1571, SEQ ID NO:1576, SEQ ID NO:1580, SEQ ID NO:1584, SEQ ID NO: 1587, SEQ ID NO: 1591, SEQ ID NO: 1594, SEQ ID NO:1596, SEQ ID NO:1599, SEQ ID NO:1601, SEQID NO:1603, 1060 SEQ ID NO:1604, SEQ ID NO:1605, SEQ ID NO:1607, SEQ IDNO:1612, SEQ ID NO:1615, SEQ ID NO:1617, SEQ ID NO: 1619, SEQ ID NO:1622, SEQ ID NO:1624, SEQ ID NO:1626, SEQ ID NO:1627, SEQ ID NO:1629, SEQ ID NO:1632, SEQ ID NO:1635, SEQ ID NO:1636, SEQ ID NO:1637, SEQ ID NO:1639, SEQ ID NO: 1640, SEQ ID NO: 1643, SEQ ID NO: 1646, SEQ 1065 IDNO:1649, SEQ ID NO:1652, SEQ ID NO:1655, SEQ ID NO: 1658, SEQ ID NO:1660, SEQ ID NO:1662, SEQ ID NO:1664, SEQ ID NO: 1666, SEQ ID NO: 1668, SEQ ID NO: 1669, SEQ ID NO:1670, SEQ ID NO:1672, SEQ ID NO:1673, SEQ ID NO:1675, SEQ ID NO:1677, SEQ ID NO:1680, SEQ ID NO:1682, SEQID 1070 NO:1683, SEQ ID NO:1685, SEQ ID NO:1688, SEQ ID NO:1690, SEQ ID NO:1691, SEQ ID NO:1694, SEQ ID NO:1696, SEQ ID NO:1699, SEQ ID NO:1700, SEQ ID NO:1701, SEQ ID NO:1704, SEQ ID NO:1705, SEQ ID NO:1706, SEQ ID NO:1707, SEQ ID NO:1708, SEQ ID NO:1709, SEQ ID NO:1710, SEQID NO:1711, 1075 SEQ ID NO:1712, SEQ ID NO:1713, SEQ ID NO:1715, SEQ IDNO:1716, SEQ ID NO:1717, SEQ ID NO:1718,, SEQ ID NO: 1719, SEQ ID NO:1720, SEQ ID NO:1721, SEQ ID NO:1722, SEQ ID NO:1723, SEQ ID NO:1724, SEQ ID NO:1725, SEQ ID 1080 NO:1726, SEQ ID NO:1727, SEQ ID NO:1728, SEQ ID NO:1729, SEQ ID NO:1730, SEQ ID NO:1731, SEQ ID NO:1732, SEQID NO:1733, SEQ ID NO:1734, SEQ ID NO:1735, SEQ ID NO:1736, SEQ ID NO:1737, SEQ ID NO:1738, SEQ ID NO:1739, SEQ ID NO:1740, SEQ ID NO:1741, SEQ ID NO:1742, SEQ ID NO:1743, 1085 SEQ ID NO:1744, SEQ ID NO:1745, SEQ ID NO:1746, SEQ ID NO:1747, SEQ ID NO:1748, SEQ ID NO:1749, SEQID NO:1750, SEQ ID NO: 1751, SEQ ID NO: 1752, SEQ ID NO: 1753, SEQ IDNO:1754, SEQ ID NO:1755, SEQ ID NO:1756, SEQ ID NO:

1757, SEQ ID NO:1758, SEQ ID NO:1759, SEQ ID NO:1760. 1090 SEQ ID NO:1761, SEQ ID NO:1762, SEQ ID NO:1763, SEQ ID NO:1764, SEQ ID NO:1765, SEQ ID NO:1766, SEQ ID NO:1767, SEQ ID NO: 1768, SEQ ID NO: 1769, SEQ ID NO: 1770, SEQ IDNO:1771, SEQ ID NO:1772, SEQ ID NO:1773, SEQ ID NO: 1774, SEQ ID NO:1775, SEQ ID NO:1776, SEQ ID NO:1777, SEQ ID NO:1778, SEQ ID NO:1779, SEQ ID NO:1780, SEQ ID 1095 NO:1781, SEQ ID NO:1782, SEQ ID NO:1783, SEQ ID NO:1784, SEQ ID NO:1785, SEQ ID NO:1786, SEQ ID NO:1787, SEQID NO:1788, SEQ ID NO:1789, SEQ ID NO:1790, SEQ ID NO:1791, SEQ ID NO:1792, SEQ ID NO:1793, SEQ ID NO:1794, SEQ ID 1100 NO:1795, SEQ ID NO:1796, SEQ ID NO:1797, SEQ ID NO:1798, SEQ ID NO:1799, SEQ ID NO:1800, SEQ ID NO:1801, SEQ ID NO:1802, SEQ ID NO:1803, SEQ ID NO:1804, SEQID NO:1805, SEQ ID NO:1806, SEQ ID NO:1807, SEQ ID NO:1808, SEQ IDNO:1809, SEQ ID NO:1810, SEQ ID NO:1811, SEQ ID NO: 1105 1812, SEQ ID NO:1813, SEQ ID NO:1814, SEQ ID NO:1815, SEQ ID NO:1816, SEQ ID NO:1817, SEQ ID NO:1818, SEQ ID NO:1819, SEQ ID NO:1820, SEQ ID NO:1821, SEQ ID NO:1822, SEQ ID NO:1823, SEQ ID NO:1824, SEQ ID NO:1825, SEQ IDNO:1826, SEQ ID NO:1827, SEQ ID NO:1828, SEQ ID NO: 1829, SEQ ID NO:1830, SEQ ID NO:1831, SEQ ID NO:1832, 1110 SEQ ID NO:1833, SEQ ID NO:1834, SEQ ID NO:1835, SEQ ID NO:1836, SEQ ID NO:1837, SEQ ID NO:1838, SEQ ID NO:1839, SEQ ID NO:1840, SEQ ID NO:1841, SEQ ID NO:1842, SEQID NO:1843, SEQ ID NO:1844, SEQ ID NO:1845, SEQ ID NO:1846, SEQ ID NO:1847, SEQ ID NO:1848, SEQ ID NO:1849, SEQ ID 1115 NO:1850, SEQ ID NO:1851, SEQ ID NO:1852, SEQ ID NO:1853, SEQ ID NO:1854, SEQ ID NO:1855, SEQ ID NO:1856, SEQ ID NO:1857, SEQ ID NO:1858, SEQ ID NO:1859, SEQID NO:1860, SEQ ID NO:1861, SEQ ID NO:1862, SEQ ID NO:1863, SEQ 1120 IDNO:1864, SEQ ID NO:1865, and SEQ ID NO:1866 (b) a complementary nucleotide sequence to the nucleic-acid sequence set forth in (a).

- 11. Use of the oligonucleotide or polynucleotide of claim 10 as a probe for hybridization or a primer for PCR.
- 1125 12. An use of the oligonucleotide or polynucleotide of claim 11 for detection or diagnosis of O-157 infection.
  - 13. A vaccine composition comprising the nucleic-acid molecule of claim 1 or its fragment, or the oligonucleotide or polynucleotide of claim 10 and a pharmaceutically acceptable
- 1130 carrier.
  - 14. A vaccine composition comprising the polypeptide of claim4 or its fragment and a pharmaceutically acceptable carrier.
  - 15. An antibody molecule specifically recognizing the polypeptide of claim 4.
- 1135 16. A DNA microarray or DNA chip including the nucleic-acid molecule of claim 1 and/or at least one of the oligonucleotide or polynucleotide of claim 10.
  - 17. Use of the DNA microarray or DNA chip for detection of O-157 infection or classification of O-157.
- 1140 18. A method of screening a compound useful for prevention or therapy of O-157 infection and a symptom caused thereby, using the nucleic-acid molecule of claim 1 or fragment thereof, or the polypeptide of claim 4 or fragment thereof.

1145 DESCRIPTION

A nucleic-acid molecule and a polypeptide specific to enterohemorrhagic

E. coli O-157:H7 and a method of using thereof

1150 [0001]

## INDUSTRIAL APPLICABLE FIELDS

The present invention relates to a novel nucleic acid molecule and a polypeptide specific to O-157:H7 as well as use thereof.

1155 [0002]

1160

1170

1175

### BACKGROUND ART

Although E. coli also inhabits large intestine of healthy human, most E. coli especially causes no disease. However a part of E. coli infects the intestine of human to cause food poisoning such as enterogastritis and diarrhea. These are referred to as pathogenic E. coli and classified mainly into the following 5 categories: Enterotoxigenic Escherichia coli: ETEC, Enteropathogenic Escherichia coli: EPEC, Enterohemorrhagic Escherichia coli:

1165 EHEC, Enteroadherent Escherichia coli; EAEC [0003]

EHEC therein includes E. coli which cause, as a main symptom, severe abdominal pain, diarrhea and/or hematochezia, in especially a child and an aged person, a serious complication such as renal dysfunction and haemolytic uraemic syndrome (HUS) and, in some cases, lead a patient to death. A main pathogenic bacterium therein is O-157:H7 (hereinafter referred to as "O-157"). O-157 belongs to a serotype different from that of EPEC or enteroinvasive E. coli which has been reported. In addition, it has been reported as a pathogenic E. coli which produces no thermolabile enterotoxin (LT) and thermostable enterotoxin (ST) by Riley et al. (Riley LW, et al., N. Engl. J. Med. 308 (1983), p.681-685). Furthermore, O-157 and EHEC

are also referred to as Verotoxin-producing Escherichia coli (VTEC), since it has been revealed that extracellular toxin produced by them is Verotoxin (VT).

[0004]

The verotoxin (VT) produced by EHEC (or VTEC) is identified as toxin which has potent cytotoxicity on Vero cells, African green monkey kidney cells. O'Brien et al. (J. Infect 1185 Dis. 146 (1982), p.763-769) reported that its toxicity was neutralized by an antibody to Shiga toxin produced by dysentery bacillus, and referred the toxin to as Shiga-like toxin. The verotoxin includes two major types (VT1 and VT2). Since the verotoxins are similar to Shiga toxin, they are also referred 1190 to as SLT1 (Shiga-Like Toxin 1) and SLT2 respectively. VT1 is identical to Shiga toxin, or different in 1 amino acid merely. VT2 has homology of approximately 56% at amino acid level to VT1 (Jackson M.P. et al., FEMS Micorobial Lett. 44 (1987) p. 1195 109-114), whereas their antigenicity are little common. verotoxin and the Shiga toxin has the same N-glycosidic activity as that of lysin which is a potent phytotoxin derived from a plant. Their effects and functions are for inhibiting linkage of an aminoacyl tRNA to a ribosome to inhibit protein 1200 synthesis by hydrolyzing an N-glycosidic linkage at an adenosine in 28S ribosomal RNA constituting mammalian eukaryotic 60S ribosome, thereby resulting in cell death. Especially. the verotoxin cause damage to a vascular endothelial cell such as large intestine and a renal tubular cell 1205 to cause haemolytic uraemic syndrome and the like. [0005]

As mentioned above, O-157 causes hemorrhagic colitis and sometimes complicates haemolytic uraemic syndrome or encephalopathy which expose patient's life to danger. Up to now, none of effective methods for inhibiting or preventing progression to haemolytic uraemic syndrome have been established. In addition, administration of an antibacterial

1210

agent such as antibiotic promote the extracellular release of VT, sometimes resulting in making the symptom worse. Therefore, definitive diagnosis of infection is important at early stage of the infection.

[0006]

1215

1240

1245

Several methods are known as methods for diagnosis of the O-157 infection, i.e. the methods for distinguishing O-157 1220 from nonpathogenic or other pathogenic E. coli. One of them applies a feature that O-157:H7 is different from general E. coli and other known EPEC in the point that O-157:H7 produces no  $\beta$ -glucuronidase and ferments no sorbitol of saccharide, or do after some delay. This method has been used widely. However, 1225 these methods have the weak point of taking time and lacking rapidity. Further, although the presence of O-157 capable of degrading sorbitol is reported, these methods can not detect such bacterium. On the other hand, reversed passive latex aggregate reaction using an antibody to lipopolysaccharide 1230 antigen of O-157 or an antibody to the verotoxin is known. These methods can detect the bacterium producing VT rapidly and conveniently, but their detection sensitivity is not sufficient. Especially as to verotoxin, bacteria producing the toxin are not restricted to 0.157, thus these methods have a task [should be solved] as methods for detecting O-157. 1235 [0007]

Further, molecular biological methods, specifically, hybridization assay and PCR assay, are performed as the methods for detecting O·157. Especially, PCR is of extremely high detection sensitivity, high rapidity and high convenience, resulting in increasing use of it in recent years. Main tergert of PCT etc. is VT gene of VTEC such as O·157. However, as mentioned above, E. coli other than O·157 also has the VT gene, and furthermore, multiple mutants of VT gene are known, thus there is a task [should be solved] as definitive methods for diagnosis of O·157. Moreover, although pulsed-field gel

electrophoresis (PFGE) is use for detection of O-157, an apparatus required for performing this method is expensive, and the method requires long time for detection and considerably skilled technique. In addition, the number of 1250 strains which can be analysed at once is limited and comparison of data of O-157 at different institutions is not easy. Therefore, there is need for a method which is of rapid, convenient, high detection sensitivity, high confidence and ease of comparison and exchange of data between different institutions.

[00008]

1255

1260

1265

1280

the other hand, although antibacterial agents considered to be effective to O-157, such as antibiotic, are known, the presence of drug-resistant bacteria has also been reported. In addition, as mentioned above, VT is released to extracellular space by administration of antibiotics, sometimes resulting in making the patient's symptom worse. Therefore, there is a requirement for development of a method different from the method for therapy of infectious disease caused by O-157 using these antibacterial agents, a method for therapy and/or prevention of the symptom caused by VT, and detailed genetic information of O-157 which may serve as a guidance thereto. [0009]

#### PROBLEMS TO BE SOLVED BY THE INVENTION 1270

Accordingly, the task of the present invention is providing a nucleic-acid molecule, a polypeptide, genetic information thereof and a method of using them which may be useful for detection and therapy of enterohemorrhagic pathogenic-E. coli O-157:H7 infection.

1275

[0010]

### Means To Solve The Problem

We have found genetic information specific to O-157:H7 which is not present in other E. coli including nonpathogenic E. ofcoli bу analyzing whole genetic information

1285

1290

enterohemorrhagic pathogenic-E. coli O-157:H7 Sakai (RIMD 0509952). Therefore, the present invention relates to the genetic information specific to O-157:H7 and the use thereof. The genetic information includes, but not restricted to, a nucleotide sequence on genome, a gene, a polypeptide encoded thereby, an amino acid sequence thereof and the like. [0011]

Therefore, the present invention relates to a nucleic acid molecule specific to enterohemorrhagic pathogenic E. coli O-157:H7. In a preferred embodiment, the present invention relates to a nucleic acid molecule having

(a) a nucleotide sequence selected from a group comprising the following SEQ IDs: SEQ ID NO:1, SEQ ID NO: 132, SEQ ID NO: 244, SEQ ID NO: 337, SEQID NO: 410, SEQ ID 1295 NO:484, SEQ ID NO:554, SEQ ID NO:630, SEQ ID NO:689, SEQ ID NO: 755, SEQ ID NO: 816, SEQ ID NO: 876, SEQ ID NO: 927, SEQID NO: 978, SEQ ID NO: 1013, SEQ ID NO: 1029, SEQ ID NO:1055, SEQ ID NO:1060, SEQ ID NO:1093, SEQ ID NO: 1128, SEQ ID NO: 1157, SEQ ID NO: 1191, SEQ ID NO: 1212, 1300 SEQ ID NO:1240, SEQ ID NO:1258, SEQ ID NO:1274, SEQ ID NO:1288, SEQ ID NO:1302, SEQ ID NO:1309, SEQ ID NO:1321, SEQID NO:1329, SEQ ID NO:1338, SEQ ID NO:1348, SEQ ID NO:1359, SEQ ID NO:1366, SEQ ID NO:1374, SEQ ID NO:1380, SEQ ID NO:1386, SEQ ID NO:1394, SEQ ID NO:1401, SEQ ID NO:1408, SEQ ID NO:1411, SEQ ID NO:1418, SEQ ID NO:1426, 1305 SEQ ID NO:1436, SEQ ID NO:1443, SEQ ID NO:1450, SEQID NO:1457, SEQ ID NO:1460, SEQ ID NO:1467, SEQ ID NO:1471, SEQ IDNO: 1473, SEQ ID NO: 1478, SEQ ID NO: 1487, SEQ ID NO:1489, SEQ ID NO:1494, SEQ ID NO:1499, SEQ, ID NO: 1310 1501. SEQ ID NO:1506, SEQ ID NO:1508, SEQ ID NO:1510. SEQ ID NO:1511, SEQ ID NO:1516, SEQ ID NO:1520, SEQ ID NO:1526, SEQ ID NO:1532, SEQ ID NO:1537, SEQ ID NO:1540, SEQ ID NO:1545, SEQ ID NO:1547, SEQ ID NO:1549, SEQ ID NO:1551, SEQ ID NO:1553, SEQ ID NO:1555, SEQ ID NO:1558,

SEQ ID NO: 1563, SEQ ID NO: 1566, SEQ ID NO: 1569, SEQ ID 1315 NO:1571, SEQ ID NO:1576, SEQ ID NO:1580, SEQ ID NO:1584, SEQ ID NO:1587, SEQ ID NO:1591, SEQ ID NO:1594, SEQID NO:1596, SEQ ID NO:1599, SEQ ID NO:1601, SEQ ID NO:1603, SEQ ID NO:1604, SEQ ID NO:1605, SEQ ID NO:1607, SEQ ID NO:1612, SEQ ID NO:1615, SEQ ID NO:1617, SEQ ID NO:1619, 1320 SEQ ID NO: 1622, SEQ ID NO: 1624, SEQ ID NO: 1626, SEQ ID NO:1627, SEQ ID NO:1629, SEQ ID NO:1632, SEQID NO:1635, SEQ ID NO:1636, SEQ ID NO:1637, SEQ ID NO:1639, SEQ IDNO:1640, SEQ ID NO:1643, SEQ ID NO:1646, SEQ ID NO: 1649, SEQ ID NO:1652, SEQ ID NO:1655, SEQ ID NO:1658, 1325 SEQ ID NO: 1660, SEQ ID NO: 1662, SEQ ID NO: 1664, SEQ ID NO:1666, SEQ ID NO:1668, SEQ ID NO:1669, SEQ ID NO:1670, SEQ ID NO:1672, SEQ ID NO:1673, SEQ ID NO:1675, SEQ IDNO:1677, SEQ ID NO:1680, SEQ ID NO:1682, SEQ ID NO: 1683, SEQ ID NO:1685, SEQ ID NO:1688, SEQ ID NO:1690. 1330 SEQ ID NO:1691, SEQ ID NO:1694, SEQ ID NO:1696, SEQ ID NO:1699, SEQ ID NO:1700, SEQ ID NO:1701, SEQ ID NO:1704, SEQ ID NO:1705, SEQ ID NO:1706, SEQ ID NO:1707, SEQID NO:1708, SEQ ID NO:1709, SEQ ID NO:1710, SEQ ID NO:1711, SEQ ID NO:1712, SEQ ID NO:1713, SEQ ID NO:1715, SEQ ID 1335 NO:1716, SEQ ID NO:1717, SEQ ID NO:1718, SEQ ID NO: 1719, SEQ ID NO:1720, SEQ ID NO:1721, SEQ ID NO:1722, SEQ ID NO:1723, SEQ ID NO:1724, SEQ ID NO:1725, SEQ ID NO:1726, SEQ ID NO:1727, SEQ ID NO:1728, SEQ ID NO:1729, 1340 SEQ IDNO:1730, SEQ ID NO:1731, SEQ ID NO:1732, SEQ ID NO:1733, SEQ ID NO:1734, SEQ ID NO:1735, SEQ ID NO:1736, SEQ ID NO:1737, SEQ ID NO:1738, SEQ ID NO:1739, SEQ ID NO:1740, SEQ ID NO:1741, SEQ ID NO:1742, SEQ ID NO:1743, SEQ ID NO:1744, SEQ ID NO:1745, SEQ ID NO:1746, SEQID 1345 NO:1747, SEQ ID NO:1748, SEQ ID NO:1749, SEQ ID NO:1750, SEQ ID NO:1751, SEQ ID NO:1752, SEQ ID NO:1753, SEQ ID NO:1754, SEQ ID NO:1755, SEQ ID NO:1756, SEQ ID NO:1757,

SEQ ID NO: 1758, SEQ ID NO: 1759, SEQ ID NO: 1760, SEQ ID

- NO:1761, SEQ ID NO:1762, SEQ ID NO:1763, SEQID NO:1764, SEQ ID NO:1765, SEQ ID NO:1766, SEQ ID NO:1767, SEQ 1350 IDNO:1768, SEQ ID NO:1769, SEQ ID NO:1770, SEQ ID NO: 1771, SEQ ID NO:1772, SEQ ID NO:1773, SEQ ID NO:1774, SEQ ID NO:1775, SEQ ID NO:1776, SEQ ID NO:1777, SEQ ID NO:1778, SEQ ID NO:1779, SEQ ID NO:1780, SEQ ID NO:1781, SEQ ID NO:1782, SEQ ID NO:1783, SEQ ID NO:1784, SEQ 1355 IDNO:1785, SEQ ID NO:1786, SEQ ID NO:1787, SEQ ID NO: 1788, SEQ ID NO:1789, SEQ ID NO:1790, SEQ ID NO:1791, SEQ ID NO:1792, SEQ ID NO:1793, SEQ ID NO:1794, SEQ ID NO:1795, SEQ ID NO:1796, SEQ ID NO:1797, SEQ ID NO:1798, 1360 SEQ ID NO:1799, SEQ ID NO:1800, SEQ ID NO:1801, SEQID NO:1802, SEQ ID NO:1803, SEQ ID NO:1804, SEQ ID NO:1805, SEQ ID NO:1806, SEQ ID NO:1807, SEQ ID NO:1808, SEQ ID NO:1809, SEQ ID NO:1810, SEQ ID NO:1811, SEQ ID NO:1812, SEQ ID NO:1813. SEQ ID NO:1814.SEQ ID NO:1815. SEQ ID NO:1816, SEQ ID NO:1817, SEQ ID NO:1818, SEQID NO:1819, 1365 SEQ ID NO:1820, SEQ ID NO:1821, SEQ ID NO:1822, SEQ IDNO:1823, SEQ ID NO:1824, SEQ ID NO:1825, SEQ ID NO: 1826, SEQ ID NO:1827, SEQ ID NO:1828, SEQ ID NO:1829, SEQ ID NO:1830, SEQ ID NO:1831, SEQ ID NO:1832, SEQ ID NO:1833, SEQ ID NO:1834, SEQ ID NO:1835, SEQ ID NO:1836, 1370 SEQ ID NO:1837, SEQ ID NO:1838, SEQ ID NO:1839, SEQ IDNO:1840, SEQ ID NO:1841, SEQ ID NO:1842, SEQ ID NO: 1843, SEQ ID NO:1844, SEQ ID NO:1845, SEQ ID NO:1846, SEQ ID NO:1847, SEQ ID NO:1848, SEQ ID NO:1849, SEQ ID NO:1850, SEQ ID NO:1851, SEQ ID NO:1852, SEQ ID NO:1853, 1375 SEQ ID NO:1854, SEQ ID NO:1855, SEQ ID NO:1856, SEQID NO:1857, SEQ ID NO:1858, SEQ ID NO:1859, SEQ ID NO:1860, SEQ ID NO:1861, SEQ ID NO:1862, SEQ ID NO:1863, SEQ ID NO:1864, SEQ ID NO:1865, and SEQ ID NO:1866
- (b) a partial sequence in the nucleotide sequences set forth in (a);
  - (c) a complementary nucleotide sequence to the

nucleotide sequence set forth in (a) or (b); or

(d) a nucleotide sequence hybridizing to the nucleotide 1385 sequences set forth in (a), (b) or (c) under a stringent condition.

These nucleic acid molecules of the present invention include a large number of O-157 specific genes, [wherein] the genes encode proteins or polypeptides specific to O-157.

[0012]

Accordingly, the present invention relates to a nucleic-acid molecule which is a nucleic-acid molecule encoding a polypeptide specific to enterohemorrhagic pathogenic-E. coli O·157:H7 and encodes

(a) an amino acid sequence selected from a group 1395 comprising the following SEQ IDs or a fragment thereof, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO: 10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ IDNO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQID NO:21, SEQ ID 1400 NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ IDNO:40, SEQ ID NO:41, SEQ ID 1405 NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID 1410 NO:62, SEQ ID NO:63, SEQ IDNO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID 1415 NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID

NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID

```
NO:86, SEQ ID NO:87, SEQ IDNO:88, SEQ ID NO:89, SEQ ID
      NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQID NO:93, SEQ ID
      NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID
      NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ
1420
      ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105,
      SEQ ID NO: 106, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO:
      109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID
      NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116,
      SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119, SEQ ID NO:
1425
      120, SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID
      NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127,
      SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:
      131, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID
1430
      NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139,
      SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:
      143. SEQ ID NO:144. SEQ ID NO:145, SEQ ID NO:146, SEQ ID
      NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150,
      SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:
      154, SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID
1435
      NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161,
      SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO:
      165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID
      NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172,
      SEQ ID NO: 173, SEQ ID NO: 174, SEQ ID NO: 175, SEQ ID NO:
1440
      176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID
      NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183,
      SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:
      187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID
      NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194,
1445
      SEQ ID NO: 195, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO:
      198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID
      NO: 202, SEQ ID NO: 203, SEQ ID NO: 204, SEQ ID NO: 205,
      SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO:
      209, SEQ ID NO: 210, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID
1450
```

NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO: 217, SEQ ID NO: 218, SEQ ID NO: 219, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 1455 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO:247, SEQ ID NO:248, SEQ ID NO:249, SEQ ID NO:250, 1460 SEQ ID NO: 251, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 254, SEQ ID NO: 255, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 260, SEQ ID NO: 261, SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 264, SEQ ID NO: 1465 265, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 270, SEQ ID NO: 271, SEQ ID NO: 272. SEQ ID NO: 273, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO:280, SEQ ID NO:281, SEQ ID NO:282, SEQ ID NO:283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 1470 287, SEQ ID NO: 288, SEQ ID NO: 289, SEQ ID NO: 290, SEQ ID NO:291, SEQ ID NO:292, SEQ ID NO:293, SEQ ID NO:294. SEQ ID NO: 295, SEQ ID NO: 296, SEQ ID NO: 297, SEQ ID NO: 298, SEQ ID NO: 299, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO:302, SEQ ID NO:303, SEQ ID NO:304, SEQ ID NO:305, 1475 SEQ ID NO:306, SEQ ID NO:307, SEQ ID NO:308, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO:313, SEQ ID NO:314, SEQ ID NO:315, SEQ ID NO:316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 319, SEQ ID NO: 1480 320, SEQ ID NO:321, SEQ ID NO:322, SEQ ID NO:323, SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 331, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO:335, SEQ ID NO:336, SEQ ID NO:338, SEQ ID NO:339,

SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 1485 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO:347, SEQ ID NO:348, SEQ ID NO:349, SEQ ID NO:350, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO:358, SEQ ID NO:359, SEQ ID NO:360, SEQ ID NO:361, 1490 SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO:369, SEQ ID NO:370, SEQ ID NO:371, SEQ ID NO:372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID 1495 NO:380, SEQ ID NO:381, SEQ ID NO:382, SEQ ID NO:383, SEQ ID NO: 384, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 389, SEQ ID NO: 390, SEQ ID NO:391, SEQ ID NO:392, SEQ ID NO:393, SEQ ID NO:394, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 1500 398, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO:402, SEQ ID NO:403, SEQ ID NO:404, SEQ ID NO:405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 413, SEQ ID NO:414, SEQ ID NO:415, SEQ ID NO:416, SEQ ID NO:417, 1505 SEQ ID NO: 418, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 425, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, SEQ ID NO: 431, SEQ ID NO: 1510 432, SEQ ID NO:433, SEQ ID NO:434, SEQ ID NO:435, SEQ ID NO:436, SEQ ID NO:437, SEQ ID NO:438, SEQ ID NO:439, SEQ ID NO:440, SEQ ID NO:441, SEQ ID NO:442, SEQ ID NO: 443, SEQ ID NO: 444, SEQ ID NO: 445, SEQ ID NO: 446, SEQ ID NO:447, SEQ ID NO:448, SEQ ID NO:449, SEQ ID NO:450. 1515 SEQ ID NO: 451, SEQ ID NO: 452, SEQ ID NO: 453, SEQ ID NO: 454, SEQ ID NO: 455, SEQ ID NO: 456, SEQ ID NO: 457, SEQ ID NO: 458, SEQ ID NO: 459, SEQ ID NO: 460, SEQ ID NO: 461, SEQ ID NO: 462, SEQ ID NO: 463, SEQ ID NO: 464, SEQ ID NO:

465, SEQ ID NO: 466, SEQ ID NO: 467, SEQ ID NO: 468, SEQ ID NO: 469, SEQ ID NO: 470, SEQ ID NO: 471, SEQ ID NO: 472, 1520 SEQ ID NO: 473, SEQ ID NO: 474, SEQ ID NO: 475, SEQ ID NO: 476, SEQ ID NO: 477, SEQ ID NO: 478, SEQ ID NO: 479, SEQ ID NO:480, SEQ ID NO:481, SEQ ID NO:482, SEQ ID NO:483, SEQ ID NO: 485, SEQ ID NO: 486, SEQ ID NO: 487, SEQ ID NO: 488, SEQ ID NO:489, SEQ ID NO:490, SEQ ID NO:491, SEQ ID 1525 NO:492, SEQ ID NO:493, SEQ ID NO:494, SEQ ID NO:495, SEQ ID NO: 496, SEQ ID NO: 497, SEQ ID NO: 498, SEQ ID NO: 499, SEQ ID NO: 500, SEQ ID NO: 501, SEQ ID NO: 502, SEQ ID NO:503, SEQ ID NO:504, SEQ ID NO:505, SEQ ID NO:506, SEQ ID NO:507, SEQ ID NO:508, SEQ ID NO:509, SEQ ID NO: 1530 510, SEQ ID NO: 511, SEQ ID NO: 512, SEQ ID NO: 513, SEQ ID NO:514, SEQ ID NO:515, SEQ ID NO:516, SEQ ID NO:517, SEQ ID NO:518, SEQ ID NO:519, SEQ ID NO:520, SEQ ID NO: 521, SEQ ID NO: 522, SEQ ID NO: 523, SEQ ID NO: 524, SEQ ID 1535 NO:525, SEQ ID NO:526, SEQ ID NO:527, SEQ ID NO:528, SEQ ID NO:529, SEQ ID NO:530, SEQ ID NO:531, SEQ ID NO: 532, SEQ ID NO: 533, SEQ ID NO: 534, SEQ ID NO: 535, SEQ ID NO:536, SEQ ID NO:537, SEQ ID NO:538, SEQ ID NO:539, SEQ ID NO:540, SEQ ID NO:541, SEQ ID NO:542, SEQ ID NO: 543, SEQ ID NO:544, SEQ ID NO:545, SEQ ID NO:546, SEQ ID 1540 NO:547, SEQ ID NO:548, SEQ ID NO:549, SEQ ID NO:550, SEQ ID NO:551, SEQ ID NO:552, SEQ ID NO:553, SEQ ID NO: 555, SEQ ID NO: 556, SEQ ID NO: 557, SEQ ID NO: 558, SEQ ID NO:559, SEQ ID NO:560, SEQ ID NO:561, SEQ ID NO:562, SEQ ID NO:563, SEQ ID NO:564, SEQ ID NO:565, SEQ ID NO: 1545 566, SEQ ID NO: 567, SEQ ID NO: 568, SEQ ID NO: 569, SEQ ID NO:570, SEQ ID NO:571, SEQ ID NO:572, SEQ ID NO:573, SEQ ID NO: 574, SEQ ID NO: 575, SEQ ID NO: 576, SEQ ID NO: 577, SEQ ID NO:578, SEQ ID NO:579, SEQ ID NO:580, SEQ ID 1550 NO:581, SEQ ID NO:582, SEQ ID NO:583, SEQ ID NO:584, SEQ ID NO:585, SEQ ID NO:586, SEQ ID NO:587, SEQ ID NO: 588, SEQ ID NO:589, SEQ ID NO:590, SEQ ID NO:591, SEQ ID

NO:592, SEQ ID NO:593, SEQ ID NO:594, SEQ ID NO:595, SEQ ID NO:596, SEQ ID NO:597, SEQ ID NO:598, SEQ ID NO: 599, SEQ ID NO:600, SEQ ID NO:601, SEQ ID NO:602, SEQ ID 1555 NO:603, SEQ ID NO:604, SEQ ID NO:605, SEQ ID NO:606, SEQ ID NO:607, SEQ ID NO:608, SEQ ID NO:609, SEQ ID NO: 610, SEQ ID NO: 611, SEQ ID NO: 612, SEQ ID NO: 613, SEQ ID NO:614, SEQ ID NO:615, SEQ ID NO:616, SEQ ID NO:617, SEQ ID NO: 618, SEQ ID NO: 619, SEQ ID NO: 620, SEQ ID NO: 1560 621, SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624, SEQ ID NO:625, SEQ ID NO:626, SEQ ID NO:627, SEQ ID NO:628, SEQ ID NO: 629, SEQ ID NO: 631, SEQ ID NO: 632, SEQ ID NO: 633, SEQ ID NO: 634, SEQ ID NO: 635, SEQ ID NO: 636, SEQ ID 1565 NO:637, SEQ ID NO:638, SEQ ID NO:639, SEQ ID NO:640, SEQ ID NO: 641, SEQ ID NO: 642, SEQ ID NO: 643, SEQ ID NO: 644, SEQ ID NO: 645, SEQ ID NO: 646, SEQ ID NO: 647, SEQ ID NO: 648, SEQ ID NO: 649, SEQ ID NO: 650, SEQ ID NO: 651, SEQ ID NO:652, SEQ ID NO:653, SEQ ID NO:654, SEQ ID NO: 655, SEQ ID NO:656, SEQ ID NO:657, SEQ ID NO:658, SEQ ID 1570 NO:659, SEQ ID NO:660, SEQ ID NO:661, SEQ ID NO:662, SEQ ID NO: 663, SEQ ID NO: 664, SEQ ID NO: 665, SEQ ID NO: 666, SEQ ID NO:667, SEQ ID NO:668, SEQ ID NO:669, SEQ ID NO:670, SEQ ID NO:671, SEQ ID NO:672, SEQ ID NO:673, SEQ ID NO: 674, SEQ ID NO: 675, SEQ ID NO: 676, SEQ ID NO: 1575 677, SEQ ID NO:678, SEQ ID NO:679, SEQ ID NO:680, SEQ ID NO:681, SEQ ID NO:682, SEQ ID NO:683, SEQ ID NO:684, SEQ ID NO: 685, SEQ ID NO: 686, SEQ ID NO: 687, SEQ ID NO: 688, SEQ ID NO:690, SEQ ID NO:691, SEQ ID NO:692, SEQ ID 1580 NO:693, SEQ ID NO:694, SEQ ID NO:695, SEQ ID NO:696, SEQ ID NO:697, SEQ ID NO:698, SEQ ID NO:699, SEQ ID N O:700, SEQ ID NO:701, SEQ ID NO:702, SEQ ID NO:703, SEQ ID NO: 704, SEQ ID NO: 705, SEQ ID NO: 706, SEQ ID NO: 707, SEQ ID NO: 708, SEQ ID NO: 709, SEQ ID NO: 710, SEQ ID NO: 1585 711, SEQ ID NO: 712, SEQ ID NO: 713, SEQ ID NO: 714, SEQ ID NO:715, SEQ ID NO:716, SEQ ID NO:717, SEQ ID NO:718,

SEQ ID NO: 719, SEQ ID NO: 720, SEQ ID NO: 721, SEQ ID NO: 722, SEQ ID NO: 723, SEQ ID NO: 724, SEQ ID NO: 725, SEQ ID NO:726, SEQ ID NO:727, SEQ ID NO:728, SEQ ID NO:729, SEQ ID NO: 730, SEQ ID NO: 731, SEQ ID NO: 732, SEQ ID NO: 1590 733, SEQ ID NO: 734, SEQ ID NO: 735, SEQ ID NO: 736, SEQ ID NO: 737, SEQ ID NO: 738, SEQ ID NO: 739, SEQ ID NO: 740, SEQ ID NO: 741, SEQ ID NO: 742, SEQ ID NO: 743, SEQ ID NO: 744, SEQ ID NO: 745, SEQ ID NO: 746, SEQ ID NO: 747, SEQ ID NO:748, SEQ ID NO:749, SEQ ID NO:750, SEQ ID NO:751, 1595 SEQ ID NO: 752, SEQ ID NO: 753, SEQ ID NO: 754, SEQ ID NO: 756, SEQ ID NO: 757, SEQ ID NO: 758, SEQ ID NO: 759, SEQ ID NO:760, SEQ ID NO:761, SEQ ID NO:762, SEQ ID NO:763, SEQ ID NO: 764, SEQ ID NO: 765, SEQ ID NO: 766, SEQ ID NO: 1600 767, SEQ ID NO: 768, SEQ ID NO: 769, SEQ ID NO: 770, SEQ ID NO:771, SEQ ID NO:772, SEQ ID NO:773, SEQ ID NO:774, SEQ ID NO: 775, SEQ ID NO: 776, SEQ ID NO: 777, SEQ ID NO: 778, SEQ ID NO: 779, SEQ ID NO: 780, SEQ ID NO: 781, SEQ ID NO:782, SEQ ID NO:783, SEQ ID NO:784, SEQ ID NO:785, SEQ ID NO: 786, SEQ ID NO: 787, SEQ ID NO: 788, SEQ ID NO: 1605 789, SEQ ID NO: 790, SEQ ID NO: 791, SEQ ID NO: 792, SEQ ID NO:793, SEQ ID NO:794, SEQ ID NO:795, SEQ ID NO:796, SEQ ID NO: 797, SEQ ID NO: 798, SEQ ID NO: 799, SEQ ID NO: 800, SEQ ID NO:801, SEQ ID NO:802, SEQ ID NO:803, SEQ ID NO:804, SEQ ID NO:805, SEQ ID NO:806, SEQ ID NO:807, 1610 SEQ ID NO:808, SEQ ID NO:809, SEQ ID NO:810, SEQ ID NO: 811, SEQ ID NO: 812, SEQ ID NO: 813, SEQ ID NO: 814, SEQ ID NO:815, SEQ ID NO:817, SEQ ID NO:818, SEQ ID NO:819, SEQ ID NO:820, SEQ ID NO:821, SEQ ID NO:822, SEQ ID NO: 823, SEQ ID NO:824, SEQ ID NO:825, SEQ ID NO:826, SEQ ID 1615 NO:827, SEQ ID NO:828, SEQ ID NO:829, SEQ ID NO:830. SEQ ID NO:831, SEQ ID NO:832, SEQ ID NO:833, SEQ ID NO: 834, SEQ ID NO: 835, SEQ ID NO: 836, SEQ ID NO: 837, SEQ ID NO:838, SEQ ID NO:839, SEQ ID NO:840, SEQ ID NO:841, SEQ ID NO:842, SEQ ID NO:843, SEQ ID NO:844, SEQ ID NO: 1620

845, SEQ ID NO:846, SEQ ID NO:847, SEQ ID NO:848, SEQ ID NO:849, SEQ ID NO:850, SEQ ID NO:851, SEQ ID NO:852, SEQ ID NO:853, SEQ ID NO:854, SEQ ID NO:855, SEQ ID NO: 856, SEQ ID NO: 857, SEQ ID NO: 858, SEQ ID NO: 859, SEQ ID NO:860, SEQ ID NO:861, SEQ ID NO:862, SEQ ID NO:863, 1625 SEQ ID NO:864, SEQ ID NO:865, SEQ ID NO:866, SEQ ID NO: 867, SEQ ID NO:868, SEQ ID NO:869, SEQ ID NO:870, SEQ ID NO:871, SEQ ID NO:872, SEQ ID NO:873, SEQ ID NO:874, SEQ ID NO:875, SEQ ID NO:877, SEQ ID NO:878, SEQ ID NO: 879, SEQ ID NO:880, SEQ ID NO:881, SEQ ID NO:882, SEQ ID 1630 NO:883, SEQ ID NO:884, SEQ ID NO:885, SEQ ID NO:886, SEQ ID NO:887, SEQ ID NO:888, SEQ ID NO:889, SEQ ID NO: 890, SEQ ID NO:891, SEQ ID NO:892, SEQ ID NO:893, SEQ ID NO:894, SEQ ID NO:895, SEQ ID NO:896, SEQ ID NO:897, 1635 SEQ ID NO:898, SEQ ID NO:899, SEQ ID NO:900, SEQ ID NO: 901. SEQ ID NO: 902. SEQ ID NO: 903, SEQ ID NO: 904, SEQ ID NO:905, SEQ ID NO:906, SEQ ID NO:907, SEQ ID NO:908, SEQ ID NO:909, SEQ ID NO:910, SEQ ID NO:911, SEQ ID NO: 912, SEQ ID NO: 913, SEQ ID NO: 914, SEQ ID NO: 915, SEQ ID NO:916, SEQ ID NO:917, SEQ ID NO:918, SEQ ID NO:919, 1640 SEQ ID NO: 920, SEQ ID NO: 921, SEQ ID NO: 922, SEQ ID NO: 923, SEQ ID NO: 924, SEQ ID NO: 925, SEQ ID NO: 926, SEQ ID NO: 928, SEQ ID NO: 929, SEQ ID NO: 930, SEQ ID NO: 931, SEQ ID NO: 932, SEQ ID NO: 933, SEQ ID NO: 934, SEQ ID NO: 1645 935, SEQ ID NO: 936, SEQ ID NO: 937, SEQ ID NO: 938, SEQ ID NO:939, SEQ ID NO:940, SEQ ID NO:941, SEQ ID NO:942, SEQ ID NO: 943. SEQ ID NO: 944, SEQ ID NO: 945, SEQ ID NO: 946, SEQ ID NO: 947, SEQ ID NO: 948, SEQ ID NO: 949, SEQ ID NO:950, SEQ ID NO:951, SEQ ID NO:952, SEQ ID NO:953, 1650 SEQ ID NO: 954, SEQ ID NO: 955, SEQ ID NO: 956, SEQ ID NO: 957, SEQ ID NO:958, SEQ ID NO:959, SEQ ID NO:960, SEQ ID NO:961, SEQ ID NO:962, SEQ ID NO:963, SEQ ID NO:964, SE Q ID NO:965, SEQ ID NO:966, SEQ ID NO:967, SEQ ID NO: 968, SEQ ID NO: 969, SEQ ID NO: 970, SEQ ID NO: 971, SEQ ID 1655 NO: 972, SEQ ID NO: 973, SEQ ID NO: 974, SEQ ID NO: 975, SEQ ID NO: 976, SEQ ID NO: 977, SEQ ID NO: 979, SEQ ID NO: 980, SEQ ID NO: 981, SEQ ID NO: 982, SEQ ID NO: 983, SEQ ID NO:984, SEQ ID NO:985, SEQ ID NO:986, SEQ ID NO:987, SEQ ID NO:988, SEQ ID NO:989, SEQ ID NO:990, SEQ ID NO: 991, SEQ ID NO:992, SEQ ID NO:993, SEQ ID NO:994, SEQ ID 1660 NO:995, SEQ ID NO:996, SEQ ID NO:997, SEQ ID NO:998. SEQ ID NO:999, SEQ ID NO:1000, SEQ ID NO:1001, SEQ ID NO:1002, SEQ ID NO:1003, SEQ ID NO:1004, SEQ ID NO:1005, SEQID NO:1006, SEQ ID NO:1007, SEQ ID NO:1008, SEQ ID NO:1009, SEQ IDNO:1010, SEQ ID NO:1011, SEQ ID NO:1012, 1665 SEQ ID NO: 1014, SEQ ID NO: 1015, SEQ ID NO: 1016, SEQ ID NO:1017, SEQ ID NO:1018, SEQ ID NO:1019, SEQ ID NO:1020, SEQ ID NO: 1021, SEQ ID NO: 1022, SEQ ID NO: 1023, SEQ ID NO:1024, SEQ ID NO:1025, SEQ ID NO:1026, SEQ ID NO:1027, SEQ IDNO: 1028, SEQ ID NO: 1030, SEQ ID NO: 1031, SEQ ID 1670 NO:1032, SEQ ID NO:1033, SEQ ID NO:1034, SEQ ID NO:1035, SEQ ID NO: 1036, SEQ ID NO: 1037, SEQ ID NO: 1038, SEQ ID NO:1039, SEQ ID NO:1040, SEQ ID NO:1041, SEQ ID NO:1042, SEQ ID NO: 1043, SEQ ID NO: 1044, SEQ ID NO: 1045, SEQID NO: 1046, SEQ ID NO: 1047, SEQ ID NO: 1048, SEQ ID NO: 1049, 1675 SEQ ID NO: 1050, SEQ ID NO: 1051, SEQ ID NO: 1052, SEQ ID NO:1053, SEQ ID NO:1054, SEQ ID NO:1056, SEQ ID NO:1057, SEQ ID NO: 1058, SEQ ID NO: 1059, SEQ ID NO: 1061, SEQ ID NO:1062, SEQ ID NO:1063, SEQ ID NO:1064, SEQID NO:1065, 1680 SEQ ID NO: 1066, SEQ ID NO: 1067, SEQ ID NO: 1068, SEQ IDNO:1069, SEQ ID NO:1070, SEQ ID NO:1071, SEQ ID NO: 1072, SEQ ID NO:1073, SEQ ID NO:1074, SEQ ID NO:1075, SEQ ID NO: 1076, SEQ ID NO: 1077, SEQ ID NO: 1078, SEQ ID NO:1079, SEQ ID NO:1080, SEQ ID NO:1081, SEQ ID NO:1082, 1685 SEQ ID NO:1083, SEQ ID NO:1084, SEQ ID NO:1085, SEQ IDNO:1086, SEQ ID NO:1087, SEQ ID NO:1088, SEQ ID NO: 1089, SEQ ID NO:1090, SEQ ID NO:1091, SEQ ID NO:1092, SEQ ID NO: 1094, SEQ ID NO: 1095, SEQ ID NO: 1096, SEQ ID

NO:1097, SEQ ID NO:1098, SEQ ID NO:1099, SEQ ID NO:1100, SEQ ID NO: 1101, SEQ ID NO: 1102, SEQ ID NO: 1103, SEQID 1690 NO:1104, SEQ ID NO:1105, SEQ ID NO:1106, SEQ ID NO:1107, SEQ ID NO:1108, SEQ ID NO:1109, SEQ ID NO:1110, SEQ ID NO:1111, SEQ ID NO:1112, SEQ ID NO:1113, SEQ ID NO:1114, SEQ ID NO:1115, SEQ ID NO:1116, SEQ ID NO:1117, SEQ ID 1695 NO:1118, SEQ ID NO:1119, SEQ ID NO:1120, SEQID NO:1121, SEQ ID NO: 1122, SEQ ID NO: 1123, SEQ ID NO: 1124, SEQ IDNO:1125, SEQ ID NO:1126, SEQ ID NO:1127, SEQ ID NO: 1129, SEQ ID NO:1130, SEQ ID NO:1131, SEQ ID NO:1132, SEQ ID NO: 1133, SEQ ID NO: 1134, SEQ ID NO: 1135, SEQ ID 1700 NO:1136, SEQ ID NO:1137, SEQ ID NO:1138, SEQ ID NO:1139, SEQ ID NO: 1140, SEQ ID NO: 1141, SEQ ID NO: 1142, SEQ IDNO:1143, SEQ ID NO:1144, SEQ ID NO:1145, SEQ ID NO: 1146, SEQ ID NO:1147, SEQ ID NO:1148, SEQ ID NO:1149, SEQ ID NO:1150, SEQ ID NO:1151, SEQ ID NO:1152, SEQ ID 1705 NO:1153, SEQ ID NO:1154, SEQ ID NO:1155, SEQ ID NO:1156, SEQ ID NO:1158, SEQ ID NO:1159, SEQ ID NO:1160, SEQID NO:1161, SEQ ID NO:1162, SEQ ID NO:1163, SEQ ID NO:1164, SEQ ID NO: 1165, SEQ ID NO: 1166, SEQ ID NO: 1167, SEQ ID NO: 1168, SEQ ID NO: 1169, SEQ ID NO: 1170, SEQ ID NO: 1171, SEQ ID NO: 1172, SEQ ID NO: 1173, SEQ ID NO: 1174, SEQ ID 1710 NO: 1175, SEQ ID NO: 1176, SEQ ID NO: 1177, SEQID NO: 1178, SEQ ID NO: 1179, SEQ ID NO: 1180, SEQ ID NO: 1181, SEQ IDNO:1182, SEQ ID NO:1183, SEQ ID NO:1184, SEQ ID NO: 1185, SEQ ID NO:1186, SEQ ID NO:1187, SEQ ID NO:1188, 1715 SEQ ID NO: 1189, SEQ ID NO: 1190, SEQ ID NO: 1192, SEQ ID NO:1193, SEQ ID NO:1194, SEQ ID NO:1195, SEQ ID NO:1196, SEQ ID NO: 1197, SEQ ID NO: 1198, SEQ ID NO: 1199, SEQ IDNO:1200, SEQ ID NO:1201, SEQ ID NO:1202, SEQ ID NO: 1203, SEQ ID NO:1204, SEQ ID NO:1205, SEQ ID NO:1206, 1720 SEQ ID NO:1207, SEQ ID NO:1208, SEQ ID NO:1209, SEQ ID NO:1210, SEQ ID NO:1211, SEQ ID NO:1213, SEQ ID NO:1214, SEQ ID NO:1215, SEQ ID NO:1216, SEQ ID NO:1217, SEQID

NO:1218, SEQ ID NO:1219, SEQ ID NO:1220, SEQ ID NO:1221, SEQ ID NO:1222, SEQ ID NO:1223, SEQ ID NO:1224, SEQ ID NO:1225, SEQ ID NO:1226, SEQ ID NO:1227, SEQ ID NO:1228, 1725 SEQ ID NO: 1229, SEQ ID NO: 1230, SEQ ID NO: 1231, SEQ ID NO:1232, SEQ ID NO:1233, SEQ ID NO:1234, SEQID NO:1235, SEQ ID NO:1236, SEQ ID NO:1237, SEQ ID NO:1238, SEQ IDNO:1239, SEQ ID NO:1241, SEQ ID NO:1242, SEQ ID NO: 1243, SEQ ID NO:1244, SEQ ID NO:1245, SEQ ID NO:1246, 1730 SEQ ID NO:1247, SEQ ID NO:1248, SEQ ID NO:1249, SEQ ID NO:1250, SEQ ID NO:1251, SEQ ID NO:1252, SEQ ID NO:1253, SEQ ID NO: 1254, SEQ ID NO: 1255, SEQ ID NO: 1256, SEQ IDNO:1257, SEQ ID NO:1259, SEQ ID NO:1260, SEQ ID NO: 1735 1261, SEQ ID NO:1262, SEQ ID NO:1263, SEQ ID NO:1264, SEQ ID NO:1265, SEQ ID NO:1266, SEQ ID NO:1267, SEQ ID NO: 1268, SEQ ID NO: 1269, SEQ ID NO: 1270, SEQ ID NO: 1271, SEQ ID NO:1272, SEQ ID NO:1273, SEQ ID NO:1275, SEQID NO:1276, SEQ ID NO:1277, SEQ ID NO:1278, SEQ ID NO:1279, 1740 SEQ ID NO: 1280, SEQ ID NO: 1281, SEQ ID NO: 1282, SEQ ID NO:1283, SEQ ID NO:1284, SEQ ID NO:1285, SEQ ID NO:1286, SEQ ID NO:1287, SEQ ID NO:1289, SEQ ID NO:1290, SEQ ID NO:1291, SEQ ID NO:1292, SEQ ID NO:1293, SEQID NO:1294, SEQ ID NO:1295, SEQ ID NO:1296, SEQ ID NO:1297, SEQ IDNO:1298, SEQ ID NO:1299, SEQ ID NO:1300, SEQ ID NO: 1745 1301, SEQ ID NO:1303, SEQ ID NO:1304, SEQ ID NO:1305, SEQ ID NO:1306, SEQ ID NO:1307, SEQ ID NO:1308, SEQ ID NO:1310, SEQ ID NO:1311, SEQ ID NO:1312, SEQ ID NO:1313, SEQ ID NO: 1314, SEQ ID NO: 1315, SEQ ID NO: 1316, SEQ IDNO:1317, SEQ ID NO:1318, SEQ ID NO:1319, SEQ ID NO: 1750 1320, SEQ ID NO:1322, SEQ ID NO:1323, SEQ ID NO:1324, SEQ ID NO:1325, SEQ ID NO:1326, SEQ ID NO:1327, SEQ ID NO:1328, SEQ ID NO:1330, SEQ ID NO:1331, SEQ ID NO:1332, SEQ ID NO:1333, SEQ ID NO:1334, SEQ ID NO:1335, SEQID 1755 NO:1336, SEQ ID NO:1337, SEQ ID NO:1339, SEQ ID NO:1340, SEQ ID NO: 1341, SEQ ID NO: 1342, SEQ ID NO: 1343, SEQ ID

NO:1344, SEQ ID NO:1345, SEQ ID NO:1346, SEQ ID NO:1347, SEQ ID NO:1349, SEQ ID NO:1350, SEQ ID NO:1351, SEQ ID NO:1352, SEQ ID NO:1353, SEQ ID NO:1354, SEQID NO:1355, SEQ ID NO: 1356, SEQ ID NO: 1357, SEQ ID NO: 1358, SEQ 1760 IDNO:1360, SEQ ID NO:1361, SEQ ID NO:1362, SEQ ID NO: 1363, SEQ ID NO:1364, SEQ ID NO:1365, SEQ ID NO:1367, SEQ ID NO: 1368, SEQ ID NO: 1369, SEQ ID NO: 1370, SEQ ID NO:1371, SEQ ID NO:1375, SEQ ID NO:1376, SEQ ID NO:1377, 1765 SEQ ID NO:1378, SEQ ID NO:1379, SEQ ID NO:1381, SEQ IDNO:1382, SEQ ID NO:1383, SEQ ID NO:1384, SEQ ID NO: 1385, SEQ ID NO:1387, SEQ ID NO:1388, SEQ ID NO:1389, SEQ ID NO: 1390, SEQ ID NO: 1391, SEQ ID NO: 1392, SEQ ID NO:1393, SEQ ID NO:1395, SEQ ID NO:1396, SEQ ID NO:1397, 1770 SEQ ID NO:1398, SEQ ID NO:1399, SEQ ID NO:1400, SEQID NO:1402, SEQ ID NO:1403, SEQ ID NO:1404, SEQ ID NO:1405, SEQ ID NO:1406, SEQ ID NO:1407, SEQ ID NO:1409, SEQ ID NO:1410, SEQ ID NO:1412, SEQ ID NO:1413, SEQ ID NO:1414, SEQ ID NO:1415, SEQ ID NO:1416, SEQ ID NO:1417, SEQ ID NO:1419, SEQ ID NO:1420, SEQ ID NO:1421, SEQID NO:1422, 1775 SEQ ID NO:1423, SEQ ID NO:1424, SEQ ID NO:1425, SEQ IDNO:1427, SEQ ID NO:1428, SEQ ID NO:1429, SEQ ID NO: 1430, SEQ ID NO:1431, SEQ ID NO:1432, SEQ ID NO:1433, SEQ ID NO:1434, SEQ ID NO:1435, SEQ ID NO:1437, SEQ ID NO:1438, SEQ ID NO:1439, SEQ ID NO:1440, SEQ ID NO:1441, 1780 SEQ ID NO:1442, SEQ ID NO:1444, SEQ ID NO:1445, SEQ IDNO:1446, SEQ ID NO:1447, SEQ ID NO:1448, SEQ ID NO: 1449, SEQ ID NO:1451, SEQ ID NO:1452, SEQ ID NO:1453, SEQ ID NO:1454, SEQ ID NO:1455, SEQ ID NO:1456, SEQ ID NO:1458, SEQ ID NO:1459, SEQ ID NO:1461, SEQ ID NO:1462, 1785 SEQ ID NO:1463, SEQ ID NO:1464, SEQ ID NO:1465, SEQID NO:1466, SEQ ID NO:1468, SEQ ID NO:1469, SEQ ID NO:1470, SEQ ID NO:1472, SEQ ID NO:1474, SEQ ID NO:1475, SEQ ID NO:1476, SEQ ID NO:1477, SEQ ID NO:1479, SEQ ID NO:1480, 1790 SEQ ID NO: 1481, SEQ ID NO: 1482, SEQ ID NO: 1483, SEQ ID

NO:1484, SEQ ID NO:1485, SEQ ID NO:1486, SEQID NO:1488, SEQ ID NO:1490, SEQ ID NO:1491, SEQ ID NO:1492, SEQ IDNO:1493, SEQ ID NO:1495, SEQ ID NO:1496, SEQ ID NO: 1497, SEQ ID NO:1498, SEQ ID NO:1500, SEQ ID NO:1502, SEQ ID NO: 1503, SEQ ID NO: 1504, SEQ ID NO: 1505, SEQ 1795 ID NO:1507, SEQ ID NO:1509, SEQ ID NO:1512, SEQ ID NO: 1513, SEQ ID NO:1514, SEQ ID NO:1515, SEQ ID NO:1517, SEQ IDNO: 1518, SEQ ID NO: 1519, SEQ ID NO: 1521, SEQ ID NO:1522, SEQ ID NO:1523, SEQ ID NO:1524, SEQ ID NO:1525, SEQ ID NO:1527, SEQ ID NO:1528, SEQ ID NO:1529, SEQ ID 1800 NO:1530, SEQ ID NO:1531, SEQ ID NO:1533, SEQ ID NO:1534, SEQ ID NO:1535, SEQ ID NO:1536, SEQ ID NO:1538, SEQID NO:1539, SEQ ID NO:1541, SEQ ID NO:1542, SEQ ID NO:1543, SEQ ID NO:1544, SEQ ID NO:1546, SEQ ID NO:1548, SEQ ID 1805 NO:1550, SEQ ID NO:1552, SEQ ID NO:1554, SEQ ID NO:1556, SEQ ID NO:1557, SEQ ID NO:1559, SEQ ID NO:1560, SEQ ID NO:1561, SEQ ID NO:1562, SEQ ID NO:1564, SEQID NO:1565, SEQ ID NO: 1567, SEQ ID NO: 1568, SEQ ID NO: 1570, SEQ IDNO:1572, SEQ ID NO:1573, SEQ ID NO:1574, SEQ ID NO: 1575, SEQ ID NO:1577, SEQ ID NO:1578, SEQ ID NO:1579, 1810 SEQ ID NO: 1581, SEQ ID NO: 1582, SEQ ID NO: 1583, SEQ ID NO:1585, SEQ ID NO:1586, SEQ ID NO:1588, SEQ ID NO:1589, SEQ ID NO:1590, SEQ ID NO:1592, SEQ ID NO:1593, SEQ IDNO:1595, SEQ ID NO:1597, SEQ ID NO:1598, SEQ ID NO: 1600, SEQ ID NO:1602, SEQ ID NO:1606, SEQ ID NO:1608, 1815 SEQ ID NO:1609, SEQ ID NO:1610, SEQ ID NO:1611, SEQ ID NO:1613, SEQ ID NO:1614, SEQ ID NO:1616, SEQ ID NO:1618, SEQ ID NO:1620, SEQ ID NO:1621, SEQ ID NO:1623, SEQID NO:1625, SEQ ID NO:1628, SEQ ID NO:1630, SEQ ID NO:1631, 1820 SEQ ID NO:1633, SEQ ID NO:1634, SEQ ID NO:1638, SEQ ID NO:1641, SEQ ID NO:1642, SEQ ID NO:1644, SEQ ID NO:1645, SEQ ID NO:1647, SEQ ID NO:1648, SEQ ID NO:1650, SEQ ID NO:1651, SEQ ID NO:1653, SEQ ID NO:1654, SEQID NO:1656, SEQ ID NO: 1657, SEQ ID NO: 1659, SEQ ID NO: 1661, SEQ

- IDNO:1663, SEQ ID NO:1665, SEQ ID NO:1667, SEQ ID NO: 1671, SEQ ID NO:1674, SEQ ID NO:1676, SEQ ID NO:1678, SEQ ID NO:1679, SEQ ID NO:1681, SEQ ID NO:1684, SEQ ID NO:1686, SEQ ID NO:1687, SEQ ID NO:1689, SEQ ID NO:1692, SEQ ID NO:1693, SEQ ID NO:1695, SEQ ID NO:1697, SEQ IDNO:1698, SEQ ID NO:1702, and SEQ ID NO:1703
  - , or (b) a polypeptide comprising an amino acid sequence in the nucleotide sequences set forth in (a) in which several amino acids are deleted, replaced or added.

    [0013]
- In another embodiment, the present invention relates to a polypeptide specific to enterohemorrhagic pathogenic-E. coli O-157:H7.

In a preferred embodiment, the present invention relates to a polypeptide specific to O-157:H7 comprising

- (a) an amino acid sequence selected from a group comprising the following SEQ IDs or a fragment thereof: SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ IDNO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID
- NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ IDNO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID
- NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID

  1855 NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID

  NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID

  NO:62, SEQ ID NO:63, SEQ IDNO:64, SEQ ID NO:65, SEQ ID

  NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQID NO:69, SEQ ID

```
NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID
      NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID
1860
      NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID
      NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID
      NO:86, SEQ ID NO:87, SEQ IDNO:88, SEQ ID NO:89, SEQ ID
      NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQID NO:93, SEQ ID
      NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID
1865
      NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ
      ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105,
      SEQ ID NO: 106, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO:
      109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID
1870
      NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116,
      SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:
      120, SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID
      NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127,
      SEQ ID NO: 128, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID NO:
1875
      131, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID
      NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139,
      SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:
      143, SEQ ID NO: 144, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID
      NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150,
      SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO:
1880
      154. SEQ ID NO:155. SEQ ID NO:156, SEQ ID NO:157, SEQ ID
      NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161,
      SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:
      165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID
      NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172,
1885
      SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:
      176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID
      NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183.
      SEQ ID NO: 184, SEQ ID NO: 185, SEQ ID NO: 186, SEQ ID NO:
1890
      187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID
      NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194,
      SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:
```

198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO: 202, SEQ ID NO: 203, SEQ ID NO: 204, SEQ ID NO: 205, 1895 SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO: 209, SEQ ID NO: 210, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214, SEQ ID NO: 215, SEQ ID NO: 216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO: 220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID 1900 NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 241, SEQ ID NO: 1905 242, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO: 254, SEQ ID NO: 255, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO:258, SEQ ID NO:259, SEQ ID NO:260, SEQ ID NO:261, 1910 SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 264, SEQ ID NO: 265, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO:269, SEQ ID NO:270, SEQ ID NO:271, SEQ ID NO:272, SEQ ID NO: 273, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO:280, SEQ ID NO:281, SEQ ID NO:282, SEQ ID NO:283, 1915 SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 287, SEQ ID NO: 288, SEQ ID NO: 289, SEQ ID NO: 290, SEQ ID NO:291, SEQ ID NO:292, SEQ ID NO:293, SEQ ID NO:294, SEQ ID NO: 295, SEQ ID NO: 296, SEQ ID NO: 297, SEQ ID NO: 1920 298, SEQ ID NO: 299, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO:302, SEQ ID NO:303, SEQ ID NO:304, SEQ ID NO:305, SEQ ID NO: 306, SEQ ID NO: 307, SEQ ID NO: 308, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO:313, SEQ ID NO:314, SEQ ID NO:315, SEQ ID NO:316, 1925 SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 319, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID

NO:324, SEQ ID NO:325, SEQ ID NO:326, SEQ ID NO:327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 331, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO:335, SEQ ID NO:336, SEQ ID NO:338, SEQ ID NO:339, 1930 SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO:347, SEQ ID NO:348, SEQ ID NO:349, SEQ ID NO:350, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID 1935 NO:358, SEQ ID NO:359, SEQ ID NO:360, SEQ ID NO:361, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO:369, SEQ ID NO:370, SEQ ID NO:371, SEQ ID NO:372, 1940 SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO:380, SEQ ID NO:381, SEQ ID NO:382, SEQ ID NO:383. SEQ ID NO: 384, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 389, SEQ ID NO: 390, SEQ ID NO:391, SEQ ID NO:392, SEQ ID NO:393, SEQ ID NO:394, 1945 SEQ ID NO:395, SEQ ID NO:396, SEQ ID NO:397, SEQ ID NO: 398, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO: 402, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409. SEQ ID NO:411, SEQ ID NO:412, SEQ ID NO:413, SEQ ID 1950 NO:414, SEQ ID NO:415, SEQ ID NO:416, SEQ ID NO:417, SEQ ID NO:418, SEQ ID NO:419, SEQ ID NO:420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 425, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, SEQ ID NO: 431, SEQ ID NO: 1955 432, SEQ ID NO: 433, SEQ ID NO: 434, SEQ ID NO: 435, SEQ ID NO: 436, SEQ ID NO: 437, SEQ ID NO: 438, SEQ ID NO: 439, SEQ ID NO: 440, SEQ ID NO: 441, SEQ ID NO: 442, SEQ ID NO: 443, SEQ ID NO: 444, SEQ ID NO: 445, SEQ ID NO: 446, SEQ ID NO: 447, SEQ ID NO: 448, SEQ ID NO: 449, SEQ ID NO: 450, 1960

SEQ ID NO: 451, SEQ ID NO: 452, SEQ ID NO: 453, SEQ ID NO: 454, SEQ ID NO: 455, SEQ ID NO: 456, SEQ ID NO: 457, SEQ ID NO:458, SEQ ID NO:459, SEQ ID NO:460, SEQ ID NO:461, SEQ ID NO: 462, SEQ ID NO: 463, SEQ ID NO: 464, SEQ ID NO: 465, SEQ ID NO: 466, SEQ ID NO: 467, SEQ ID NO: 468, SEQ ID 1965 NO: 469, SEQ ID NO: 470, SEQ ID NO: 471, SEQ ID NO: 472, SEQ ID NO: 473, SEQ ID NO: 474, SEQ ID NO: 475, SEQ ID NO: 476, SEQ ID NO: 477, SEQ ID NO: 478, SEQ ID NO: 479, SEQ ID NO:480, SEQ ID NO:481, SEQ ID NO:482, SEQ ID NO:483, SEQ ID NO: 485, SEQ ID NO: 486, SEQ ID NO: 487, SEQ ID NO: 1970 488, SEQ ID NO: 489, SEQ ID NO: 490, SEQ ID NO: 491, SEQ ID NO:492, SEQ ID NO:493, SEQ ID NO:494, SEQ ID NO:495, SEQ ID NO: 496, SEQ ID NO: 497, SEQ ID NO: 498, SEQ ID NO: 499, SEQ ID NO:500, SEQ ID NO:501, SEQ ID NO:502, SEQ ID NO:503, SEQ ID NO:504, SEQ ID NO:505, SEQ ID NO:506, 1975 SEQ ID NO:507, SEQ ID NO:508, SEQ ID NO:509, SEQ ID NO: 510, SEQ ID NO: 511, SEQ ID NO: 512, SEQ ID NO: 513, SEQ ID NO:514, SEQ ID NO:515, SEQ ID NO:516, SEQ ID NO:517, SEQ ID NO:518, SEQ ID NO:519, SEQ ID NO:520, SEQ ID NO: 521, SEQ ID NO: 522, SEQ ID NO: 523, SEQ ID NO: 524, SEQ ID 1980 NO:525, SEQ ID NO:526, SEQ ID NO:527, SEQ ID NO:528, SEQ ID NO:529, SEQ ID NO:530, SEQ ID NO:531, SEQ ID NO: 532, SEQ ID NO:533, SEQ ID NO:534, SEQ ID NO:535, SEQ ID NO:536, SEQ ID NO:537, SEQ ID NO:538, SEQ ID NO:539, 1985 SEQ ID NO:540, SEQ ID NO:541, SEQ ID NO:542, SEQ ID NO: 543, SEQ ID NO: 544, SEQ ID NO: 545, SEQ ID NO: 546, SEQ ID NO:547, SEQ ID NO:548, SEQ ID NO:549, SEQ ID NO:550, SEQ ID NO:551, SEQ ID NO:552, SEQ ID NO:553, SEQ ID NO: 555, SEQ ID NO:556, SEQ ID NO:557, SEQ ID NO:558, SEQ ID 1990 NO:559, SEQ ID NO:560, SEQ ID NO:561, SEQ ID NO:562. SEQ ID NO: 563, SEQ ID NO: 564, SEQ ID NO: 565, SEQ ID NO: 566, SEQ ID NO: 567, SEQ ID NO: 568, SEQ ID NO: 569, SEQ ID NO:570, SEQ ID NO:571, SEQ ID NO:572, SEQ ID NO:573, SEQ ID NO: 574, SEQ ID NO: 575, SEQ ID NO: 576, SEQ ID NO:

```
577, SEQ ID NO: 578, SEQ ID NO: 579, SEQ ID NO: 580, SEQ ID
1995
      NO:581, SEQ ID NO:582, SEQ ID NO:583, SEQ ID NO:584,
      SEQ ID NO:585, SEQ ID NO:586, SEQ ID NO:587, SEQ ID NO:
      588, SEQ ID NO:589, SEQ ID NO:590, SEQ ID NO:591, SEQ ID
      NO:592, SEQ ID NO:593, SEQ ID NO:594, SEQ ID NO:595,
      SEQ ID NO:596, SEQ ID NO:597, SEQ ID NO:598, SEQ ID NO:
2000
      599, SEQ ID NO:600, SEQ ID NO:601, SEQ ID NO:602, SEQ ID
      NO: 603, SEQ ID NO: 604, SEQ ID NO: 605, SEQ ID NO: 606,
      SEQ ID NO: 607, SEQ ID NO: 608, SEQ ID NO: 609, SEQ ID NO:
      610, SEQ ID NO: 611, SEQ ID NO: 612, SEQ ID NO: 613, SEQ ID
      NO:614, SEQ ID NO:615, SEQ ID NO:616, SEQ ID NO:617,
2005
      SEQ ID NO:618, SEQ ID NO:619, SEQ ID NO:620, SEQ ID NO:
      621, SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624, SEQ ID
      NO:625, SEQ ID NO:626, SEQ ID NO:627, SEQ ID NO:628,
      SEQ ID NO: 629, SEQ ID NO: 631, SEQ ID NO: 632, SEQ ID NO:
      633, SEQ ID NO:634, SEQ ID NO:635, SEQ ID NO:636, SEQ ID
2010
      NO:637, SEQ ID NO:638, SEQ ID NO:639, SEQ ID NO:640,
      SEQ ID NO:641, SEQ ID NO:642, SEQ ID NO:643, SEQ ID NO:
      644, SEQ ID NO: 645, SEQ ID NO: 646, SEQ ID NO: 647, SEQ ID
      NO:648, SEQ ID NO:649, SEQ ID NO:650, SEQ ID NO:651,
2015
      SEQ ID NO:652, SEQ ID NO:653, SEQ ID NO:654, SEQ ID NO:
      655, SEQ ID NO:656, SEQ ID NO:657, SEQ ID NO:658, SEQ ID
      NO:659, SEQ ID NO:660, SEQ ID NO:661, SEQ ID NO:662,
      SEQ ID NO: 663, SEQ ID NO: 664, SEQ ID NO: 665, SEQ ID NO:
      666, SEQ ID NO:667, SEQ ID NO:668, SEQ ID NO:669, SEQ ID
2020
      NO:670, SEQ ID NO:671, SEQ ID NO:672, SEQ ID NO:673,
      SEQ ID NO: 674. SEQ ID NO: 675, SEQ ID NO: 676, SEQ ID NO:
      677, SEQ ID NO:678, SEQ ID NO:679, SEQ ID NO:680, SEQ ID
      NO:681, SEQ ID NO:682, SEQ ID NO:683, SEQ ID NO:684,
      SEQ ID NO: 685, SEQ ID NO: 686, SEQ ID NO: 687, SEQ ID NO:
2025
      688, SEQ ID NO:690, SEQ ID NO:691, SEQ ID NO:692, SEQ ID
      NO:693, SEQ ID NO:694, SEQ ID NO:695, SEQ ID NO:696,
      SEQ ID NO:697, SEQ ID NO:698, SEQ ID NO:699, SEQ ID NO:
      700, SEQ ID NO: 701, SEQ ID NO: 702, SEQ ID NO: 703, SEQ ID
```

NO:704, SEQ ID NO:705, SEQ ID NO:706, SEQ ID NO:707, SEQ ID NO: 708. SEQ ID NO: 709. SEQ ID NO: 710. SEQ ID NO: 2030 711, SEQ ID NO: 712, SEQ ID NO: 713, SEQ ID NO: 714, SEQ ID NO:715, SEQ ID NO:716, SEQ ID NO:717, SEQ ID NO:718, SEQ ID NO:719, SEQ ID NO:720, SEQ ID NO:721, SEQ ID NO: 722, SEQ ID NO: 723, SEQ ID NO: 724, SEQ ID NO: 725, SEQ ID NO:726, SEQ ID NO:727, SEQ ID NO:728, SEQ ID NO:729, 2035 SEQ ID NO: 730, SEQ ID NO: 731, SEQ ID NO: 732, SEQ ID NO: 733, SEQ ID NO: 734, SEQ ID NO: 735, SEQ ID NO: 736, SEQ ID NO:737, SEQ ID NO:738, SEQ ID NO:739, SEQ ID NO:740, SEQ ID NO: 741, SEQ ID NO: 742, SEQ ID NO: 743, SEQ ID NO: 744, SEQ ID NO: 745, SEQ ID NO: 746, SEQ ID NO: 747, SEQ ID 2040 NO:748, SEQ ID NO:749, SEQ ID NO:750, SEQ ID NO:751, SEQ ID NO: 752, SEQ ID NO: 753, SEQ ID NO: 754, SEQ ID NO: 756, SEQ ID NO:757, SEQ ID NO:758, SEQ ID NO:759, SEQ ID NO:760, SEQ ID NO:761, SEQ ID NO:762, SEQ ID NO:763, SE Q ID NO: 764, SEQ ID NO: 765, SEQ ID NO: 766, SEQ ID NO: 2045 767, SEQ ID NO: 768, SEQ ID NO: 769, SEQ ID NO: 770, SEQ ID NO:771, SEQ ID NO:772, SEQ ID NO:773, SEQ ID NO:774, SEQ ID NO:775, SEQ ID NO:776, SEQ ID NO:777, SEQ ID NO: 778, SEQ ID NO: 779, SEQ ID NO: 780, SEQ ID NO: 781, SEQ ID NO:782, SEQ ID NO:783, SEQ ID NO:784, SEQ ID NO:785, 2050 SEQ ID NO: 786, SEQ ID NO: 787, SEQ ID NO: 788, SEQ ID NO: 789, SEQ ID NO: 790, SEQ ID NO: 791, SEQ ID NO: 792, SEQ ID NO:793, SEQ ID NO:794, SEQ ID NO:795, SEQ ID NO:796, SEQ ID NO: 797, SEQ ID NO: 798, SEQ ID NO: 799, SEQ ID NO: 800, SEQ ID NO:801, SEQ ID NO:802, SEQ ID NO:803, SEQ ID 2055 NO:804, SEQ ID NO:805, SEQ ID NO:806, SEQ ID NO:807, SEQ ID NO:808, SEQ ID NO:809, SEQ ID NO:810, SEQ ID NO: 811, SEQ ID NO:812, SEQ ID NO:813, SEQ ID NO:814, SEQ ID NO:815, SEQ ID NO:817, SEQ ID NO:818, SEQ ID NO:819, 2060 SEQ ID NO:820, SEQ ID NO:821, SEQ ID NO:822, SEQ ID NO: 823, SEQ ID NO: 824, SEQ ID NO: 825, SEQ ID NO: 826, SEQ ID NO:827, SEQ ID NO:828, SEQ ID NO:829, SEQ ID NO:830,

SEQ ID NO:831, SEQ ID NO:832, SEQ ID NO:833, SEQ ID NO: 834, SEQ ID NO:835, SEQ ID NO:836, SEQ ID NO:837, SEQ ID NO:838, SEQ ID NO:839, SEQ ID NO:840, SEQ ID NO:841, 2065 SEQ ID NO:842, SEQ ID NO:843, SEQ ID NO:844, SEQ ID NO: 845, SEQ ID NO: 846, SEQ ID NO: 847, SEQ ID NO: 848, SEQ ID NO:849, SEQ ID NO:850, SEQ ID NO:851, SEQ ID NO:852, SEQ ID NO: 853, SEQ ID NO: 854, SEQ ID NO: 855, SEQ ID NO: 856, SEQ ID NO:857, SEQ ID NO:858, SEQ ID NO:859, SEQ ID 2070 NO:860, SEQ ID NO:861, SEQ ID NO:862, SEQ ID NO:863, SEQ ID NO:864, SEQ ID NO:865, SEQ ID NO:866, SEQ ID NO: 867, SEQ ID NO: 868, SEQ ID NO: 869, SEQ ID NO: 870, SEQ ID NO:871, SEQ ID NO:872, SEQ ID NO:873, SEQ ID NO:874, 2075 SEQ ID NO:875, SEQ ID NO:877, SEQ ID NO:878, SEQ ID NO: 879, SEQ ID NO:880, SEQ ID NO:881, SEQ ID NO:882, SEQ ID NO:883, SEQ ID NO:884, SEQ ID NO:885, SEQ ID NO:886, SEQ ID NO:887, SEQ ID NO:888, SEQ ID NO:889, SEQ ID NO: 890, SEQ ID NO:891, SEQ ID NO:892, SEQ ID NO:893, SEQ ID NO:894, SEQ ID NO:895, SEQ ID NO:896, SEQ ID NO:897, 2080 SEQ ID NO:898, SEQ ID NO:899, SEQ ID NO:900, SEQ ID NO: 901, SEQ ID NO: 902, SEQ ID NO: 903, SEQ ID NO: 904, SEQ ID NO:905, SEQ ID NO:906, SEQ ID NO:907, SEQ ID NO:908, SEQ ID NO:909, SEQ ID NO:910, SEQ ID NO:911, SEQ ID NO: 912, SEQ ID NO:913, SEQ ID NO:914, SEQ ID NO:915, SEQ ID 2085 NO:916, SEQ ID NO:917, SEQ ID NO:918, SEQ ID NO:919, SEQ ID NO: 920, SEQ ID NO: 921, SEQ ID NO: 922, SEQ ID NO: 923, SEQ ID NO: 924, SEQ ID NO: 925, SEQ ID NO: 926, SEQ ID NO:928, SEQ ID NO:929, SEQ ID NO:930, SEQ ID NO:931, 2090 SEQ ID NO: 932, SEQ ID NO: 933, SEQ ID NO: 934, SEQ ID NO: 935, SEQ ID NO:936, SEQ ID NO:937, SEQ ID NO:938, SEQ ID NO:939, SEQ ID NO:940, SEQ ID NO:941, SEQ ID NO:942, SEQ ID NO: 943, SEQ ID NO: 944, SEQ ID NO: 945, SEQ ID NO: 946, SEQ ID NO: 947, SEQ ID NO: 948, SEQ ID NO: 949, SEQ ID 2095 NO:950, SEQ ID NO:951, SEQ ID NO:952, SEQ ID NO:953, SEQ ID NO: 954, SEQ ID NO: 955, SEQ ID NO: 956, SEQ ID NO:

957, SEQ ID NO: 958, SEQ ID NO: 959, SEQ ID NO: 960, SEQ ID NO:961, SEQ ID NO:962, SEQ ID NO:963, SEQ ID NO:964, SEQ ID NO: 965, SEQ ID NO: 966, SEQ ID NO: 967, SEQ ID NO: 968, SEQ ID NO: 969, SEQ ID NO: 970, SEQ ID NO: 971, SEQ ID 2100 NO: 972, SEQ ID NO: 973, SEQ ID NO: 974, SEQ ID NO: 975, SEQ ID NO: 976, SEQ ID NO: 977, SEQ ID NO: 979, SEQ ID NO: 980, SEQ ID NO:981, SEQ ID NO:982, SEQ ID NO:983, SEQ ID NO:984, SEQ ID NO:985, SEQ ID NO:986, SEQ ID NO:987, 2105 SEQ ID NO: 988, SEQ ID NO: 989, SEQ ID NO: 990, SEQ ID NO: 991, SEQ ID NO: 992, SEQ ID NO: 993, SEQ ID NO: 994, SEQ ID NO:995, SEQ ID NO:996, SEQ ID NO:997, SEQ ID NO:998, SEQ ID NO:999, SEQ ID NO:1000, SEQ ID NO:1001, SEQ ID NO:1002, SEQ ID NO:1003, SEQ ID NO:1004, SEQ ID NO:1005, 2110 SEQID NO: 1006, SEQ ID NO: 1007, SEQ ID NO: 1008, SEQ ID NO:1009, SEQ IDNO:1010, SEQ ID NO:1011, SEQ ID NO:1012, SEQ ID NO:1014, SEQ ID NO:1015, SEQ ID NO:1016, SEQ ID NO:1017, SEQ ID NO:1018, SEQ ID NO:1019, SEQ ID NO:1020, SEQ ID NO:1021, SEQ ID NO:1022, SEQ ID NO:1023, SEQ ID NO:1024, SEQ ID NO:1025, SEQ ID NO:1026, SEQ ID NO:1027, 2115 SEQ IDNO: 1028, SEQ ID NO: 1030, SEQ ID NO: 1031, SEQ ID NO:1032, SEQ ID NO:1033, SEQ ID NO:1034, SEQ ID NO:1035, SEQ ID NO: 1036, SEQ ID NO: 1037, SEQ ID NO: 1038, SEQ ID NO: 1039, SEQ ID NO: 1040, SEQ ID NO: 1041, SEQ ID NO: 1042, SEQ ID NO: 1043, SEQ ID NO: 1044, SEQ ID NO: 1045, SEQID 2120 NO: 1046, SEQ ID NO: 1047, SEQ ID NO: 1048, SEQ ID NO: 1049, SEQ ID NO:1050, SEQ ID NO:1051, SEQ ID NO:1052, SEQ ID NO:1053, SEQ ID NO:1054, SEQ ID NO:1056, SEQ ID NO:1057, SEQ ID NO: 1058, SEQ ID NO: 1059, SEQ ID NO: 1061, SEQ ID NO: 1062, SEQ ID NO: 1063, SEQ ID NO: 1064, SEQID NO: 1065, 2125 SEQ ID NO: 1066, SEQ ID NO: 1067, SEQ ID NO: 1068, SEQ IDNO:1069, SEQ ID NO:1070, SEQ ID NO:1071, SEQ ID NO: 1072, SEQ ID NO:1073, SEQ ID NO:1074, SEQ ID NO:1075, SEQ ID NO:1076, SEQ ID NO:1077, SEQ ID NO:1078, SEQ ID NO:1079, SEQ ID NO:1080, SEQ ID NO:1081, SEQ ID NO:1082, 2130

SEQ ID NO:1083, SEQ ID NO:1084, SEQ ID NO:1085, SEQ IDNO:1086. SEQ ID NO:1087. SEQ ID NO:1088. SEQ ID NO: 1089, SEQ ID NO:1090, SEQ ID NO:1091, SEQ ID NO:1092, SEQ ID NO: 1094, SEQ ID NO: 1095, SEQ ID NO: 1096, SEQ ID NO:1097, SEQ ID NO:1098, SEQ ID NO:1099, SEQ ID NO:1100, 2135 SEQ ID NO: 1101, SEQ ID NO: 1102, SEQ ID NO: 1103, SEQID NO: 1104, SEQ ID NO: 1105, SEQ ID NO: 1106, SEQ ID NO: 1107, SEQ ID NO:1108, SEQ ID NO:1109, SEQ ID NO:1110, SEQ ID NO:1111, SEQ ID NO:1112, SEQ ID NO:1113, SEQ ID NO:1114, SEQ ID NO:1115, SEQ ID NO:1116, SEQ ID NO:1117, SEQ ID 2140 NO:1118, SEQ ID NO:1119, SEQ ID NO:1120, SEQID NO:1121, SEQ ID NO: 1122, SEQ ID NO: 1123, SEQ ID NO: 1124, SEQ IDNO:1125, SEQ ID NO:1126, SEQ ID NO:1127, SEQ ID NO: 1129, SEQ ID NO:1130, SEQ ID NO:1131, SEQ ID NO:1132, 2145 SEQ ID NO:1133, SEQ ID NO:1134, SEQ ID NO:1135, SEQ ID NO: 1136, SEQ ID NO: 1137, SEQ ID NO: 1138, SEQ ID NO: 1139, SEQ ID NO: 1140, SEQ ID NO: 1141, SEQ ID NO: 1142, SEQ IDNO:1143, SEQ ID NO:1144, SEQ ID NO:1145, SEQ ID NO: 1146, SEQ ID NO: 1147, SEQ ID NO: 1148, SEQ ID NO: 1149, SEQ ID NO: 1150, SEQ ID NO: 1151, SEQ ID NO: 1152, SEQ ID 2150 NO: 1153, SEQ ID NO: 1154, SEQ ID NO: 1155, SEQ ID NO: 1156, SEQ ID NO: 1158, SEQ ID NO: 1159, SEQ ID NO: 1160, SEQID NO: 1161, SEQ ID NO: 1162, SEQ ID NO: 1163, SEQ ID NO: 1164, SEQ ID NO:1165, SEQ ID NO:1166, SEQ ID NO:1167, SEQ ID NO: 1168, SEQ ID NO: 1169, SEQ ID NO: 1170, SEQ ID NO: 1171, 2155 SEQ ID NO:1172, SEQ ID NO:1173, SEQ ID NO:1174, SEQ ID NO:1175, SEQ ID NO:1176, SEQ ID NO:1177, SEQID NO:1178, SEQ ID NO: 1179, SEQ ID NO: 1180, SEQ ID NO: 1181, SEQ IDNO:1182, SEQ ID NO:1183, SEQ ID NO:1184, SEQ ID NO: 2160 1185, SEQ ID NO:1186, SEQ ID NO:1187, SEQ ID NO:1188, SEQ ID NO:1189, SEQ ID NO:1190, SEQ ID NO:1192, SEQ ID NO:1193, SEQ ID NO:1194, SEQ ID NO:1195, SEQ ID NO:1196, SEQ ID NO: 1197, SEQ ID NO: 1198, SEQ ID NO: 1199, SEQ IDNO:1200, SEQ ID NO:1201, SEQ ID NO:1202, SEQ ID NO:

1203, SEQ ID NO:1204, SEQ ID NO:1205, SEQ ID NO:1206, 2165 SEQ ID NO:1207, SEQ ID NO:1208, SEQ ID NO:1209, SEQ ID NO:1210, SEQ ID NO:1211, SEQ ID NO:1213, SEQ ID NO:1214, SEQ ID NO:1215, SEQ ID NO:1216, SEQ ID NO:1217, SEQID NO:1218, SEQ ID NO:1219, SEQ ID NO:1220, SEQ ID NO:1221, SEQ ID NO:1222, SEQ ID NO:1223, SEQ ID NO:1224, SEQ ID 2170 NO:1225, SEQ ID NO:1226, SEQ ID NO:1227, SEQ ID NO:1228, SEQ ID NO:1229, SEQ ID NO:1230, SEQ ID NO:1231, SEQ ID NO:1232, SEQ ID NO:1233, SEQ ID NO:1234, SEQID NO:1235, SEQ ID NO: 1236, SEQ ID NO: 1237, SEQ ID NO: 1238, SEQ IDNO:1239, SEQ ID NO:1241, SEQ ID NO:1242, SEQ ID NO: 2175 1243, SEQ ID NO:1244, SEQ ID NO:1245, SEQ ID NO:1246, SEQ ID NO:1247, SEQ ID NO:1248, SEQ ID NO:1249, SEQ ID NO: 1250, SEQ ID NO: 1251, SEQ ID NO: 1252, SEQ ID NO: 1253, SEQ ID NO:1254, SEQ ID NO:1255, SEQ ID NO:1256, SEQ IDNO:1257, SEQ ID NO:1259, SEQ ID NO:1260, SEQ ID NO: 2180 1261, SEQ ID NO:1262, SEQ ID NO:1263, SEQ ID NO:1264, SEQ ID NO: 1265, SEQ ID NO: 1266, SEQ ID NO: 1267, SEQ ID NO:1268, SEQ ID NO:1269, SEQ ID NO:1270, SEQ ID NO:1271, SEQ ID NO:1272, SEQ ID NO:1273, SEQ ID NO:1275, SEQID NO:1276, SEQ ID NO:1277, SEQ ID NO:1278, SEQ ID NO:1279, 2185 SEQ ID NO: 1280, SEQ ID NO: 1281, SEQ ID NO: 1282, SEQ ID NO:1283, SEQ ID NO:1284, SEQ ID NO:1285, SEQ ID NO:1286, SEQ ID NO:1287, SEQ ID NO:1289, SEQ ID NO:1290, SEQ ID NO:1291, SEQ ID NO:1292, SEQ ID NO:1293, SEQID NO:1294, 2190 SEQ ID NO:1295, SEQ ID NO:1296, SEQ ID NO:1297, SEQ IDNO:1298, SEQ ID NO:1299, SEQ ID NO:1300, SEQ ID NO: 1301, SEQ ID NO:1303, SEQ ID NO:1304, SEQ ID NO:1305, SEQ ID NO:1306, SEQ ID NO:1307, SEQ ID NO:1308, SEQ ID NO:1310, SEQ ID NO:1311, SEQ ID NO:1312, SEQ ID NO:1313, 2195 SEQ ID NO:1314, SEQ ID NO:1315, SEQ ID NO:1316, SEQ IDNO:1317, SEQ ID NO:1318, SEQ ID NO:1319, SEQ ID NO: 1320, SEQ ID NO:1322, SEQ ID NO:1323, SEQ ID NO:1324, SEQ ID NO: 1325, SEQ ID NO: 1326, SEQ ID NO: 1327, SEQ ID

NO:1328, SEQ ID NO:1330, SEQ ID NO:1331, SEQ ID NO:1332, SEQ ID NO: 1333, SEQ ID NO: 1334, SEQ ID NO: 1335, SEQID 2200 NO:1336, SEQ ID NO:1337, SEQ ID NO:1339, SEQ ID NO:1340, SEQ ID NO:1341, SEQ ID NO:1342, SEQ ID NO:1343, SEQ ID NO:1344, SEQ ID NO:1345, SEQ ID NO:1346, SEQ ID NO:1347, SEQ ID NO:1349, SEQ ID NO:1350, SEQ ID NO:1351, SEQ ID NO:1352, SEQ ID NO:1353, SEQ ID NO:1354, SEQID NO:1355, 2205 SEQ ID NO:1356, SEQ ID NO:1357, SEQ ID NO:1358, SEQ IDNO:1360, SEQ ID NO:1361, SEQ ID NO:1362, SEQ ID NO: 1363, SEQ ID NO:1364, SEQ ID NO:1365, SEQ ID NO:1367, SEQ ID NO:1368, SEQ ID NO:1369, SEQ ID NO:1370, SEQ ID 2210 NO:1371, SEQ ID NO:1375, SEQ ID NO:1376, SEQ ID NO:1377, SEQ ID NO:1378, SEQ ID NO:1379, SEQ ID NO:1381, SEQ IDNO:1382, SEQ ID NO:1383, SEQ ID NO:1384, SEQ ID NO: 1385, SEQ ID NO:1387, SEQ ID NO:1388, SEQ ID NO:1389, SEQ ID NO:1390, SEQ ID NO:1391, SEQ ID NO:1392, SEQ ID 2215 NO:1393, SEQ ID NO:1395, SEQ ID NO:1396, SEQ ID NO:1397, SEQ ID NO:1398, SEQ ID NO:1399, SEQ ID NO:1400, SEQID NO:1402, SEQ ID NO:1403, SEQ ID NO:1404, SEQ ID NO:1405, SEQ ID NO:1406, SEQ ID NO:1407, SEQ ID NO:1409, SEQ ID NO:1410, SEQ ID NO:1412, SEQ ID NO:1413, SEQ ID NO:1414, SEQ ID NO:1415, SEQ ID NO:1416, SEQ ID NO:1417, SEQ ID 2220 NO:1419, SEQ ID NO:1420, SEQ ID NO:1421, SEQID NO:1422, SEQ ID NO:1423, SEQ ID NO:1424, SEQ ID NO:1425, SEQ IDNO:1427, SEQ ID NO:1428, SEQ ID NO:1429, SEQ ID NO: 1430, SEQ ID NO:1431, SEQ ID NO:1432, SEQ ID NO:1433, SEQ ID NO:1434, SEQ ID NO:1435, SEQ ID NO:1437, SEQ ID 2225 NO:1438, SEQ ID NO:1439, SEQ ID NO:1440, SEQ ID NO:1441, SEQ ID NO:1442, SEQ ID NO:1444, SEQ ID NO:1445, SEQ IDNO:1446, SEQ ID NO:1447, SEQ ID NO:1448, SEQ ID NO: 1449, SEQ ID NO:1451, SEQ ID NO:1452, SEQ ID NO:1453, 2230 SEQ ID NO:1454, SEQ ID NO:1455, SEQ ID NO:1456, SEQ ID NO:1458, SEQ ID NO:1459, SEQ ID NO:1461, SEQ ID NO:1462, SEQ ID NO: 1463, SEQ ID NO: 1464, SEQ ID NO: 1465, SEQID

NO:1466, SEQ ID NO:1468, SEQ ID NO:1469, SEQ ID NO:1470, SEQ ID NO:1472, SEQ ID NO:1474, SEQ ID NO:1475, SEQ ID NO:1476, SEQ ID NO:1477, SEQ ID NO:1479, SEQ ID NO:1480, 2235 SEQ ID NO:1481, SEQ ID NO:1482, SEQ ID NO:1483, SEQ ID NO:1484, SEQ ID NO:1485, SEQ ID NO:1486, SEQID NO:1488, SEQ ID NO:1490, SEQ ID NO:1491, SEQ ID NO:1492, SEQ IDNO:1493, SEQ ID NO:1495, SEQ ID NO:1496, SEQ ID NO: 1497, SEQ ID NO:1498, SEQ ID NO:1500, SEQ ID NO:1502, 2240 SEQ ID NO:1503, SEQ ID NO:1504, SEQ ID NO:1505, SEQ ID NO:1507, SEQ ID NO:1509, SEQ ID NO:1512, SEQ ID NO:1513, SEQ ID NO: 1514, SEQ ID NO: 1515, SEQ ID NO: 1517, SEQ IDNO:1518, SEQ ID NO:1519, SEQ ID NO:1521, SEQ ID NO: 2245 1522, SEQ ID NO:1523, SEQ ID NO:1524, SEQ ID NO:1525, SEQ ID NO: 1527, SEQ ID NO: 1528, SEQ ID NO: 1529, SEQ ID NO:1530, SEQ ID NO:1531, SEQ ID NO:1533, SEQ ID NO:1534, SEQ ID NO: 1535, SEQ ID NO: 1536, SEQ ID NO: 1538, SEQID NO:1539, SEQ ID NO:1541, SEQ ID NO:1542, SEQ ID NO:1543, 2250 SEQ ID NO: 1544, SEQ ID NO: 1546, SEQ ID NO: 1548, SEQ ID NO:1550, SEQ ID NO:1552, SEQ ID NO:1554, SEQ ID NO:1556, SEQ ID NO: 1557, SEQ ID NO: 1559, SEQ ID NO: 1560, SEQ ID NO: 1561, SEQ ID NO: 1562, SEQ ID NO: 1564, SEQID NO: 1565, SEQ ID NO:1567, SEQ ID NO:1568, SEQ ID NO:1570, SEQ IDNO:1572, SEQ ID NO:1573, SEQ ID NO:1574, SEQ ID NO: 2255 1575, SEQ ID NO:1577, SEQ ID NO:1578, SEQ ID NO:1579, SEQ ID NO: 1581, SEQ ID NO: 1582, SEQ ID NO: 1583, SEQ ID NO:1585, SEQ ID NO:1586, SEQ ID NO:1588, SEQ ID NO:1589, SEQ ID NO: 1590, SEQ ID NO: 1592, SEQ ID NO: 1593, SEQ 2260 IDNO:1595, SEQ ID NO:1597, SEQ ID NO:1598, SEQ ID NO: 1600, SEQ ID NO:1602, SEQ ID NO:1606, SEQ ID NO:1608, SEQ ID NO:1609, SEQ ID NO:1610, SEQ ID NO:1611, SEQ ID NO:1613, SEQ ID NO:1614, SEQ ID NO:1616, SEQ ID NO:1618, SEQ ID NO:1620, SEQ ID NO:1621, SEQ ID NO:1623, SEQID 2265 NO:1625, SEQ ID NO:1628, SEQ ID NO:1630, SEQ ID NO:1631, SEQ ID NO: 1633, SEQ ID NO: 1634, SEQ ID NO: 1638, SEQ ID

NO:1641, SEQ ID NO:1642, SEQ ID NO:1644, SEQ ID NO:1645, SEQ ID NO:1647, SEQ ID NO:1648, SEQ ID NO:1650, SEQ ID NO:1651, SEQ ID NO:1653, SEQ ID NO:1654, SEQID NO:1656, SEQ ID NO:1657, SEQ ID NO:1659, SEQ ID NO:1661, SEQ IDNO:1663, SEQ ID NO:1665, SEQ ID NO:1667, SEQ ID NO:1671, SEQ ID NO:1674, SEQ ID NO:1676, SEQ ID NO:1678,

NO:1686, SEQ ID NO:1687, SEQ ID NO:1689, SEQ ID NO:1692, SEQ ID NO:1693, SEQ ID NO:1695, SEQ ID NO:1697, SEQ IDNO:1698, SEQ ID NO:1702, and SEQ ID NO:1703

, or (b) an amino acid sequence in the amino acid sequences set forth in (a) in which several amino acids are deleted, replaced or added.

SEQ ID NO:1679, SEQ ID NO:1681, SEQ ID NO:1684, SEQ ID

2280 [0014]

2285

2290

The nucleic-acid molecule specific to enterohemorrhagic pathogenic-E. coli O-157:H7 of the present invention, a gene included in the nucleic-acid molecule and a protein or a polypeptide encoded by the gene are found by determining all nucleotide sequences on the chromosome of O-157:H7 SAKAI and identifying a region and a nucleotide sequence specific to O-157:H7 which are absent from nonpathogenic E. coli K-12. The chromosomal nucleotide sequences of O-157:H7 determined by the present invention have been registered on June 26, 2000, as Accession No. BA000007 in GenBank DDBJ.

Furthermore, after the registration of the whole chromosomal nucleotide sequence of O-157: H7 based on the present invention, close similar nucleotide sequences to those of the present invention was registered on October 22, 2000 (GenBank/AE00517H). However, when these sequences were registered, the sequences had two gaps and 2600 or more characters other than AGCT (undetermined base). Thus the sequences were imperfect. In addition, although the data

2300 thereof has been updated on September 25, 2001 and October 26,

2001, merely one gap sequence was determined and 2600 or more undetermined bases were remained.

[0016]

In addition, as to obtained genetic information, homology search and prediction of predictive ORF and function thereof may be performed by comparison of the amino acid sequence to all sequence found in GenBank, DDBJ, SWISS-PROT and PIR database using an algorithm known in the art, for example, BLAST algorithm and the like.

2310 [0017]

The O-157:H7 specific polypeptides of the present invention are proteins or polypeptides having a character set forth in the tables described below. From the information of amino acid sequence, the polypeptides are classified to the following groups: 1) Proteins having unknown function etc., 2) Proteins which have unknown function, but have significant homology to that of other bacteria, 3) Proteins comprising Insertion Sequence; IS, 4) Proteins derived from phage, 5) Regulatory element, 6) Proteins relating to fimbriae, 7) 2320 Proteins relating to transportation of substance, 8) Proteins

2320 Proteins relating to transportation of substance, 8) Proteins relating to synthesis of lipopolysaccharide, 9) Proteins relating to metabolism, 10) Proteins processing DNA/RNA, 11) Proteins relating pathogenicity, 12) Other roteins.

[0018]

- 2325 List: polypeptides specific to enterohemorrhagic pathogenic-E. coli O-157:H7
  - 1) Proteins having a novel function

    Sequence number: Hydrophobicity, The number of amino acids.

    Character such as function
- SEQ ID NO: 143: 0.610526, 39, novel

  SEQ ID NO: 1438: -0.041667, 109, novel

  SEQ ID NO: 1439: -0.505392, 817, an outer membrane usher protein precursor, similar to outer membrane usher protein precursores, for example ,YehB [Escherichia coli K-12]

- 2335 gi | 465572 | sp | P33341 | YEHB#ECOLI (58% identity in the amino acids)
  - SEQ ID NO: 1440: -0.23304, 228, a putative fimbrial chaperone, similar to fimbrial chaperone, for example, YehC [Escherichia coli] gi|465573|sp| P33342|YEHC#ECOLI (56% identity in 221
- 2340 amino acids), GTG start
  - SEQ ID NO: 1441: -0.121469, 178, a fimbrial major protein, similar to YehD [Escherichia coli] gi | 465574 | sp | P33343 | YEHD#ECOLI (26% identity in 177amino acids), and similar to long polar fimbrial major
- 2345 proteins [Salmonella typhimurium] gi | 1170815 | sp | P43660 | LPFA#SALTY (25% identity in 175 amino acids)
  - SEQ ID NO: 1442: -0.445877, 474, novel
  - SEQ ID NO: 1702: -0.448052, 78, similar to F plasmid CcdA
- protein (LetA protein) [Escherichia coli] gi | 9507755 | ref | NP#061421.1 (30% identity in 70 amino acids) SEQ ID NO: 1703: 0.210577, 105, similar to F plasmid CcdB protein (LetB protein) [Escherichia coli] gi | 9507756 | ref | NP#061422.1 (35% identity in 104 amino acids)
- SEQ ID NO: 1663: -0.478836, 190, similar to YABP#ECOLI gi | 2506583 | sp | P39220 (38% identity in 168 amino acids)

  SEQ ID NO: 1387: 0.060434, 370, a fimbrial protein, similar to putative putative fimbrial proteins, for example, [Escherichia coli] gi | 538781 | pir | | B47152 (27% identity in the amino acids),
- 2360 and long polar fimbrial minor protein LpfE [Salmonella typhimurium] gi | 1170819 | sp | P43664 | LPFE#SALTY (27% identity in 157 amino acids)
  - SEQ ID NO: 1388: -0.140816, 197, a putative fimbrial protein, similar to putative fimbrial protein YadK [Escherichia coli]
- 2365 gi | 549488 | sp | P37016 | YADK#ECOLI (40% identity in 190 amino acids)
  - SEQ ID NO: 1389: -0.034826, 202, a putative fimbrial protein, similar to putative fimbrial protein YadL [Escherichia coli]

- gi | 549489 | sp | P37017 | YADL#ECOLI (41% identity in 192amino
- 2370 acids)
  - SEQ ID NO: 1390: -0.011828, 187, a putative fimbrial protein, similar to putative fimbrial-like protein YadM [Escherichia coli] gi | 549490 | sp | P37018 | YADM#ECOLI (49% identity in 173 amino acids)
- 2375 SEQ ID NO: 1391: -0.387529, 867, similar to HTRE#ECOLI gi | 1786332 (60% identity in 849amino acids) [a putative outer membrane porin protein]
  - SEQ ID NO: 1392: -0.250623, 242, similar to ECPD#ECOLI gi | 1786333 (60% identity in 239 amino acids) [a putative pilin
- 2380 chaperonel
  - SEQ ID NO: 1393: 0.058586, 199, similar to YADN#ECOLI gi | 1786334 (39% identity in 195 amino acids) [a putative fimbrial-like protein]
  - SEQ ID NO: 979: -0.333674, 99, novel
- 2385 SEQ ID NO: 980: -0.245638, 150, novel
  - SEQ ID NO: 981: -0.622325, 216, novel, TTG start
  - SEQ ID NO: 982: -0.842466, 74, novel
  - SEQ ID NO: 983: -0.172956, 160, novel, similar to hypothetical 44.2kD protein YhhZ [Escherichia coli (strain K-12)]
- 2390 gi | 1176284 | sp | P46855 | YHHZ#ECOLI (38% identity in 148 amino acids); and hemolysin-coregulated protein Hcp [Vibrio cholerae] gi | 7467495 | pir | | T10891 (32% identity in 149 amino acids)
  - SEQ ID NO: 984: -0.448614, 470, novel
- 2395 SEQ ID NO: 985: -0.402126, 1036, novel, similar to IcmF protein [Legionella pneumophila] gi|7465644|pir||T18341 (20% identity in 1037 amino acids)
  - SEQ ID NO: 986: 0.637097, 63, novel, GTG start
  - SEQ ID NO: 987: -0.321591, 265, novel, GTG start
- 2400 SEQ ID NO: 988: -0.206311, 207, novel
  - SEQ ID NO: 989: 0.001619, 248, novel
  - SEQ ID NO: 990: -0.129036, 924, a putative ATP-dependent Clp

- protease ATP-binding chain, similar to ATP-dependent Clp protease ATP-binding chain, for example, ClpB,
- 2405 gi | 7428220 | pir | | T07807, (40% identity in 753 amino acids)

  SEQ ID NO: 991: -0.11502, 254, novel [a putative membrane protein; IMP]
  - SEQ ID NO: 992: -0.345146, 444, novel, its C-terminal part is similar to hypothetical protein z29f [Vibrio cholerae]
- 2410 gi | 3341578 | emb | Caa13133.1 | (51% identity in 104 amino acids)
  SEQ ID NO: 993: -0.308046, 175, novel [a hypothetical lipoprotein]
  - SEQ ID NO: 994: -0.442019, 427, novel
  - SEQ ID NO: 995: -0.298333, 361, novel
- 2415 SEQ ID NO: 996: -0.314935, 617, novel

  SEQ ID NO: 997: -0.648175, 138, novel, similar to base plate proteins and acidiclysozymes [coliphage T4] gi|137980|sp|P09425|VG25#BPT4 (34% identity in 62 amino acids) (at low level)
- 2420 SEQ ID NO: 998: -0.380777, 464, novel, similar to hypothetical 54.5 kDa protein [Edwardsiella ictaluri] gi | 2708666 | gb | aaB92576.1 | (41% identity in 461 amino acids) SEQ ID NO: 999: 0.109459, 75, novel
- SEQ ID NO: 1000: -0.366868, 167, novel, similar to a hypothetical protein [Escherichia coli] gi|2920642|gb|aaC32477.1| (99% identity in 166 amino acids); and a hypothetical 19.5 kDa protein [Edwardsiella ictaluri] gi|2708667|gb|aaB92577.1|(32% identity in 148 amino acids)
- 2430 SEQ ID NO: 1002: -0.16, 46, novel

SEQ ID NO: 1001: -0.39593, 173, novel

- SEQ ID NO: 1003: -0.416269, 714, novel, similar to VgrG proteins, for example, [Escherichia coli strain ec11] gi|2920640|gb|aaC32475.1| (98% identity in 713 amino acids) SEQ ID NO: 1004: -0.707907, 1405, an Rhs protein, similar to
- 2435 RhsH protein, for example, [Escherichia coli strain EC45] gi|2920634|gb|aaC32471.1| (92% identity in 1264 amino acids)

- SEQ ID NO: 1005: -0.704433, 204, novel, similar to YbeQ [Escherichia coli] gi | 3025010 | sp | P77234 | (23% identity in 172 amino acids); and YibG [Escherichia coli]
- 2440 gi | 418454 | sp | P32106 | YIBG#ECOLI (30% identity in 89 amino acids)
  - SEQ ID NO: 1006: -0.305, 61, novel
  - SEQ ID NO: 1007: 1.3333333, 97, novel [a hypothetical membrane protein; IMP]
- 2445 SEQ ID NO: 1008: -0.33836, 379, novel, similar to H repeat-associated proteins, for example, [Escherichia coli RhsB element] gi|140772|sp|P28912| (97% identity in 378 amino acids)
  - SEQ ID NO: 1009: -0.746417, 587, an Rhs protein, similar to
- 2450 Rhs core proteins, for example, RhsE [Escherichia coli] gi|2507113|sp|P24211|RHSE#ECOLI, TTG start
  - SEQ ID NO: 1010: 0.701786, 57, novel, similar to N-terminal part of hypothetical protein, for example, ORF E2 in Rhs element [Escherichia coli] gi|2851489|sp|P31991|(92%
- 2455 identity in 56 amino acids)
  - SEQ ID NO: 1011: -0.614943, 88, novel, similar to C-terminal part of hypothetical protein, for example, ORF E2 in Rhs element [Escherichia coli] gi|2851489|sp|P31991|(99% identity in 108amino acids)
- 2460 SEQ ID NO: 1012: -0.31718, 391, novel, similar to H repeat-associated proteins, for example, [Escherichia coli RhsB element] gi|7465875|pir||E64898 (58% identity in 372 amino acids), GTG start
- SEQ ID NO: 1094: -0.673765, 325, a putative integrase, similar to integrases, for example, [Shigella flexneri bacteriophage V]
- gi|2465477|gb|aaB72135.1| (88% identity in 305 amino acids)
  - SEQ ID NO: 1095: -1.175308, 82, a transcription antitermination protein, partially similar to transcription antitermination protein N [Bacteriophage lambda]
- 2470 gi | 73111 | pir | | VNBPL, (90% identity in 42 amino acids), may

be disrupted

SEQ ID NO: 1096: -0.473644, 130, novel, similar to N-terminal part of hypothetical protein HP1334 [Helicobacter pylori (strain 26695)] gi | 7464516 | pir | | F64686 (36% identity in 111 amino

- 2475 acids); and N-terminal part of hypothetical protein [Neisseria meningitidis] gi | 6900422 | emb | CAB72032.1 | (31% identity in 113 amino acids)
  - SEQ ID NO: 1097: -0.28903, 238, a prophage repressor CI, similar to prophage repressor CI, for example, [Bacteriophage
- 2480 HK97] gi | 6901592 | gb | aaF31095.1 | AF069529#8 (AF069529) (99% identity in 237 amino acids)
  - SEQ ID NO: 1098: -0.486364, 67, a Cro repressor, identical to regulatory protein Cro [phage lambda] gi|73101|pir||RCBPL; and similar to Cro protein, for example, [Bacteriophage HK97]
- gi | 6901626 | gb | aaF31129.1 | (98% identity in 66amino acid)

  SEQ ID NO: 1099: -0.309278, 98, a regulatory protein cII,
  identical to regulatory protein cII [Bacteriophage lambda]
  gi | 73106 | pir | | QCBP2L
- SEQ ID NO: 1100: -0.622772, 203, a phage replication protein,
  2490 similar to N-terminal part of phage replication protein, for
  example, O protein [Bacteriophage lambda]
  gi|75891|pir||ORBPL (88% identity in 163 amino acids),
  interrupted by frameshift
- SEQ ID NO: 1101: -0.811764, 171, a phage replication protein,
  similar to C-terminal part of replication protein, for example,
  protein O [Bacteriophage lambda] gi|75891|pir||ORBPL (98%
  identity in 168 amino acids), interrupted by frameshift
  - SEQ ID NO: 1102: -0.002913, 104, a replication protein, its N-terminal part (amino acids at the position 1-21) is identical
- 2500 to replication protein P, for example, [Bacteriophage lambda] gi | 75893 | pir | | PQBPL, probably disrupted
  - SEQ ID NO: 1103: -0.026894, 265, a putative tail fiber protein, partially similar to tail fiber proteins, for example, [Bacteriophage HK97] gi|6901608|gb|aaF31111.1| (AF069529)

- 2505 (42% identity in 155 amino acids); and similar to Sc/SvQ protein (DNA inversion product) [Escherichia coli plasmid p15B], for example, gi|96420|pir||S18690 (45% identity in 159 amino acids)
- SEQ ID NO: 1104: -0.33198, 198, novel, similar to hypothetical 2510 proteins, for example, YcfA protein [Escherichia colil gi|2506641|sp|P09153|YCFA#ECOLI (65% identity in 196 amino acids); Gp29 Bacteriophage HK971 gi | 6901609 | gb | aa F31112.1 | (66% identity in 192 amino acids); and Tprotein Escherichia coli plasmid p15B]
- 2515 gi|96096|pir||S18684 (55% identity in 184 amino acids)
  SEQ ID NO: 1105:-0.586394, 148, novel, similar to hypothetical proteins, for example, YfdK [Escherichia coli(strain K·12)]
  gi|3915468|sp|P77656|YFDK#ECOLI (68% identity in 144 amino acids)
- SEQ ID NO: 1106: -0.114706, 137, a putative tail fiber protein, similar to hypothetical proteins, for example, YfdL [Escherichia coli (strain K-12)] gi|2495635|sp|P76508|YFDL#ECOLI (52% identity in 67 amino acids); and putaive tail fiber protein YcfE [Escherichia coli cryptic prophage e14]
- gi | 7444558 | pir | | B64861 (51% identity in 45 amino acids)

  SEQ ID NO: 1107: -0.234783, 185, a DNA-invertase, similar to

  DNA-invertases, for example, Pin [Escherichia coli]

  gi | 72978 | pir | | JWEC (96% identity in 184 amino acids)

  SEQ ID NO: 1108: -0.386771, 258, novel, similar to hypothetical
- 2530 protein [Deinococcus radiodurans (strain R1)]
  gi | 7472205 | pir | | B75431 (32% identity in 249 amino acids)
  SEQ ID NO: 1109: 0.763265, 50, novel
  - SEQ ID NO: 1110: 0.052227, 248, a putative transcription regulatory element, similar to transcription regulatory
- elements, for example, ,putative AraC-type regulatory protein YdeO gi | 6176587 | sp | P76135 | YDEO#ECOLI (34% identity in 247 amino acids)
  - SEQ ID NO: 1111: -0.741026, 118, novel, similar to C-terminal

- part of hypothetical protein, for example, [Escherichia coli insertion sequence IS2] gi|140808|sp|P19777|YI22#ECOLI (77% identity in 113 amino acids), may be disrupted SEQ ID NO: 1112: -0.510941, 394, a putative integrase, similar to integrases, for example, [phage phi-R73] gi|93827|pir||A42465 (61% identity in 388 amino acid)
- 2545 SEQ ID NO: 1113: -0.468841, 139, novel, GTG start SEQ ID NO: 1114: -0.227805, 206, novel SEQ ID NO: 1115: -0.045395, 153, novel SEQ ID NO: 1116: -0.460952, 211, novel
- SEQ ID NO: 1117: -0.462755, 197, novel, similar to
  2550 hypothetical protein PFB0765w [malaria parasite]
  gi|7494317|pir||E71606 (24% identity in 193 amino acids) (at
  low level), TTG start
  - SEQ ID NO: 1118: -0.432979, 189, novel
- SEQ ID NO: 1119: -0.854445, 91, a putative transcription activator, similar to Ogr family, for example, LsrS [Rahnellaaquatilis] gi|93826|pir||E42465 (41% identity and 65 amino acids); and delta protein [phage phi-R73] gi|93826|pir||E42465 (36% identity in 76 amino acids)
- SEQ ID NO: 1120: -0.291803, 184, a putative polarity suppression protein (amber mutation-suppression); similar to Psu-like proteins, for example, Psu [Bacteriophage P4] gi|1351414|sp|P05460|VPSU#BPP4 (30% identity in 166 amino acids)
- SEQ ID NO: 1121: -0.4748, 251, a head size determination [protein], similar to head size determination proteins, for example, Sid [phage phi-R73] gi|93821|pir||F42465 (22% identity in 236 amino acids)
  - SEQ ID NO: 1122: -0.126744, 87, a putative DNA binding protein, similar to hypothetical proteins, for example, putative
- 2570 DNAbinding protein ORF88 [satellite phage P4] gi | 140147 | sp | P12552 | Y9K#BPP4 (65% identity in 82 amino acids)

- SEQ ID NO: 1123: 0.40973, 186, a CI phage repressor, similar to CI repressors, for example, [Bacteriophage P4]
- 2575 gi | 1262833 | emb | Caa35902.1 | (67% identity in 115 amino acids)
  - SEQ ID NO: 1124: -0.149315, 74, novel
  - SEQ ID NO: 1125: 0.202804, 108, a putative copy number control protein, similar to orf106 [satellite phage P4]
- gi | 75896 | pir | | QQBPP4 (71% identity in 98amino acids)

  SEQ ID NO: 1126: -0.193179, 778, a putative DNA primase, similar to DNA primases, for example, alpha gene product [satellite phage P4] gi | 130905 | sp | P10277 | PRIM#BPP4 (72% identity in 770 amino acids)
- 2585 SEQ ID NO: 1127: -0.333019, 319, novel, similar to hypothetical protein 111401 [Synechocystis sp. (strain PCC 6803)] gi|7470073|pir||S74462 (21% identity in 206 amino acids), GTG start
- SEQ ID NO: 1451: 0.23625, 241, a putative oxidoreductase, 2590 similar to oxidoreductases, for example, [Streptomyces
  - coelicolor A3(2)] gi | 6137024 | emb | CAB59579.1 | (55% identity in 237 amino acids)
    - SEQ ID NO: 1452: 0.520652, 93, novel [hypothetical membrane protein; IMP]
- 2595 SEQ ID NO: 1453: 0.246154, 53, novel SEQ ID NO: 1454: -0.246667, 301, a putative transcription
  - regulatory element (LysR family), similar to transcription regulatory elements, for example ,[Xylella fastidiosa] gi|9106842|gb|aaF84577.1|AE003999#5 (40% identity in
- 2600 290amino acids)
  - SEQ ID NO: 1455: -0.309788, 379, novel, similar to hypothetical protein, for example ,[Pseudomonas aeruginosa] gi | 732227 | sp | Q01609 | YODE#PSEAE (54% identity in 376amino acids)
- 2605 SEQ ID NO: 1456: 0.996977, 398, a putative transporter protein, similar to transporters, for example, OpdE

[Pseudomonas aeruginosa] gi | 400678 | sp | Q01602 | OPDE#PSEAE (60% identity in 396amino acid)

- SEQ ID NO: : 0.215625, 97, novel

  SEQ ID NO: 1577: -0.388722, 134, novel, similar to hypothetical proteins, for example, L0013 [Escherichia coli O-157:H7 strain EDL933]] gi|3414881|gb|aaC31492.1| (99% identity in 133 amino acids), GTG start
- 2615 SEQ ID NO: 1578: 0.010435, 116, novel, similar to hypothetical protein, for example, L0014 [Escherichia coli O-157:H7 strain EDL933]] gi | 3288157 | emb | Caa11510.1 | (100% identity in 115 amino acids)
- SEQ ID NO: 1579: -0.445312, 513, novel, similar to hypothetical proteins, for example, L0015 [Escherichia coli O-157:H7 strain EDL933]] gi|3414883|gb|aaC31494.1| (100% identity in 512 amino acids)

SEQ ID NO: : : 0.171316, 381, a putative NADH-dependent flavin oxidoreductase, similar to YqiG [Bacillus subtilis]

- 2625 gi | 1731054 | sp | P54524 | YQIG#BACSU (40% identity in 380 amino acids)
  - SEQ ID NO: 1495: -0.089543, 307, novel, similar to hypothetical proteins, for example, [Escherichia coli K-12] gi|3183244|sp|P76049|YCJY#ECOLI (40% identity in 294
- amino acids) [in Tpx-Fnr intergenic region]

  SEQ ID NO: 1496: -0.058117, 309, a putative transcription regulatory element, similar to transcription regulatory elements, for example, [Escherichia coli] gi|2495398|sp|P75836|YCAN#ECOLI (38% identity in 291
- amino acids) [in DmsC-PflA intergenic region]

  SEQ ID NO: 1497: -0.218644, 119, novel

  SEQ ID NO: 1498: -0.25445, 192, a putative oxidoreductase, similar to N-terminal part of oxidoreductase [aldo/keto reductase family] (amino acids at the position 5-192/286), and similar to [Thermotoga maritima] gi | 7431104 | pir | A72308

(59% identity in 185 amino acids)

SEQ ID NO: - : -0.289344, 1418, a putative invasin, similar to putative membrane protein b1978 [Escherichia coli] gi | 7466779 | pir | | D64962 (32% identity in 1352 amino acids)

- and similar to vasins, for example, [Yersinia pestis] gi|726319|gb|aaA96352.1|(36% identity in 661 amino acids), and similar to intimins, for example, [Escherichia coli strain 4221] gi|1947048|gb|aa SEQ ID NO: acid B52913.1| [sic, gi|1947048|gb|aaB52913.1|] (30% identity in 874 amino acids)
- 2650 SEQ ID NO: : -0.170242, 290, a putative reductase, similar to reductases, for example, oxidoreductase, [Thermotoga maritima] gi | 7431104 | pir | | A72308 (46% identity in 281 amino acids)
- SEQ ID NO: 1479: 0.107317, 83, novel, similar to hypothetical protein YaiU [Escherichia coli] gi|2495526|sp|P75700|YAIU#ECOLI (37% identity in 54 amino acids) [putative flagellin structural protein in HemB-sbmA intergenic region]
- SEQ ID NO: 1480 -0.156319, 365, a putative adhesin, similar to 2660 high molecular weight adhesin, for example, HmwA [Haemophilus influenzae] gi | 5929966 | gb | aaD56660.1 | AF180944#1 (19% identity in 199 amino acids)

SEQ ID NO: 1481: -0.088933, 254, novel

- SEQ ID NO: 1482: -0.235772, 124, novel, similar to a part of hypothetical protein [Escherichia coli] gi|2506596|sp|P21514|YAHA#ECOLI (48% identity in 38 amino acids); and similar to regulatory elements, for example, ,BvgA [Bordetella bronchiseptic]
- 2670 gi | 115157 | sp | P16574 | BVGA#BORPE (44% identity in 49amino acids), GTG start

SEQ ID NO: 1483: 0.530909, 56, novel

SEQ ID NO: 1484: -0.632692, 53, a putative fimbriaeregulatory protein, similar to invertase (partial), C-terminal part of type 1

- fimbriae regulatory proteins, for example, FimE [Escherichia coli K-12] gi | 120167 | sp | P04741 | FIME#ECOLI (73% identity in 49 amino acids); and FimB [Escherichia coli] gi | 729489 | sp | P04742 | FIMB#ECOLI (63% identity in 75 amino acids)
- 2680 SEQ ID NO: 1485: -0.365069, 147, a putative fimbriae regulatory protein, invertase, similar to a part of type 1 fimbriae regulatory proteins, for example, FimB [Escherichia coli K-12] gi | 729489 | sp | P04742 | FIMB#ECOLI (49% identity in 114 amino acids); and FimE [Escherichia coli]
- 2685 gi | 120167 | sp | P04741 | FIME#ECOLI (42% identity in 113 amino acids) , TTG start , probably interrupted

SEQ ID NO: 1486: 1.684091, 45, novel

SEQ ID NO: - : 0.114286, 50, novel

SEQ ID NO: 1500: -0.450414, 1328, a putative adhesin, similar to AidA-I adhesin precursors, for example, [Escherichia coli plasmid F] gi|8918851|dbj|Baa97898.1| (45% identity in 1179 amino acids); similar to IgA1 protease homolog MisL [Salmonella typhimurium pathogenicity island SPI-3] gi|4324610|gb|aaD16954.1| (39% identity in 768 amino acids);

- 2695 and similar to VirG [Shigella flexneri] gi|96922|pir||A32247 (31% identity in 1014 amino acids)
  - SEQ ID NO: 1502: -0.081707, 329, a putative sugar-binding protein, similar to sugar-binding proteins, for example, b1516 [Escherichia coli] gi|7466925|pir||G64905 (27% identity in
- 2700 309 amino acids)
  - SEQ ID NO: 1503: -0.030233, 87, a putative ABC transporter ATP-binding protein, similar to N-terminal part of ABC transporter ATP-binding protein, for example, [Streptomyces coelicolor A3(2)] gi | 7479110 | pir | | T34924 (48% identity in 82
- 2705 amino acid) [also to AraG·E.coli]

  SEQ ID NO: 1504: 0.144865, 371, a putative ABCtransporter

  ATP-binding protein, similar to C-terminal part of sugar ABC

  transporter ATP-binding proteins, for example, [Bacillus

- subtilis] gi | 7404442 | sp | P36947 | RBSA#BACSU (36% identity in 380 amino acids)
  - SEQ ID NO: 1505: 0.929412, 324, a putative ABC transporter (permease), similar to ABC transport system permeases, for example, RbsC [Bacillus subtilis] gi|7446897|pir||B69690 (34% identity in 299 amino acids), and [Escherichia coli]
- 2715 gi | 400960 | sp | P04984 | RBSC#ECOLI (31% identity in 298 amino acids)
  - SEQ ID NO: : 1.081132, 319, a putative ABCtransport system permease, similar to ABC transport system permeases, for example, RbsC [Escherichia coli] gi | 78833 | pir | | C26304
- 2720 (35% identity in 291 amino acids), and [Bacillus subtilis] gi | 7446897 | pir | | B69690 (34% identity in 290 amino acids)
  - SEQ ID NO: : -0.118928, 318, a putative transcription regulatory element, similar to araC-family transcription regulatory elements, for example, AdpA [Streptomyces
- 2725 coelicolor A3(2)| gi|7544056|emb|CAB87229.1 (39% identity in 311 amino acids)
  - SEQ ID NO: 1606: -0.14084, 263, similar to YDDR#BACSU gi|7474951|pir||H69776 (47% identity in 259 amino acids)
  - SEQ ID NO: 1360: -0.236079, 353, probably an ABC transporter

    ATP-binding protein (probably ferric transport system), similar
- ATP-binding protein (probably ferric transport system), similar to ABC transporter ATP-binding proteins, for example, AfuC [Escherichia coli K-12] gi|2506109|sp|P37009|AFUC#ECOLI (94% identity in 352 amino acids)
- SEQ ID NO: 1361: 0.860259, 693, a putative ferrictransport systempermease, similar to ferrictransport systempermeases, for example, AfuB [Actinobacillus pleuropneumoniae] gi | 7387527 | sp | Q44123 | AFUB#ACTPL (66% identity in 671 amino acids)
- SEQ ID NO: 1362: -0.371429, 344, a putative periplasmic-iron-binding protein, similar to periplasmic-iron-binding proteins, for example, AfuA [Actinobacillus pleuropneumoniae] gi | 1469286 | gb | aaB05032.1 |

- (72% identity in 343 amino acids)
- SEQ ID NO: 1363: 0.585714, 435, a putative regulatory
- 2745 element, similar to hexosephosphate transport systemregulatory proteins, for example, UhpC [Escherichia coli K·12] gi|136770|sp|P09836|UHPC#ECOLI (53% identity in 415 amino acids)
- SEQ ID NO: 1364: 0.329436, 514, a putative sensor histidine protein kinase, similar to sensor protein kinases, for example, hexosephosphatetransport systemsensor protein UhpB [Escherichia coli K-12] gi | 7429062 | pir | | RGECUB (35% identity in 497 amino acids)
- SEQ ID NO: 1365: 0.151196, 210, a putative transcription
  2755 regulatory element (probably a response regulatory element),
  similar to transcription regulatory elements, for example,
  hexose phosphate transport system regulatory protein
  UhpA[Salmonella typhimurium]
  gi|136767|sp|P27667|UHPA#SALTY (49% identity in 202
- 2760 amino acids); and UhpA [Escherichia coli] gi|136766|sp|P10940|UHPA#ECOLI (48% identity in 202 amino acid)
  - SEQ ID NO: : 0.595302, 150, novel
  - SEQ ID NO: 1625: -0.624948, 482, novel
- 2765 SEQ ID NO: 1697: -0.57125, 81, novel, similar to a part of hypothetical protein [Yersinia enterocolitica] gi|3511032|gb|aaC33681.1 (at the position 1-70 of 80 amino acids) (45% identity in 70 amino acids)
  - SEQ ID NO: 1698: -0.341936, 94, novel, similar to hypothetical
- 2770 protein (99 amino acids) [Yersinia pestis] gi|3822096|gb|aaC69816.1 (35% identity in 89 amino acids)
  - SEQ ID NO: 1602: -0.638432, 524, novel
  - SEQ ID NO: 1056: -0.363636, 452, a putative transporter (an outer membrane protein), similar to outer membrane
- 2775 transporter proteins, for example, CyaE protein [Bordetella pertussis] gi|117799|sp|P11092|CYAE#BORPE (25% identity

in 385 amino acids)

2780

SEQ ID NO: 1057: 0.097741, 1462, novel, similar to hypothetical proteins, for example, [Synechocystis sp. strain PCC 6803] gi|7469433|pir||S76109 (33% identity in 1384 amino acids); similar to RTX protein [Aeromonas salmonicida] gi|6752871|gb|aaF27914.1|AF218037#1 (33% identity in 1384 amino acids)

SEQ ID NO: 1058: - , 5292, novel, similar to hypothetical proteins, for example, [Synechocystis sp. strain PCC 6803] gi|7469433|pir||S76109 (36% identity in 2014 amino acids), and similar to RTX protein [Aeromonas salmonicida] gi|6752871|gb|aaF27914.1|AF218037#1 (36% identity in 2051 amino acids); hemagglutinin [Streptococcus

2790 gordoniil gi | 8885520 | dbj | Baa97453.1 | (35% identity in 2056 amino acids), GTG start

SEQ ID NO: 1059: 0.082011, 707, a putative transporter, similar to transporteres (ATP-binding proteins), for example, LktB [Actinobacillus

2795 actinomycetemcomitans]gi|126357|sp|P23702|HLYB#ACTAC (26% identity in 690 amino acids)

SEQ ID NO: - : -0.275448, 392, a putative transporter, similar to membrane fusion proteins, for example, [Sinorhizobium meliloti] gi | 4689001 | emb | CAB41456.1 | (28%)

2800 identity in 372 amino acids)

SEQ ID NO: 1559: -0.082857, 141, novel

SEQ ID NO: 1560: 0.236364, 56, novel

SEQ ID NO: 1561: -0.525147, 339, a putative adhesin/invasin, similar to surface protein [Xylella fastidiosa]

2805 gi | 9106565 | gb | aaF84338.1 | AE003982#11 (22% identity in 313 amino acids); and putative adhesin/invasin [Neisseria meningitidis MC58] gi | 7227256 | gb | aaF42321.1 | (23% identity in 337 amino acid)

SEQ ID NO: 1562: -0.5825, 121, novel

2810 SEQ ID NO: - : -0.746575, 74, novel, similar to a part of

- hypothetical protein YahH [Escherichia coli] gi | 2495514 | sp | P75690 | YAHH#ECOLI (69% identity in 23 amino acids)
- SEQ ID NO: 1303: -0.35, 379, an H repeat-associated protein,
  similar to H repeat-associated protein in RhsB element
  [Escherichia coli] gi | 140772 | sp | P28912 | YHHI#ECOLI (97% identity in 378 amino acids)
  - SEQ ID NO: 1304: -0.745946, 445, an Rhs protein, similar to putative Rhs proteintreptomyces coelicolor A3(2)
- 2820 gi | 7321289 | emb | CAB82067.1 | (34% identity in 285 amino acids); and RhsE protein E. coli gi | 2507113 | sp | P24211 | (36% identity in 139amino acids), GTG start
  - SEQ ID NO: 1305: -0.224444, 136, novel
  - SEQ ID NO: 1306: -0.577477, 1617, an Rhs protein, similar to
- putative Rhs protein [Streptomyces coelicolor A3(2)] gi | 7321289 | emb | CAB82067.1 | (30% identity in 857amino acids); and RhsH protein [Escherichia coli strain ec45] gi | 2920634 | gb | aaC32471.1 | (25% identity in 919 amino acids) SEQ ID NO: 1307: -0.498693, 154, novel
- SEQ ID NO: 1308: -0.509795, 634, a putative Vgr protein, similar to Vgr protein, for example, [Escherichia coli strain ec11] gi|2920640|gb|aaC32475.1| (93% identity in 529 amino acid)
  - SEQ ID NO: 1474: -0.281303, 354, similar to YBGO#ECOLI
- 2835 gi | 1786935 (87% identity in 353 amino acids), but [having] differeint N-terminus
  - SEQ ID NO: 1475: -0.419342, 244, similar to YBGP#ECOLI gi | 1786936 (78% identity in 242 amino acids) [putative chaperone]
- SEQ ID NO: 1476: -0.430567, 724, similar to N-terminal part of YBGQ#ECOLI gi|1786937 (amino acids at the position 1-723/818) (84% identity in 723 amino acids) [putative outer membrane protein]
  - SEQ ID NO: 1477: -0.026943, 194, similar to YBGD#ECOLI

- 2845 gi | 1786938 (79% identity in 188 amino acids) [putative fimbrial-like protein]
  - SEQ ID NO: 1275: -0.0701, 302, a putative transcription regulatory element, similar to transcription regulatory elements, for example, glycine cleavage system transcription
- 2850 activator (gev operon activator) Escherichia coli gi | 417043 | sp | P32064 | GCVA#ECOLI (31% identity in 300 amino acids)
  - SEQ ID NO: 1276: -0.4, 201, a putative cob(I)alamin adenosyltransferase, similar to cob(I)alamin
- 2855 adenosyltransferases (corrinoid adenosyltransferases), for example, [Escherichia coli] gi | 115148 | sp | P13040 | BTUR#ECOLI (67% identity in 200 amino acids)
- SEQ ID NO: 1277: -0.259636, 551, a putative fumarate hydratase, similar to fumarate hydratases, for example, fumarate hydratase class I, aerobic (fumarase) Escherichia coli gi|120598|sp|P00923|FUMA#ECOLI (68% identity in 545 amino acids)
- SEQ ID NO: 1278: 0.92183, 427, a putative transporter protein, similar to glutamate/aspartatetransporter proteins (proton glutamate symport proteins), for example, [Bacillus stearothermophilus] gi|121467|sp|P24943|GLTT#BACST (38% identity in 416 amino acids), and similar to C4-dicarboxylatetransporter proteins, for example, [Rhizobium
- 2870 l for example, uminosarum] gi|231980|sp|Q01857|DCTA#RHILE (37% identity in 400 amino acids)
  - SEQ ID NO: 1279: 0.126667, 106, novel
- SEQ ID NO: 1280: -0.052632, 457, novel, similar to an unnamed protein product [Citrobacter amalonaticus] gi|3184398|dbj|Baa28710.1| (93% identity in 284 amino acids) SEQ ID NO: 1281: -0.051816, 414, a 3-methylaspartate ammonialyase (beta-methylaspartase), similar to

- 3-methylaspartate ammonia-lyases (beta-methylaspartases), for example, [Citrobacter amalonaticus] gi|3184397|dbj|Baa28709.1| (93% identity in 413 amino acids); and [Clostridium tetanomorphum] gi|729971|sp|Q05514|MaaL#CLOTT (55% identity in 409 amino acids)
- SEQ ID NO: 1282: -0.214345, 482, a probable glutamate mutase E (methylaspartate mutase E), similar to glutamate mutases, for example, [Citrobacter amalonaticus] gi|3184396|dbj|Baa28708.1| (90% identity in 481 amino acids), and [Clostridium tetanomorphum]
- 2890 gi | 729586 | sp | Q05509 | GLME#CLOTT (57% identity in 481 amino acids)
  - SEQ ID NO: 1283: -0.058875, 463, a probable glutamate mutase L (methylaspartate mutase L), similar to glutamate mutase L (methylaspartate mutase L), for example,
- 2895 [Clostridium tetanomorphum] gi|444421|prf||1907157C (32% identity in 449 amino acids)
  - SEQ ID NO: 1284: 0.061074, 150, a probable glutamate mutase S (methylaspartate mutase S), similar to glutamate mutase S (methylaspartate mutase S), for example, [Clostridium
- 2900 Cochlearium] gi | 7245512 | pdb | 1CCW | A (57% identity in 156 amino acids)
  - SEQ ID NO: 1285: -0.278182, 56, novel
  - SEQ ID NO: 1286: -0.114286, 141, novel
  - SEQ ID NO: 1287: -0.327388, 315, novel
- 2905 SEQ ID NO: 928: -0.906945, 73, an excisionase, identical to excisionase [BacteriophageHK022] gi | 1722835 | sp | P11683 | VXIS#BP434; and similar to excisionase [Bacteriophagelambda] gi | 139680 | sp | P03699 | VXIS#LAMBD (98% identity in 72 amino
- 2910 acids)
  - SEQ ID NO: 929: -0.565455, 56, novel, similar to hypothetical protein ORF55 [Bacteriophage 434] gi | 801889 | gb | aaA67903.1 |

```
(98% identity in 55amino acids)
```

- SEQ ID NO: 930: -0.0725, 41, novel, similar to hypothetical 2915 protein ORF-91 [phage 434] gi|93720|pir||A27354 (82%
- identity in 28 amino acids)
  - SEQ ID NO: 931: 0.247159, 177, novel [putative membrane protein; IMP]
  - SEQ ID NO: 932: -0.605479, 74, novel, similar to C4-type zinc
- finger proteins (TraR family), for example, gi | 7649830 | dbj | Baa94108.1 | (98% identity in 73 amino acids)

  SEQ ID NO: 933: -0.346237, 94, novel, similar to hypothetical proteins, for example, [Bacteriophage 933W]
- 2925 and orf61 [Bacteriophage lambda] (95% identity in 46 amino acids)
  - SEQ ID NO: 934: -0.079365, 64, novel, similar to hypothetical proteins, for example, [Bacteriophage VT2-Sa] gi | 5881603 | dbj | Baa84294.1 | (96% identity in 61 amino acids),

gi | 5881602 | dbj | Baa84293.1 | (97% identity in 93 amino acids);

- and orf63 [Bacteriophage lambda] gi|508994|gb|aaA96567.1| (92% identity in 63 amino acids)
  - SEQ ID NO: 935: -0.246667, 61, novel, similar to hypothetical protein, for example, [Bacteriophage 933W] gi | 4585389 | gb | aaD25417.1 | AF125520#12 (95% identity in 60
- 2935 amino acids) and orf60a [Bacteriophage lambda] gi | 508995 | gb | aaA96568.1 | (93% identity in 60 amino acids) SEQ ID NO: 936: -0.359735, 227, an exonuclease, similar to exonucleases, for example, [Bacteriophage lambda] gi | 119702 | sp | P03697 | EXO#LAMBD (98% identity in 226 amino
- 2940 acids)
  - SEQ ID NO: 937: -1.293333, 61, novel, similar to NinE proteins, for example, [Bacteriophage 21] gi|4539480|emb|CAB39989.1| (95% identity in 60 amino acids)
  - SEQ ID NO: 938: -0.675, 57, novel, similar to NinF proteins,
- for example, [Bacteriophage 21] gi | 4539481 | emb | CAB39990.1 | (92% identity in 56 amino acids), GTG start

2950

acids)

- SEQ ID NO: 939: -1.100483, 208, novel, similar to NinG

   proteins, for example, gi | 4539482 | emb | CAB39991.1 | (95% identity in 204 amino
- SEQ ID NO: 940: -0.243891, 222, a serine/threonin proteinphosphatase, similar to serine/threonin proteinphosphatase, for example, [Bacteriophage lambda] gi | 130792 | sp | P03772 | PP#LAMBD (95% identity in 221 amino
- 2955 acids)

  SEQ ID NO: 941: -0.257367, 320, novel, [a putative outer membrane protein; OMP], similar to putative outer membrane protein [Helicobacter pylori (strain J99)]

  gi | 7465285 | pir | | H71907 (19% identity in 297 amino acids)
- 2960 (at low level)

  SEQ ID NO: 942: -0.396506, 230, antitermination, similar to antiterminators, for example, protein Q [Bacteriophage 82]

  gi|132277|sp|P13870|RegQ#BP82
- SEQ ID NO: 943: 0.576577, 223, novel, [hypothetical membrane protein; IMP], similar to orf14 [Actinobacillus actinomycetemcomitans] gi | 7592819 | dbj | Baa94406.1 | (29% identity in 228 amino acids); and TfpB protein [Moraxella bovis] gi | 141258 | sp | P20666 | TFPB#MORBO (26% identity in 190 amino acids)
- 2970 SEQ ID NO: 944: -0.288636, 133, novel

  SEQ ID NO: 945: 0.109859, 72, an holin protein, holin proteins, for example, [Bacteriophage 933W]

  gi|4499808|emb|CAB39307.1|(92% identity in 71 amino acids)

  SEQ ID NO: 946: -0.186061, 166, an endolysin (lysozyme),
- 2975 similar to endolysins (lysozyme), for example, R protein [Bacteriophage 21] gi | 67436 | pir | | LZBP21 (93% identity in 165 amino acids)
  - SEQ ID NO: 947: -0.409678, 156, novel, GTG start
- SEQ ID NO: 948: -0.060294, 69, a ribosome protein L31-like protein, similar to hypothetical proteins, for example, ribosome

- protein L31 homolog ykgM in intF-eaeH intergenicregion [Escherichia coli K-12] gi|3025204|sp|P71302|YKGM#ECOLI (93% identity in 86amino acids), GTG start
- SEQ ID NO: 949: 0.736, 51, novel, GTG start
- SEQ ID NO: 950: 0.613043, 93, putative colicin immunity protein, similar to colicinimmunity proteins, for example, colicin E1 immunity protein gi | 124395 | sp | P02985 | IMM1#ECOLI (25% identity in 107 amino acid)
- 2990 SEQ ID NO: 951: -0.444172, 164, novel, [a putative membrane protein; IMP], similar to hypothetical protein MAL4P2.26 [Plasmodium falciparum] gi | 6562728 | emb | CAB62867.1 | (29% identity in 106 amino acids) (at low level)
  - SEQ ID NO: 952: -0.572571, 701, novel

and

- SEQ ID NO: 953: -0.84, 71, novel

  SEQ ID NO: 954: -0.437433, 375, novel, similar to C-terminal part of hypothetical protein, for example, [Pseudomonas putida] gi|2995633|gb|aaC98738.1| (40% identity in 200 amino acids);
- 3000 (39% identity in 200 amino acids), GTG start

  SEQ ID NO: 955: -1.301176, 86, novel, similar to hypothetical protein, for example, orf29 [Escherichia coli]

gi|6009405|dbi|Baa84864.1| (37% identity in 136

acids); and L0013 [Escherichia coli]

L0015 [Escherichia coli] gi | 3414883 | gb | aaC31494.1 |

amino

- 3005 gi | 3414881 | gb | aaC31492.1 | (38% identity in 124 amino acids) SEQ ID NO: 956: -0.21966, 708, novel, similar to hypothetical example, Escherichia colil proteins, for orf50gi | 6009426 | dbj | Baa84885.1 | (71% identity in 106 amino acids); and L0014 Escherichia colil
- 3010 gi | 3288157 | emb | Caa11510.1 | (64% identity in 116 amino acids)
  - SEQ ID NO: 957: 0.07541, 123, novel, similar to hypothetical proteins, for example, L0015 [Escherichia coli] gi | 3414883 | gb | aaC31494.1 | (61% identity in 503 amino acids)

- 3015 SEQ ID NO: 958: -0.213187, 92, novel, similar to hypothetical proteins, for example, 57.8 kD protein [Pseudomonas putida]gi|2496740|sp|P55630|Y4QI#RHISN (37% identity in 232 amino acids)
- SEQ ID NO: 959: -0.348958, 193, novel, similar to hypothetical protein, for example, 20.3K protein [Agrobacterium tumefaciens IS1131] gi|95090|pir||JC1151 (41% identity in 101 amino acids)

SEQ ID NO: 960: -0.065414, 134, novel

SEQ ID NO: 961: -0.125911, 248, immunity to R478
3025 phage/colicin/tellurite resistance cluster, similar to TerW
[plasmid R478] gi | 1354147 | gb | aaC44736.1 | (99% identity in

155 amino acids)

- SEQ ID NO: 962: -0.134375, 129, novel
- SEQ ID NO: 963: -0.372477, 110, novel, similar to hypothetical
- 3030 proteins, for example, [Deinococcus radiodurans] gi | 7472167 | pir | | B75302 (42% identity in 305 amino acids) SEQ ID NO: 964 : -0.581686, 1022, novel, similar to
  - hypothetical proteins, for example, [Streptomyces coelicolor A3(2)] gi | 7472048 | pir | | A75302 (34% identity in 260 amino
- 3035 acids)
  - SEQ ID NO: 965: -0.305505, 110, novel, similar to hypothetical proteins, for example, [Streptomyces coelicolor A3(2)] gi|8246803|emb|CAB92838.1| (45% identity in 97 amino acid)
  - SEQ ID NO: 966: -0.476724, 233, novel, similar to hypothetical

gi | 1695869 | gb | aaB37123.1 | (99% identity in 197 amino acids);

- 3040 proteins, for example, [Serratia marcescens] gi|1695868|gb|aaB37122.1| (100% identity in 167 amino acids) SEQ ID NO: 967: -0.431156, 200, novel, hypothetical proteins, for example, [Serratia marcescens]
- 3045 and [Deinococcus radiodurans (strain R1)]
  gi | 7471591 | pir | | F75301 (38% identity in 364 amino acids)
  SEQ ID NO: 968: 0.120465, 216, novel, similar to hypothetical
  proteins, for example, [Serratia marcescens]

for

example,

gi | 1695870 | gb | aaB37124.1 | (99% identity in 173amino acid); 3050 Serratia marcescens] gi | 1695871 | gb | aaB37125.1 | (98%) identity in 53 amino acids); and [Deinococcus radiodurans] gi | 7471522 | pir | | E75301 (28% identity in 286 amino acids) SEQ ID NO: 969: -0.357696, 1138, possible tellurium resistance, similar to TerZ protein, for example, [Serratia 3055 marcescens] gi | 6094454 | sp | Q52353 | (98% identity in 193 amino acids) SEQ ID NO: 970: -0.31005, 200, a tellurium resistance, similar TerA protein, for example, [Serratia marcescens] gi | 5702379 | gb | aaD47285.1 | AF168355#3 (67% identity in 385 3060 amino acids) SEQ ID NO: 971: -0.739041, 439, tellurite resistance, similar TerB protein, for example, [Serratia marcescens gi | 950680 | gb | aa A86848.1 | (100% identity in 151 amino acids) SEQ ID NO: 972: -0.284314, 103, tellurium resistance, similar 3065 TerC protein, for example, [Serratia marcescensl gi | 6226214 | sp | Q52356 | TERC#SERMA (100% identity in 346 amino acids) SEQ ID NO: 973: -0.460736, 327, tellurium resistance, similar protein, for example, Serratia terD marcescens gi | 6094448 | sp | Q52357 | TERD#SERMA (100% identity in 192 3070 amino acids) SEQ ID NO: 974: -0.541515, 331, possible tellurium resistance, identical gi | 7108482 | gb | aaF36434.1 | AF126104#3 to TLRB#ECOLI (100% identity in 191amino acids); and similar to 3075 TerE protein. for example, Serratia marcescens gi | 6094449 | sp | Q52358 | TERE#SERMA (98% identity in 191 amino acids) SEQ ID NO: 975: -0.394881, 294, novel SEQ ID NO: 976: 0.154545, 45, tellurium resistance, identical 3080 gi | 7108481 | gb | aaF36433.1 | AF126104#2 TRLA#ECOLI (100% identity in 102 amino acids); and similar to TerF protein,

Serratia

marcescens

start

```
gi | 7387491 | gb | aaA86852.2 | TERF#SERMA (94% identity in
      102 amino acid) SEQ ID NO: 977: -0.360345, 233, novel, GTG
3085
      start
      SEQ ID NO: 1550: -0.338059, 671, an adhesin, similar to
                   [Escherichia coli
      Ihaadhesin
                                        0.157:H7
                                                             86-24
                                                    strain
      gi | 7108480 | gb | aaF36432.1 | AF126104#1
                                                IHA#ECOLI
                                                              (99\%)
      identity in 696 amino acids); and exogenous ferric siderophore
                                         coli
                                                           CFT0731
3090
      receptor
                  R4
                         Escherichia
                                                 strain
      gi|3661500|gb|aaC61730.1| gi|3661500|gb|aaC61730.1| (99%
      identity in 669 amino acids)
      SEQ ID NO: 1665: 0.638415, 165, novel, similar to a part of
                          protein
                                          [Shigella
      hypothetical
3095
      gi | 5880472 | gb | aaD54665.1 | AF097520#3 (44 % identity in 40
      amino acids)
      SEQ ID NO: 1517: 0.82528, 448, novel, similar to C-terminal
                   of
                             ShiA
                                          Shigella
                                                           flexneril
      part
      gi|5532447|gb|aaD44731.1|AF141323#2 (49% identity in 73
3100
      amino acids); TTG start
      SEQ ID NO: 1518: 0.075472, 107, novel
      SEQ ID NO: 1519: -0.587221, 494, novel
      SEQ ID NO: 1567: -0.283051, 414, novel, TTG start
      SEQ ID NO: 1568: 0.021192, 152, novel, GTG start
3105
      SEQ ID NO: - : 0.033871, 63, novel, TTG start
      SEQ ID NO: 411: -0.575221, 340, novel
      SEQ ID NO: 412: 0.496, 51, novel
      SEQ
             ID
                  NO:
                       413 :
                                  -0.713974
                                                 824,
                                                       a
                                                           possible
      glucosyl-transferase, similar to glucosyl-transferases,
3110
      example, [Salmonella typhi] gi | 7467230 | pir | | T30292 (72%
      identity in 366 amino acids)
      SEQ ID NO: 414: 0.095238, 64, a putative ferric enterochelin
      esterase (partial), similar to C-terminal part of ferric
      enterochelin esterases, for example, [Salmonella enterica] gil
3115
      2738250 | gb | aaC46181.1 | (66% identity in 68amino acids), TTG
```

- SEQ ID NO: 415: -0.280645, 63, a transposase, similar to transposases, for example, [Shigella boydii] gi|2197010|gb|aaB61273.1| (100% identity in 167 amino acids)
- 3120 SEQ ID NO: 416: -0.108911, 102, a possible repressor, similar to InsA protein, for example, [insertion sequence IS1F] gi | 124915 | sp | P19767 | ISA2#ECOLI (98% identity in 91 amino acids), GTG start
  - SEQ ID NO: 417: -0.490164, 62, novel [putative membrane
- 3125 protein; IMPl SEQ ID NO: 418: -0.37, 51, novel
  SEQ ID NO: 419: -0.735659, 130, novel, GTG start
  - SEQ ID NO: 420: -0.62381, 43, novel, similar to sensor regulatory element protein HutT [Rhodobacter capsulatus] gi|1075537|pir||A49938 (33% identity in 97 amino acids) (at
- 3130 low level)
  - SEQ ID NO: 421: -0.882353, 52, novel
  - SEQ ID NO: 422: -0.729167, 73, novel
  - SEQ ID NO: 423: -0.036842, 96, transposase (OrfB), similar to transposases, for example, [insertion sequence IS 629]
- 3135 gi | 7443863 | pir | | T00315 (98% identity in 295 amino acids)

  SEQ ID NO: 424: -0.433333, 64, transposase (OrfA), similar to hypothetical proteins, for example, [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241 (96% identity in 108amino acids)
- 3140 SEQ ID NO: 425: -0.6728, 126, an HecB-like protein, its N-terminal-half part is similar to N-terminal part of hemolysinactivation protein HecB [Neisseria meningitidis MC58] gi | 7227016 | gb | aaF42103.1 | (34% identity in 181amino acids)
- SEQ ID NO: 426: -0.534445, 91, novel

  SEQ ID NO: 427: -0.372341, 142, novel, similar to a part of tRNA-splicing endonuclease positive effector [fission yeast] gi|7493527|pir||T40065 (22% identity in 531 amino acids) (at low level); and similar to hypothetical protein, for example,
- 3150 [Aquifexaeolicus] gi | 7514764 | pir | | D70476 (24% identity in

- 271 amino acids) (at low level)
- SEQ ID NO: 428: -0.229139, 152, novel, TTG start
- SEQ ID NO: 429: -0.721212, 364, novel, similar to hypothetical proteins, for example, YbdN [Escherichia coli]
- 3155 gi | 3024984 | sp | P77216 | YBDN#ECOLI (58% identity in 396 amino acids)
  - SEQ ID NO: 430: -0.4, 249, novel, similar to hypothetical protein YbdM [Escherichia coli] gi|3024983|sp|P77174|YBDM#ECOLI (56% identity in 212
- 3160 amino acids)
  SEQ ID NO: 431: -0.385547, 257, a transcription regulatory element, similar to PerC (BfpW) [Escherichia coli] gi|1172431|sp|P43475|PERC#ECOLI (25% identity in 83
- 3165 SEQ ID NO: 432: -0.49854, 138, novel, similar to exopolyphosphatase [Pseudomonas aeruginosa] gi|4200042|dbj|Baa74460.1| (32% identity in 56 amino acids) (at low level)
  - SEQ ID NO: 433: -0.133074, 258, novel

amino acids)

- 3170 SEQ ID NO: 434: 1.383019, 54, novel, its N-terminal part is similar to BfpM [Escherichia coli]gi|847983|gb|aaC44052.1|BFPM#ECOLI (52% identity in 113 amino acids); its N-terminal part is similar to putative transposase [Vibrio cholerae] gi|7467523|pir||T09435 (55% identity in 68 amino
- 3175 acids); and its C-terminal part is similar to a part of hypothetical protein [Escherichia coli O-157:H7] gi | 7649865 | dbj | Baa94143.1 | (98% identity in 62 amino acids) SEQ ID NO: 435: 0.16, 46, novel, similar to hypothetical protein [Pseudomonassyringae] gi | 1196744 | gb | aaA88435.1 |
- 3180 (34% identity in 50 amino acids) (at low level)

  SEQ ID NO: 436: 0.065714, 71, novel, similar to hypothetical protein, for example, orf29 [Escherichia coli] gi | 6009405 | dbj | Baa84864.1 | (40% identity in 131 amino acids); and L0013 [Escherichia coli]

- gi | 3414881 | gb | aaC31492.1 | (38% identity in 130 amino acids) 3185 SEQ ID NO: 437: -0.96087, 93, novel SEQ ID NO: 438: -0.462461, 326, novel, similar to hypothetical protein, for example, yfjP protein [Escherichia gi | 7449539 | pir | | B65042 (49% identity in 289 amino acids); 3190 yeeP Escherichia colil and protein gi | 2495624 | sp | P76359 | YEEP#ECOLI (95% identity in 183 amino acids) SEQ ID NO: 439: -0.405691, 124, a putative adhesin, similar to outer membrane fluffing protein Escherichia gi | 7466262 | pir | | G64964 (68% identity in 927 amino acids); 3195 and similar to glyco protein [Escherichia coli strain H10407] gi | 5305639 | gb | aaD41751.1 | (34% identity in 608 amino acids) (at low level); and similar to Adhesin AIDA-I precursor Escherichia coli plasmid pIB6] gi | 543788 | sp | Q03155 | AIDA#ECOLI (23%) 3200 identity in 678 amino acids) SEQ ID NO: 440: -0.14065, 124, novel, similar to hypothetical protein YiDA Escherichia colil gi | 731985 | sp | P16694 | YJDA#ECOLI (32% identity in 793 3205 amino acids) SEQ ID NO: 441: 0.970589, 273, novel, similar to hypothetical YicZ Escherichia gi | 731984 | sp | P39267 | YJCZ#ECOLI (30% identity in 278 amino acids), GTG start 3210 SEQ ID NO: 442: 0.125316, 80, novel SEQ ID NO: 443: 0.024615, 196, novel SEQ ID NO: 444: -0.242045, 617, novel, similar to hypothetical proteins. for example. YfjQ Escherichia colil gi | 1723629 | sp | P52132 | YFJQ#ECOLI (73% identity in 271
  - SEQ ID NO: 445: -0.965741, 109, novel, similar to hypothetical

gi | 2495487 | sp | P77206 | YAFZ#ECOLI (73% identity in

YafZ

Escherichia

colil

271

and

3215

amino

amino acids)

acids);

amino acids)

amino acids)

acids), GTG start

3230

3240

- example, Escherichia proteins, for YafK colil 3220 gi | 2495486 | sp | P75676 | YAFX#ECOLI (71%)identity in [Escherichia colil acids); and 144amino YfiXgi | 1723636 | sp | P52139 | YFJX#ECOLI (75% identity in 137
- SEQ ID NO: 446: ~0.635945, 218, a putative DNA repair protein (RadC family), similar to putative RadC family proteins, for example, YkfG [Escherichia coli] gi|3025218|sp|Q47685|YKFG#ECOLI (81% identity in 158 amino acids); and YeeS [Escherichia coli]gi|3025155|sp|P76362|YEES#ECOLI (98% identity in 148
- SEQ ID NO: 447: -0.957693, 105, novel, similar to hypothetical protein YeeT [Escherichia coli] gi|3025156|sp|P76363|YEET#ECOLI (97% identity in 73 amino acids)
- SEQ ID NO: 448: 0.214754, 62, novel, similar to hypothetical 3235 Escherichia proteins. for example, YeeU colil gi | 3025157 | sp | P76364 | YEEU#ECOLI (89%)identity in acids); 118amino and YfiZ Escherichia colil gi | 1723638 | sp | P52141 | YFJZ#ECOLI (66% identity in 98 amino
- SEQ ID NO: 449: -0.298065, 156, novel, similar to hypothetical proteins, for example, L0007 [Escherichia coli] gi|3414875|gb|aaC31486.1| (93% identity in 124 amino acids); YeeV [Escherichia coli] gi|3025158|sp|P76365|YEEV#ECOLI
- 3245 (87% identity in 124 amino acids); and YkfI [Escherichia coli] gi|3025213|sp|P77692|YKFI#ECOLI (58% identity in 112 amino acids)
  - SEQ ID NO: 450: 0.945946, 38, novel, similar to hypothetical proteins, for example, L0008 [Escherichia coli]
- 3250 gi | 3414876 | gb | aaC31487.1 | (94% identity in 163 amino acids); and YeeW [Escherichia coli] gi | 3025160 | sp | P76366 | YEEW#ECOLI (65% identity in 55

- amino acids)
- SEQ ID NO: 451: -0.110909, 56, novel, similar to hypothetical
- 3255 proteins, for example, L0009 [Escherichia colil gi|3414877|gb|aaC31488.1| (87% identity in 65 amino acids)
  SEQ ID NO: 452: -0.405085, 178, novel, similar to hypothetical proteins, for example, L0010 [Escherichia colil gi|3414878|gb|aaC31489.1| (81% identity in 111 amino acids);
- 3260 ydiA [plasmid Collb·P9] gi | 4512489 | dbj | Baa75138.1 | (37% identity in 265 amino acids); and L0012 [Escherichia coli] gi | 3414880 | gb | aaC31491.1 | (80% identity in 61 amino acids) SEQ ID NO: 453: -0.335897, 79, novel
- SEQ ID NO: 454: 0.984375, 65, a putative integrase, similar to integrases, for example, [Escherichia coli prophage e14] gi | 3024035 | sp | P75969 | INTE#ECOLI (46% identity in 372 amino acids)
  - SEQ ID NO: 455: 0.088596, 115, a putative excisionase, similar to excisionase [bacteripohage P21]
- 3270 gi | 139674 | sp | P27079 | VXIS#BPP21 (31% identity in 73 amino acids)
  - SEQ ID NO: 456: 0.123529, 69, novel, GTG start
  - SEQ ID NO: 457: -0.905494, 92, novel, TTG start
  - SEQ ID NO: 458: -0.403175, 127, novel, similar to hypothetical
- 3275 proteins, for example, YdfA [Escherichia coli] gi|140584|sp|P29008|YDFA#ECOLI (91% identity in 49 amino acids)
  - SEQ ID NO: 459: 0.010435, 116, a putative phage repressor, similar to repressor [Escherichia col Rac prophage]
- 3280 gi | 3025101 | sp | P76062 | RACR#ECOLI (91% identity in 158 amino acids)
  - SEQ ID NO: 460: -0.445312, 513, novel, similar to YdaS [Escherichia coli] gi|3025102|sp|P76063|YDAS#ECOLI (84% identity in 94 amino acids)
- 3285 SEQ ID NO: 461: -0.04875, 81, novel, similar to YdaT [Escherichia coli] gi | 3183265 | sp | P76165 | YDFX#ECOLI (31%)

identity in 83 amino acids)

SEQ ID NO: 462: -0.425233, 643, novel, similar to C-terminal part of replication termination protein DnaT (prepriming

3290 protein I) [Escherichiacoli] gi|1361001|pir||S56589 (50% identity in 85 amino acids)

SEQ ID NO: 463: -0.448868, 531, a putative replication protein, similar to replication proteins, for example, protein14 [Bacteriophage phi-80] gi | 137937 | sp | P14814 | VG14#BPPH8

3295 (47% identity in 129 amino acids), GTG start

SEQ ID NO: 464: 0.055688, 502, novel, similar to YdaW [Escherichia coli] gi|3025105|sp|P76066|YDAW#ECOLI (56% identity in 143 amino acids)

SEQ ID NO: 465: -0.024348, 116, novel, GTG start

3300 SEQ ID NO: 466: -0.331818, 89, novel, similar to Gp57 [Bacteriophage N15] gi|7459176|pir||T13144 (69% identity in 78 amino acids), GTG start

SEQ ID NO: 467: -0.239801, 202, novel, similar to hypothetical protein, for example, [Bacteriophage VT2-Sa]

3305 gi | 5881670 | dbj | Baa84361.1 | (91% identity in 92 amino acids), GTG start

SEQ ID NO: 468: -0.297006, 168, novel

SEQ ID NO: 469: -0.163566, 130, novel, similar to hypothetical proteins, for example, Ea22 [Bacteriophage lambda]

3310 gi|137663|sp|P03756|VE22#LAMBD (39% identity in 108 amino acids), GTG start

SEQ ID NO: 470: -0.442375, 860, novel

SEQ ID NO: 471: -0.447707, 110, novel, its N-terminal part is similar to hypothetical proteins, for example, b2363

- 3315 [Escherichia coli] gi | 7451977 | pir | | H65009 (51% identity in 95 amino acids), and its C-terminal part similar to hypothetical proteins, for example, [Bacteriophage 933W] gi | 4585382 | gb | aaD25410.1 | AF125520#5 (43% identity in 75 amino acids)
- 3320 SEQ ID NO: 472: -0.339655, 233, novel

- SEQ ID NO: 473: -0.377251, 212, a prophage maintenance protein, similar to Hok/Geffamily, for example, MokW [Bacteriophage 933W]
- gi | 4585453 | gb | aaD25481.1 | AF125520#76 (90% identity in 70 amino acids)
  - SEQ ID NO: 474: 0.057965, 227, novel, similar to QD1 [Bacteriophage N15] gi | 2564084 | gb | aaB81659.1 | (31% identity in 64 amino acids)
- SEQ ID NO: 475: -0.939706, 69, novel, similar to b1560
  3330 [Escherichia coli] gi | 1742555 | dbj | Baa15259.1 | (82% identity in 348 amino acids); and hypothetical protein A [phage P1] gi | 732234 | sp | Q06262 | YORA#BPP1 (26% identity in 314 amino acids) (also to Orf19 (phi83)), GTG start
- SEQ ID NO: 476: -0.161714, 176, a putative crossover junction endodeoxyribonuclease, similar to Gp67 [Bacteriophage HK97] gi | 6901639 | gb | aaF31142.1 | (59% identity in 110 amino acids); crossover junction endodeoxyribonucleases Rus [Escherichia coli cryptic lambdoid prophage DLP12] (41% identity in 107 amino acids); and gi | 2507117 | sp | P40116 | RUS#ECOLI in (59%
- 3340 identity in 110 amino acids)

  SEQ ID NO: 477: -0.277615, 1158, a putative antitermination protein, similar to antitermination proteins, for example, proteinQ [Escherichia coli] gi|1742554|dbj|Baa15258.1| (39% identityin 273 amino acids)
- 3345 SEQ ID NO: 478: -0.279397, 200, novel, GTG start
  SEQ ID NO: 479: -0.658542, 440, novel, GTG start
  SEQ ID NO: 480: -0.259551, 90, novel, similar to hypothetical
  protein, for example, [Bacteriophage VT2-Sal
  gi|5881634|dbj|Baa84325.1| (73% identity in 644 amino acids)
- SEQ ID NO: 481, ECs1125:1209796-1209978, -0.078333, 61, novel, similar to hypothetical protein [Bacteriophage 933W] gi | 4499806 | emb | CAB39305.1 | (67% identity in 59 amino acids) SEQ ID NO: 482 -0.877248, 190, novel, similar to hypothetical proteins, for example, [Bacteriophage VT2-Sa]

- 3355 gi | 5881635 | dbj | Baa84326.1 | (78% identity in 89 amino acids)
  SEQ ID NO: 483: ·0.436667, 61, a putative holin protein,
  similar to holin proteins, for example, S protein [Bacteriophage
  VT2·Sa] gi | 5881636 | dbj | Baa84327.1 | (94% identity in 71
  amino acids)
- 3360 SEQ ID NO: 245: -0.375688, 437, novel, similar to YdfR [Escherichia coli] gi|3183262|sp|P76160|YDFR#ECOLI (47% identity in 74 amino acids)
  - SEQ ID NO: 246: -0.447872, 95, a putative endolysin, similar to endolysins, for example, R protein [Bacteriophage 933W]
- 3365 gi | 4585422 | gb | aaD25450.1 | AF125520#45 (97% identity in 177 amino acid)
  - SEQ ID NO: 247: -0.294175, 104, a putative antirepressor protein, identical to putative antirepressor protein [Bacteriophage 933W]
- 3370 gi | 4585423 | gb | aaD25451.1 | AF125520#46 ; and similar to antirepressor protein Ant [BacteriophageP22] gi | 131843 | sp | P03037 | RANT#BPP22 (49% identity in 189 amino acids)
- SEQ ID NO: 248: -0.781579, 115, an endopeptidase (host cell lysis), similar to endopeptidase, for example, Rz[Bacteriophage VT2-Sa] gi|5881639|dbj|Baa84330.1|(80% identity in 155 amino acids)
  - SEQ ID NO: 249: -0.371015, 208, a lipoprotein Rz1precursor, similar to lipoprotein Rz1 precursores, for example,
- 3380 [Bacteriophage 933W]gi | 540738 | pir | | JN0750 (52% identity in 59 amino acids); [phage lambda] gi | 4585425 | gb | aaD25453.1 | AF125520#48 (76% identity in 59 amino acids)
  - SEQ ID NO: 250: -0.407368, 96, novel
- 3385 SEQ ID NO: 251: 0.416667, 73, novel, similar to hypothetical protein [Bacteriophage VT2-Sa] gi|5881640|dbj|Baa84331.1| (73% identity in 45 amino acids)
  - SEQ ID NO: 252: -0.590526, 96, novel

- SEQ ID NO: 253: -0.644516, 156, novel, similar to hypothetical protein [Escherichia coli] gi|1778472|gb|aaB40755.1| (84% identity in 53 amino acids)
  - SEQ ID NO: 254: -0.557587, 258, a putative DNase, similar to putative DNAse [Bacteriophage phi-31] gi | 1107475 | emb | Caa62587.1 | 28% identity in 85 amino acids)
- 3395 SEQ ID NO: 255: -0.615069, 74, a putative terminase small subunit, similar to terminasesmall subunit [Bacillus subtilis PBSX phage] gi|1722886|sp|P39785|XTMA#BACSU (42% identity in 57 amino acids), GTG start
- SEQ ID NO: 256: -0.595775, 72, a putative large terminase subunit, similar to hypothetical proteins, for example, phage D3 terminase-like protein [Haemophilus influenzae] gi | 6739656 | gb | aaF27357.1 | AF198256#11 (22% identity in 472 amino acids); and similar to putative large terminase subunit [Bacteriophage A2] gi | 3947452 | emb | Caa07103.1 | (25%
- 3405 identity in 456 amino acids)
  - SEQ ID NO: 257: -0.24127, 64, a putative major head protein/prohead protease, its N-terminal-half part is similar to putative prohead proteases, for example, Gp4 [BacteriophageHK97] gi | 1722780 | sp | P49860 | VP4#BPHK7
- 3410 (28% identity in 136 amino acids); and its C -terminal-half part is similar to major head protein, for example, [Bacteriophage L5] gi|465114|sp|Q05223|VG17#BPML5 (23% identity in 280 amino acids), GTG start
- SEQ ID NO: 258: -0.248333, 61, a putative portal protein, similar to portal protein, for example, [Bacteriophage HK022] gi | 6863114 | gb | aaF30355.1 | AF069308#3 (26% identity in 351 amino acids)
  - SEQ ID NO: 259: -0.338496, 227, novel, similar to a novel protein [Haemophilus influenzae]
- 3420 gi | 6739659 | gb | aaF27360.1 | AF198256#14 (71% identity in 21 amino acids), GTG start
  - SEQ ID NO: 260: -0.500383, 262, a putative head-tail adaptor,

- similar to putative head-tail adaptors, for example, [Bacteriophage HK97] gi | 6901597 | gb | aaF31100.1 | (45%
- 3425 identity in 111 amino acids)

  SEQ ID NO: 261: -0.665942, 139, novel, similar to hypothetical phage protein, for example, Gp10 [Bacteriophage HK97] gi|6901598|gb|aaF31101.1| (75% identity in 148 amino acids)

  SEQ ID NO: 262: 0.008989, 90, novel, similar to Gp11
- 3430 [Bacteriophage HK97] gi | 6901599 | gb | aaF31102.1 | (49% identity in 113 amino acids)s

  SEQ ID NO: 263: -0.544444, 55, a putative major tail subunit, similar to major tail subunit [Bacteriophage HK97]
- similar to major tail subunit [Bacteriophage HK97] gi | 6901588 | gb | aaF31091.1 | AF069529#4 (66% identity in 234 amino acids)
- SEQ ID NO: 264: -0.273771, 123, a putative tail assembly chaperone, similar to tail assembly chaperon, for example, p14 [Bacteriophage HK97] gi|6901600|gb|aaF31103.1| (62% identity in 124 amino acids)
- 3440 SEQ ID NO: 265: -0.027711, 84, a putative tail protein [phage tail protein], similar to C-terminal part of Gp14 [Bacteriophage HK97] gi | 6901601 | gb | aaF31104.1 | (60% identity in 90 amino acids), probably produced by translational frameshift
- measure protein (interrupted), similar to N-terminal part of tail length tape measure proteins, for example, [Bacteriophage HK97] gi | 6901589 | gb | aaF31092.1 | AF069529#5 (81% identity in 137 amino acids)

SEQ ID NO: 266: -0.755556, 91, a putative tail length tape

- SEQ ID NO: 267: -0.881667, 61, a putative tail length tape
  3450 measure protein, similar to C-terminal part of tail length tape
  measure protein, for example, [Bacteriophage HK97]
  gi | 6901589 | gb | aaF31092.1 | AF069529#5 (48% identity in 939
  amino acids), probably disrupted by frameshift
- SEQ ID NO: 268: 0.743396, 54, a putative minor tail protein, 3455 similar to minor tail protein, for example, GpM [Bacteriophage lambda] gi | 138845 | sp | P03737 | VMTM#LAMBD (43% identity in

- 110 amino acids), GTG start
- SEQ ID NO: 269: -0.476879, 174, a putative minor tail protein, similar to minor tail protein, for example, GpL [Bacteriophage
- 3460 lambda] gi | 138844 | sp | P03738 | VMTL#LAMBD (76% identity in 232 amino acids)
  - SEQ ID NO: 270: -0.315668, 218, a putative regulatory protein, similar to regulatory protein Mnt [Bacteriophage P22] gi | 133138 | sp | P03049 | RMNT#BPP22 (34% identityin 73 amino
- 3465 acids)
  - SEQ ID NO: 271:-0.295775, 72, a putative antirepressor protein, its C-terminal part is similar to antirepressor proteins, for example,

    gi | 131843 | sp | P03037 | RANT#BPP22 (84% identity in 71 amino
- acids), and its N-terminal part is similar to hypothetical phage proteins, for example, Gp30 [Bacteriophage N15] gi | 7521545 | pir | | T13116 (35% identity in 175 amino acids)
  - SEQ ID NO: 272: -0.322449, 99, a putative tail assembly protein, similar to tail assembly proteins, for example, GpK
- 3475 [Bacteriophage lambda] gi|139638|sp|P03729|VTAK#LAMBD (86% identity in 196 amino acids)
  - SEQ ID NO: 273: -1.166667, 49, a putative tail assembly protein, similar to tail assembly protein, for example, GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD
- 3480 (64% identity in 64 amino acids)
  - SEQ ID NO: 274: ·0.734113, 300, a putative secreted effector protein, similar to secreted effector proteinopA [Salmonella dublin] gi|5669806|gb|aaD46479.1|AF121227#1 (31% identity in 587 amino acids)
- 3485 SEQ ID NO: 275: -0.469565, 484, novel, its C-terminal part is similar to cytotoxic necrotizing factor type 2 [Escherichia coli] gi|1073353|pir||A55260 (31% identity in 244 amino acids) (its N-terminus is similar to a novel protein [P. falciparum] (at low level))
- 3490 SEQ ID NO: 276: -0.447191, 90, novel

3495

- SEQ ID NO: 277: -0.883696, 93, novel [hypothetical membrane protein; IMP], similar to hypothetical protein, for example, b0362 [Escherichia coli] gi | 7466098 | pir | | B64764(50% identity in 79 amino acids), [partially similar to hemin receptor precursor]
- SEQ ID NO: 278: -0.825352, 72, a transposase (OrfB) protein (insertionsequence IS2), similar to hypothetical protein, for example, [insertion sequence IS2] gi|140808|sp|P19777|YI22#ECOLI (98% identity in 301 amino
- 3500 acids), GTG start

  SEQ ID NO: 279: -, 79, novel, [putative transposase (OrfA)],
  similar to hypothetical protein [insertion sequence IS2]
  gi | 140806 | sp | P19776 | YI21#ECOLI (100% identity in 53 amino acids)
- 3505 SEQ ID NO: 280 -0.735135, 149, novel, similar to hypothetical protein [Salmonella typhimurium LT2] gi | 6960367 | gb | aaF33527.1 | (72% identity in 37 amino acids) SEQ ID NO: 281: -0.217714, 176, novel SEQ ID NO: 282: -1.381667, 61, novel, similar to Yop effector
- 3510 YopM [Yersinia enterocolitica] gi|4324334|gb|aaD16811.1|
  (25% identity in 171 amino acids), (also weakly to IpaH)
  SEQ ID NO: 283: -0.215789, 58, novel, TTG start
  SEQ ID NO: 284: -0.530738, 245, a putative integrase, similar
  to integrase, for example, [Shigella dysenteriae]
- 3515 gi|6759954|gb|aaF28112.1|AF153317#4 (31% identity in 389 amino acids)
  - SEQ ID NO: 285: -0.205833, 241, a putative DNA binding protein; similar to putative DNA binding protein (ORF88) [Bacteriophage P4] gi|140147|sp|P12552|Y9K#BPP4 (45%
- 3520 identity in 53 amino acids), GTG start

  SEQ ID NO: 286: -1.10199, 202, novel

  SEQ ID NO: 287: -0.534375, 65, a putative cell division repressor, similar to cell division repressor Icd [enterobacteria phage P1] gi | 4261623 | gb | aaD13923.1 | S61175#1 (42% identity

```
in 45 amino acids)
3525
      SEQ ID NO: 288: -0.325, 145, novel
      SEQ ID NO: 289: -0.088, 51, novel
      SEQ ID NO: 290: -0.079937, 320, novel
      SEQ ID NO: 291: -0.191011, 90, novel
      SEQ ID NO: 292: -0.281545, 635, novels
3530
      SEQ ID NO: 293: -0.397973, 297, novel
      SEQ ID NO: 294: -0.965741, 109, novel
      SEQ ID NO: 295: 0.008475, 60, novel
      SEQ ID NO: 296: -0.431081, 149, novel
      SEQ ID NO: 297: 0.039437, 72, a putative single stranded
3535
      DNA-binding protein, similar to single stranded DNA-binding
      proteins,
                    for
                          example,
                                         Thermotoga
                                                          maritimal
      gi | 7439946 | pir | | H72354 (35% identity in 96 amino acids)
      SEQ ID NO: 298: -0.449153, 178, a putative transcription
3540
      activator, similar to transcription activator of eaeA/bfpA, PerC
      (BfpW) [Escherichia coli] gi | 1172431 | sp | P43475 | PERC#ECOLI
      (39% identity in 89 amino acids)
      SEQ ID NO: 299: -0.283069, 190, novel
      SEQ ID NO: 300: -0.520779, 155, a putative major head protein,
3545
      similar to major head protein, for example, phage phi-C31
                                    [Haemophilus
      gp36-like
                      protein
                                                         influenzael
      gi | 6739663 | gb | aaF27364.1 | AF198256#18 (AF198256)
                                                               (56\%)
      identity in 584 amino acids)
      SEQ ID NO: 301: 0.198361, 62, a putative prohead protease,
3550
      similar to prohead proteases, for example, phage phi-C31
                                     [Haemophilus
                                                         influenzael
      gp35-like
                      protein
      gi | 6739662 | gb | aaF27363.1 | AF198256#17 (60% identity in 161
      amino acids)
      SEQ ID NO: 302: 0.183505, 98, a putative head portal protein,
3555
      similar to head portal proteins, for example, phage phi-105
      ORF25-like
                                protein
                                                       Haemophilus
      influenzae]gi | 6739661 | gb | aaF27362.1 | AF198256#16
                                                               (63%
      identity in 403 amino acids)
```

- SEQ ID NO: 303: -0.097403, 78, a putative head-tail adaptor, 3560 similar to head-tail adaptors, for example, [Bacteriophage HK97] gi | 6901597 | gb | aaF31100.1 | (47% identity in 112 amino acids) SEQ ID NO: 304: -0.730597, 269, novel, similar to hypothetical influenzael protein Haemophilus gi | 6739659 | gb | aa F27360.1 | AF198256#14 (45% identity in 98 3565 amino acids); and hypothetical protein 30 | Bacillus phage phi-105 gi | 7459182 | pir | | T13519 (26% identity in 90 amino acids) SEQ ID NO: 305: -0.554049, 569, novel, similar to hypothetical 3570 for example, Haemophilus gi | 6739658 | gb | aaF27359.1 | AF198256#13 (54% identity in 115 amino acids) SEQ ID NO: 306: -0.527872, 715, novel SEQ ID NO: 307: -0.766567, 336, a putative terminase small 3575 subunit, similar to hypothetical protein, genetic island 1 [Haemophilus influenzael gi | 6739657 | gb | aaF27358.1 | AF198256#12 (64% identity in 112 amino acids); and similar to putative terminase small subunit Streptococcus thermophilus bacteriophage Sfi21 gi | 5230826 | gb | aaD41028.1 | AF112470#3 (29% identity in 98 3580 amino acids). SEQ ID NO: 308: -0.398762, 405, a putative terminase large subunit, similar to terminaselarge subunits, for example, [Haemophilus influenzael 3585 gi | 6739656 | gb | aaF27357.1 | AF198256#11 (69% identity in 550 amino acids), TTG start SEQ ID NO: 309: 0.25969, 130, novel SEQ ID NO: 310: -0.52549, 154, novel, GTG start SEQ ID NO: 311: -0.157219, 188, an integrase, similar to
- integrases, for example, [Bacteriophage P21] gi | 138558 | sp | P27077 | VINT#BPP21 (98% identity in 380 amino acids), (similar to lambdaintegrase)

(Smr) protein family

3615

- SEQ ID NO: 312: 0.063889, 217, an excisionase, similar to excisionases, for example, [Bacteriophage P21]
- 3595 gi | 139674 | sp | P27079 | VXIS#BPP21 (98% identity in 78 amino acids)
  - SEQ ID NO: 313: -0.793334, 646, a putative replication protein, similar to replication protein, for example, GpO [Bacteriophage lambda] gi|215150|gb|aaA96584.1| (69% identity in 261 amino
- 3600 acids)

  SEQ ID NO: 314: -0.266292, 90, a replication protein, similar to replication proteins, for example, GpP [Bacteriophage lambda] gi | 4499785 | emb | CAB39284.1 | (98% identity in 233 amino acids)
- 3605 SEQ ID NO: 315: -0.19875, 81, a putative Ren protein (protection from Rex-dependent exclusion), similar to Ren protein, for example, [Bacteriophage lambda] gi|139473|sp|P03761|VREN#LAMBD (90% identity in 92 amino acids)
- 3610 SEQ ID NO: 316: 0.06375, 81, integral membrane drug resistance protein EmrE, similar to ethidium efflux protein EmrE (methyl viologen resistance protein C) [E. coli] gi|127565|sp|P23895|EMRE#ECOLI (98% identity in 110 amino acids), and belongs to the small multidrug resistance
- SEQ ID NO: 317: -0.018342, 568, novel, similar to hypothetical protein YbcK[Escherichia coli] gi|2495549|sp|P77698|YBCK#ECOLI (99% identity in 508 amino acids); and putative integrase [Bacteriophage A118]
- 3620 gi | 1196324 | gb | aaB51416.1 | (31% identity in 109 amino acids)
  SEQ ID NO: 318: -0.248578, 423, novel, similar to hypothetical
  protein YbcN [Escherichia coli cryptic lambdoid prophage
  DLP12 | gi | 2495551 | sp | Q47269 | YBCN#ECOLI (92% identity in
  151 amino acids), GTG start
- 3625 SEQ ID NO: 319: -0.218478, 93, novel, identical to NinE [Bacteriophage 82] gi | 3024190 | sp | Q37871 | NINE#BP82

- SEQ ID NO: 320: -0.159512, 206, novel, similar to YbcO [Escherichia coli cryptic prophage DLP12] gi|2495553|sp|Q47271|YBCO#ECOLI (97% identity in 96
- amino acids); and Gp66 [Bacteriophage HK97] gi | 6901638 | gb | aaF31141.1 | (68% identity in 95 amino acids)

  SEQ ID NO: 321: -0.289344, 245, a crossover junction endodeoxyribonuclease, similar to crossover junction endodeoxyribonucleases Rus, for example, [Escherichia coli
- 3635 bacteriophage 82] gi|2498868|sp|Q37873|RUS#BP82 (95% identity in 120 amino acids), GTG start

  SEQ ID NO: 322: -0.103759, 134, a putative antitermination protein, similar to antitermination protein, for example, Q[Bacteriophage 82] gi|132277|sp|P13870|RegQ#BP82 (98%
- 3640 identity in 229 amino acids)

  SEQ ID NO: 323: -0.622936, 219, a putative holin, similar to putative holin protein [Bacteriophage PS3] gi|3676074|emb|Caa09700.1| (72% identity in 103 amino acids), TTG start
- 3645 SEQ ID NO: 324: -0.662162, 149, a putative endolysin (lyzozyme), similar to endolysins, for example, [Bacteriophage HK97] gi | 6901642 | gb | aaF31145.1 | (95% identity in 158 amino acids) [0019]
- 3650 2) Proteins which have novel function, but have significant homology

  Sequence number: Hydrophobicity, The number of amino acids,
  Character such as function
- SEQ ID NO: 325: -0.109639, 84, a putative endopeptidase (host cell lysis), similar to hypothetical protein gp15 [Bacteriophage PS119] gi|3676087|emb|Caa09711.1| (83% identity in 155 amino acids); endopeptidases for example, [Bacteriophage lambda] gi|67522|pir||APBPML (59% identity in 153 amino acids)
- 3660 SEQ ID NO: 326: -0.749881, 422, a putative lipoprotein Rz1

```
precursor,
                  lipoprotein
                                                          example,
                                Rz1
                                       precursors,
                                                    for
      [Bacteriophage lambda] (53% identity in amino acids)
      SEQ ID NO: 327: -0.631149, 2794, novel
      SEQ ID NO: 328: -0.122951, 62, novel [hypothetical
3665
      membrane protein; IMP]
      SEQ ID NO: 329: -0.232456, 115, novel
      SEQ ID NO: 330: 0.222857, 71, a putative terminase large
      subunit, similar to terminase large subunits, for example,
                       WOL
                               gi | 6723224 | dbj | Baa89621.1 |
      Bacteriophage
3670
      identity in 641 amino acids); for example, [Bacteriophage N15]
      gi | 7444579 | pir | | T13088 (25% identity in 630 amino acids)
      SEQ ID NO: 331: -0.754198, 132, novel
      SEQ ID NO: 332: -0.709589, 220, a putative portal protein,
      similar
                   putative portal protein [Wolbachia
               to
3675
      wKuelgi | 6723246 | dbj | Baa89642.1 | (23% identity in 294 amino
      acids). GTG start
      SEQ ID NO: 333: -0.319445, 73, novel
      SEQ ID NO: 334: -0.243617, 95, a putative protease /scaffold
      protein, partially similar to ClpP proteases, for example,
3680
      [Bacteriophage D3] gi | 5059251 | gb | aaD38956.1 | (35% identity
      in 218 amino acids); similar to putative scaffolding protein
                        thermophilus
                                           bacteriophage
      Streptococcus
      gi | 4530143 | gb | aaD21883.1 | (30% identity in 201 amino acids)
      SEQ ID NO: 335: -0.664384, 74, novel, TTG start
3685
      SEQ ID NO: 336: -0.528708, 210, novel
      SEQ ID NO:1570: -0.651901, 448, similar to minor tail proteins,
              example.
                                          Bacteriophage
      for
                            proteinZ
                                                              N151
      gi | 7521219 | pir | | T13097 (52% identity in 192 amino acids);
      GpZ
                           [Bacteriophage
                                                           lambdal
3690
      gi | 138849 | sp | P03731 | VMTZ#LAMBD (49% identity in 192
      amino acids)
      SEQ ID NO: 1030: 0.101176, 511, a putative minor tail
      component, similar to minor tail proteins, for example, protein
```

U [Bacteriophage N15] gi | 7444588 | pir | | T13098 (49% identity

- 3695 in 129 amino acids); GpU [Bacteriophage lambda] gi | 138847 | sp | P03732 | VMTU#LAMBD (49% identity in 129 amino acids)
  - SEQ ID NO: 1031: -0.163804, 164, a major tail component, similar to major tail proteins, for example, protein V
- 3700 [Bacteriophage N15] gi | 7444589 | pir | | T13099 (62% identity in 244 amino acids); GpV [Bacteriophage lambda] gi | 138848 | sp | P03733 | VMTV#LAMBD (55% identity in 246 amino acids)
- SEQ ID NO: 1032: -0.270741, 271, a minor tail component, similar to minor tail proteins, for example, GpG [Bacteriophage lambda] gi | 138842 | sp | P03734 | VMTG#LAMBD (33% identity in 109 amino acids)
  - SEQ ID NO: 1033: 0.038403, 264, a putative minor tail component, similar to minor tail proteins, for example ,GpT
- 3710 [Bacteriophage lambda] gi|138846|sp|P03735|VMTT#LAMBD (39% identity in 104 amino acids), probably produced by translational frameshift
  - SEQ ID NO: 1034: -0.454546, 210, a putative tail length tape measure protein precursor, similar to tail length tape measure
- 3715 protein precursors for example ,GpH [Bacteriophage lambda] gi | 138843 | sp | P03736 | VMTH#LAMBD (25% identity in 822 amino acids)
  - SEQ ID NO: 1035: -0.041442, 445, a putative minor tail protein, similar to minor tail proteins for example ,GpM
- 3720 [Bacteriophage lambda] gi|138845|sp|P03737|VMTM#LAMBD (55% identity in 108 amino acids)
  - SEQ ID NO: 1036: -0.442976, 841, a putative minor tail protein, similar tominor tail proteins for example ,GpL [Bacteriophage lambda] gi|138844|sp|P03738|VMTL#LAMBD

[Bacteriophage lambda] gi | 139638 | sp | P03729 | VTAK#LAMBD

3725 (93% identity in 232 amino acids)
SEQ ID NO: 1037: -0.153648, 234, a putative tail assembly protein, similar to tail assembly proteins for example ,GpK

- (97% identity in 199 amino acids)
- 3730 SEQ ID NO: 1038: 0.21129, 187, a putative tail assembly protein, similar to tail assembly proteins for example ,GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD (80% identity in 215 amino acids)
- SEQ ID NO: 1039: -0.061353, 208, a putative host specificity protein, similar to host specificity proteins for example, GpJ [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD (88% identity in 1136 amino acids)
  - SEQ ID NO: 1040: -0.166719, 1269, a putative outer membrane protein precursor, similar to outer membrane protein Lom
- 3740 precursors for example ,[prophage P-EibA] gi | 7532789 | gb | aaF63231.1 | AF151091#2 (72% identity in 199 amino acids)
  - SEQ ID NO: 1041: -0.41948, 540, a putative tail fiber protein, similar to tail fiber proteins for
- 3745 example ,[Bacteriophage 933W] gi|4585436|gb|aaD25464.1|AF125520#59 (67% identity in 277 amino acids)
  - SEQ ID NO: 1042: 0.009016, 123, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W]
- 3750 gi | 4585437 | gb | aaD25465.1 | AF125520#60 (98% identity in 102 amino acids)
  - SEQ ID NO: 1043: 0.422222, 190, novel, similar to hypothetical protein [Salmonella typhimurium LT2] gi | 6960367 | gb | aaF33527.1 | (55% identity in 314 amino acids)
- 3755 SEQ ID NO: 1044: -0.17033, 183, novel
  SEQ ID NO: 1045: -0.29785, 94, novel
  SEQ ID NO: 1046: -0.139896, 387, novel
  SEQ ID NO: 1047: -0.09284, 853, novel
- SEQ ID NO: 1048: -0.12362, 327, novel, similar to secreted effector proteinopA,[Salmonella dublin] gi | 5669806 | gb | aaD46479.1 | AF121227#1 (24% identity in 296 amino acids), similar to hypothetical proteins for

```
, YiBI
      example
                                       Escherichia
                                                             colil
      gi | 418540 | sp | P32690 | YJBI#ECOLI (26% identity 183 amino
      acids), weakly
3765
      SEQ ID NO: 1049: -0.341696, 284, novel [hypothetical
      membrane protein; IMP
      SEQ ID NO: 1050: 0.074894, 236, a putative PTS transporter
      protein, similar to putative transporter proteins
3770
      example
                        ,SgaT
                                       Escherichia
                                                             coli
      gi|2851673|sp|P39301|SGAT#ECOLI (38% identity in 440
      amino acids)
      SEQ ID NO:1051: -0.083945, 219, a putative PTS system
      enzyme II, similar to phosphotransferase system enzymes IIBs
3775
                   example
                                      ,[Escherichia
      gi | 732028 | sp | P39302 | PTXB#ECOLI (28% identity in 99 amino
      acids)
      SEQ ID NO: 1052: 0.436468, 437, novel
      SEQ ID NO: 1053: -0.546947, 263, novel, GTG start
3780
      SEQ ID NO: 1054: -0.377489, 463, novel
      SEQ ID NO: 133: -0.3865, 401, unkown
      SEQ ID NO: 134: -0.199834, 606, a putative integrase,
      similar to integrases for example, [Bacteriophage HK022]
      gi | 138560 | sp | P16407 | VINT#BPHK0 (27% identity in
3785
      amino acids)
      SEQ ID NO: 135: -0.420689, 146, novel
      SEQ ID NO: 136: -0.487755, 99, novel
      SEQ ID NO: 137: -0.331236, 462,
                                               novel, similar to
      hypothetical proteins for example ,YdfD [Escherichia coli]
      gi | 140587 | sp | P29010 | YDFD#ECOLI (63% identity in 63 amino
3790
      acids)
      SEQ ID NO: 138: -0.780214, 188, a putative cell division
      inhibition,
                    similar
                              to
                                     dicB
                                             Escherichia
                                                             colil
      gi | 2507009 | sp | P09557 | DICB#ECOLI (54% identity in 62
3795
      amino acids)
```

SEQ ID NO: 139: -0.17888, 787, novel, TTG start

SEQ ID NO: 140: 0.226, 51, novel

SEQ ID NO: 141: -0.445312, 513, novel

SEQ ID NO: 142: 0.010435, 116, novel

3800 SEQ ID NO: 143: -0.395489, 134, novel, similar to YdfB [Escherichia coli] gi|140585|sp|P29009|YDFB#ECOLI (100% identity in 41 amino acids)

SEQ ID NO: 144: ~0.538835, 104, novel, identical to YdfA [Escherichia coli] gi|140584|sp|P29008|YDFA#ECOLI (100%

3805 identity in 51 amino acids)

SEQ ID NO: 145: -0.684191, 273, novel, TTG start

SEQ ID NO: 146: -0.275807, 249, novel, similar to hypothetical proteins for example, yacB [plasmid ColIb-P9] gi | 4512441 | dbj | Baa75090.1 | (35% identity in 92 amino acids)

SEQ ID NO: 147: -0.519277, 84, novel

SEQ ID NO: 148: -0.448958, 97, a putative regulatory protein, similar to putative regulatory protein [Salmonella typhimurium] gi | 7467281 | pir | | T03008 (30% identity in 108 amino acids); DicA [Escherichia coli]

3815 gi | 118631 | sp | P06966 | DICA#ECOLI (27% identity in 108 amino acids)

SEQ ID NO: 149: -0.025758, 67, novel

SEQ ID NO: 150: 0.918487, 120, novel, similar to YdaT [Escherichia coli] gi|3025103|sp|P76064|YDAT#ECOLI (31%

3820 identity in 141 amino acids)

SEQ ID NO: 151: -0.246963, 429, novel

SEQ ID NO: 152: 0.574468, 48, novel

SEQ ID NO: 153: 0.214286, 92, a putative DNAreplication protein, similar to DnaC homolog [Escherichia coli]

3825 gi | 7429001 | pir | | C64886 (79% identity in 248 amino acids);
DnaC[Escherichia coli] gi | 118715 | sp | P07905 | DNAC#ECOLI (48% identity in 242 amino acids)

SEQ ID NO: 154: -0.016418, 68, novel, similar to gi | 3025105 | sp | P76066 | YDAW#ECOLI (54% identity in 155

3830 amino acids)

- SEQ ID NO: 155: -0.025506, 248, novel
- SEQ ID NO: 156: 0.022, 101, novel, similar to hypothetical proteins for example ,IroE[Salmonella enterica] gi|2738251|gb|aaC46182.1| (29% identity in 249 amino acids)
- 3835 SEQ ID N O-157: -0.369811, 107, novel
  - SEQ ID NO: 158: -0.00581, 569, novel
  - SEQ ID NO: 159: -0.291558, 155, a putative prophage maintenance protein, similar to Hok/Gef family for example ,MokW [Bacteriophage 933W]
- 3840 gi | 4585453 | gb | aaD25481.1 | AF125520#76 (92% identity in 65 amino acids)
  - SEQ ID NO: 160: -0.194196, 225, novel, similar to QD1 [Bacteriophage N15] gi | 2564084 | gb | aaB81659.1 | (31% identity in 64 amino acids)
- SEQ ID NO: 161: -0.083415, 206, novel

  SEQ ID NO: 162: -0.462832, 114, a putative crossover junction endodeoxyribonuclease, similar to Gp67 [Bacteriophage HK97] gi | 6901639 | gb | aaF31142.1 | (60% identity in 113 amino acids); crossover junction endodeoxyribonuclease Rus
- 3850 [Escherichia coli cryptic prophage DLP12] gi|2507117|sp|P40116|RUS#ECOLI (40% identity in 115 amino acids)
  - SEQ ID NO: 163: 0.998039, 52, a putative antitermination protein, similar to bacteriophage antitermination proteins
- for example ,YbcQ [Escherichia coli cryptic prophage DLP12 gi|4585416|gb|aaD25444.1|AF125520#39 (77% identity in 124 amino acids)
  - SEQ ID NO: 164: -0.436782, 88, novel, similar to [hypothetical membrane protein] YpbD [Bacillus subtilis]
- 3860 gi | 1730886 | sp | P50730 | YPBD#BACSU (30% identity in 128 amino acids)
  - SEQ ID NO: 165: -0.286022, 94, novel, similar to hypothetical protein [Bacteriophage P27] gi | 8346569 | emb | CAB93762.1 | (97% identity in 49 amino acids)

- SEQ ID NO: 166: 0.757522, 114, a putative transcription regulatory element, similar to transcription regulatory elements for example ,YhiW [Escherichia coli] gi|586679|sp|P37638|YHIW#ECOLI (37% identity in 187 amino acids)
- 3870 SEQ ID NO: 167: 0.175785, 224, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (53% identity in 613 amino acids)
- SEQ ID NO: 168: -0.464706, 52, a transposase, identical to hypothetical protein [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241 (100% identity in 116 amino acids)
  - SEQ ID NO: 169: -0.152174, 254, a putative transposase, similar to transposases for example ,[Escherichia coli
- p O-157 insertion sequence IS629]
  gi | 7443862 | pir | | T00240 (98% identity in 220 amino acids)
  SEQ ID NO: 170: -0.400502, 200, a putative transcription regulatory element, similar to PerC (BfpW) [Escherichia coli]
  gi | 1172431 | sp | P43475 | PERC#ECOLI (47% identity in 87
- 3885 amino acids)
  - SEQ ID NO: 171: -0.431915, 142, a lipoprotein Rz1 protein precursor, similar to Rz1 precursors for example ,[Bacteriophage 933W] gi|4585425|gb|aaD25453.1|AF125520#48(98% identity in 61
- 3890 amino acids); [Bacteriophage lambda] gi | 540738 | pir | | JN0750(70% identity in 61 amino acids)
  - SEQ ID NO: 172: ·0.121552, 117, a endopeptidase (host cell lysis), similar to endopeptidases for example ,[Bacteriophage VT2-Sa] gi|5881639|dbj|Baa84330.1| (88% identity in 154
- 3895 amino acids)
  - SEQ ID NO: 173: -0.561452, 538, novel
  - SEQ ID NO: 174: -0.275207, 243, novel
  - SEQ ID NO: 175: -0.345833, 121, a host cell lysis, similar to

portal

```
,[Bacteriophage
      endolysins
                       for
                             example
                                                           H-19B
3900
      gi | 4335686 | gb | aaD17382.1 | (94% identity in 177 amino acids)
      SEQ ID NO: 176: -0.521101, 110, novel
      SEQ ID NO: 177: -0.46, 156, novel
      SEQ ID NO: 178: -0.444527, 403, novel
      SEQ ID NO: 179: -0.033648, 319, a holin protein (host cell
3905
      lysis), similar to holin proteins for example, [Bacteriophage
      VT2-Sal gi | 5881636 | dbj | Baa84327.1 | (91% identity in 69
      amino acids)
      SEQ ID NO: 180: 0.066393, 245, novel, GTG start
      SEQ ID NO: 181: -0.292064, 127, novel, similar to
3910
      hypothetical proteins for example ,L0013 [Escherichia coli
      O-157:H7 strain
                        EDL933] gi | 3414881 | gb | aaC31492.1 | (99%
      identity in 133 amino acids)
      SEQ ID NO: 182: -0.271985, 258, novel, identical to
      hypothetical proteins for example ,L0014 [Escherichia coli
3915
      O-157:H7 strain EDL933] gi|3414882|gb|aaC31493.1|(100%
      identity in 115 amino acids)
      SEQ ID NO: 183: -0.112369, 381,
                                               novel, similar to
      hypothetical proteins for example ,L0015 [Escherichia coli
      O·157:H7 strain EDL933] gi|3414883|gb|aaC31494.1|(100%
3920
      identity in 512 amino acids)
      SEQ ID NO: 184: -0.165341, 353, a putative terminase small
      subunit, similar to C-terminal part of terminase small subunits
      for
                                    ,[Bacteriophage
                                                             N151
                   example
      gi | 2507082 | sp | P31061 | NOHA#ECOLI(46%
                                                identity
                                                               75
3925
      amino acids), GTG start, probably disrupted by IS insertion
      SEQ ID NO: 185: -0.206736, 194, a terminase large subunit,
                                    large
      similar
                 to
                       terminase
                                              subunits
                                                               for
      example
                               , Bacteriophage
                                                               21
      gi | 2851579 | sp | P36693 | TERL#BPP21 (91% identity in
                                                              637
3930
      amino acids)
      SEQ ID NO: 186: -0.392375, 342, a portal protein, similar to
               proteins for example ,GP4 [Bacteriophage P21]
```

- gi | 549295 | sp | P36272 | VG04#BPP21 (98% identity in 530 amino acids)
- 3935 SEQ ID NO: 187: -0.188742, 152, a head-tail preconnector protein, similar to head-tail preconnector proteins for example ,Gp5 [Bacteriophage P21] gi|549296|sp|P36273|VG05#BPP21 (97% identity in 501 amino acids), GTG start
- 3940 SEQ ID NO: 188: 0.734105, 347, a head decoration protein, similar to head decoration proteins for example ,Gpshp [Bacteriophage P21] gi|549437|sp|P36275|VSHP#BPP21 (95% identity in 115 amino acids)
  - SEQ ID NO: 189: -0.317188, 193, a possible major head protein,
- 3945 similar to N-terminal part of major head proteins for example ,Gp7 [Bacteriophage P21] gi|547612|sp|P36270|HEAD#BPP21(95% identity in 88 amino acids)
  - SEQ ID NO: 190: -0.249738, 192, novel
- 3950 SEQ ID NO: 191: 0.297015, 68, a putative tail component, similar to minor tail proteins for example ,GpG [Bacteriophage lambda] gi|138842|sp|P03734|VMTG#LAMBD (68% identity in 143 amino acids)
- SEQ ID NO: 192: -0.083333, 103, a putative minor tail component, similar to minor tail protein GpG-T [Bacteriophage lambda] gi|7429179|pir||TLBPTL (72% identity in 124 amino acids), probably produced by translational frameshiftSEQ ID NO: 193: 0, 75, a tail length determinator, similar to tail length tape measure proteins for example ,GpH
- 3960 [Bacteriophage lambda] gi|138843|sp|P03736|VMTH#LAMBD (77% identity in 859 amino acids)
  - SEQ ID NO: 194: -0.427011, 697, a minor tail component, similar to minor tail proteins for example ,GpM [Bacteriophage lambda] gi | 138845 | sp | P03737 | VMTM#LAMBD
- 3965 (82% identity in 109 amino acids)
  SEQ ID NO: 195: 0.565, 41, a minor tail component, similar to

- minor tail proteins for example ,GpL [Bacteriophage lambda] gi | 138844 | sp | P03738 | VMTL#LAMBD (76% identity in 232 amino acids)
- 3970 SEQ ID NO: 196: 0.101111, 91, a tail assembly protein, similar to tail assembly proteins for example ,GpK [Bacteriophage lambda] gi|139638|sp|P03729|VTAK#LAMBD (84% identity in 196 amino acids)
- SEQ ID NO: 197: -0.5, 51, a tail assembly protein, similar to tail assembly proteins for example ,GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD (68% identity in 224 amino acids)
  - SEQ ID NO: 198: -1.1875, 65, novel
- SEQ ID NO: 199: -0.140541, 75, a copper/zinc superoxide

  3980 dismutase, similar to copper/zinc-superoxide dismutases for example ,[Salmonella typhimurium]

  gi|2462699|emb|Caa73588.1| (58% identity in 175 amino acids)
- SEQ ID NO: 200: -0.113333, 91, a putative host specificity
  3985 protein, similar to host specificity proteins for example, GpJ
  [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD
  (65% identity in 1156 amino acids)
  - SEQ ID NO: 201: -0.59375, 65, a putative outer membrane protein, similar to Lom outer membrane proteins for
- 3990 example ,[prophage P-EibA] gi|7532789|gb|aaF63231.1|AF151091#2 (68% identity in 199 amino acids)
  - SEQ ID NO: 202: 0.147917, 49, a putative tail fiber protein, similar to putative tail fiber proteins for
- 3995 example ,[Bacteriophage 933W] gi|4585436|gb|aaD25464.1|AF125520#59 (38% identity in 370 amino acids)
  - SEQ ID NO: 203: -0.707843, 103, novel, similar to hypothetical protein [Bacteriophage 933W]
- 4000 gi | 4585437 | gb | aaD25465.1 | AF125520#60 (93% identity in 129

amino acids); similar to C-terminal part of putative tail protein [933W] gi|4585436|gb|aaD25464.1|AF125520#59(93% identity in 89 amino acids)

SEQ ID NO: 204: 0.03369, 375, novel, GTG start

- 4005 SEQ ID NO: 205: -0.295604, 92, a putative secreted effector protein, similar to EspF proteins for example ,[Escherichia coli strain E2348/69] gi|2865308|gb|aaC38400.1| (37% identity in 87 amino acids); L0016 Escherichia coli gi|3414884|gb|aaC31495.1| (38% identity in 126 amino acids)
- 4010 SEQ ID NO: 206: ~0.495808, 168, novel, partially similar to avirulence protein A [Pseudomonas syringae] gi|114726|sp|P11437|AVRA#PSESG (46% identity in 56 amino acids)
- SEQ ID NO: 207: -0.350549, 92, a putative integrase, 4015 identical tο integrase [Bacteriophage 933W] gi | 4585378 | gb | aaD25406.1 | AF125520#1. but [having] defferent start; similar integrases for to .[Escherichia example coli rac prophage gi | 6166234 | sp | P76056 | INTR#ECOLI (42% identity in 408
- SEQ ID NO: 208: 0.199342, 153, a putative excisionase, identical to putative excisionase [Bacteriophage 933W] gi | 4585379 | gb | aaD25407.1 | AF125520#2
- SEQ ID NO: 209: 0.463492, 64, novel, identical to 4025 hypothetical protein [Bacteriophage 933W] gi | 4585380 | gb | aaD25408.1 | AF125520#3
  - SEQ ID NO: 210 : -0.033136, 170, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585381 | gb | aaD25409.1 | AF125520#4, but [having]
- 4030 defferent start

amino acids)

4020

SEQ ID NO: 211: -0.402415, 208, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585382 | gb | aaD25410.1 | AF125520#5; similar to hypothetical protein [Bacteriophage 933W]

amino acids), GTG start

- 4035 gi | 4585455 | gb | aaD25483.1 | AF125520#78 (50% identity in 80 amino acids)
  - SEQ ID NO: 212: -0.577922, 78, novel, identical to hypothetical protein [Bacteriophage 933W]
- 4040 gi | 4585383 | gb | aaD25411.1 | AF125520#6 (100% identity in 95 amino acids)
  - SEQ ID NO: 213: 0.356338, 72, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585384 | gb | aaD25412.1 | AF125520#7 (100% identity in 72
- 4045 amino acids), GTG start

  SEQ ID NO: 214: -0.410847, 296, novel, identical to hypothetical protein [Bacteriophage 933W]

  gi|4585385|gb|aaD25413.1|AF125520#8 (100% identity in 95
- 4050 SEQ ID NO: 215: -0.942593, 109, novel, identical to hypothetical protein [Bacteriophage VT2-Sa] gi | 5881600 | dbj | Baa84291.1 | (100% identity in 155 amino acids)
- SEQ ID NO: 216: -0.260656, 245, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585386 | gb | aaD25414.1 | AF125520#9 (100% identity in 257 amino acids);, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585455 | gb | aaD25483.1 | AF125520#78 (95% identity in 157
- 4060 amino acids), GTG start

  SEQ ID NO: 217: -0.421638, 172, novel, similar to C4-type

  zinc finger proteins (TraR family) for

  example ,gi|4585456|gb|aaD25484.1|AF125520#79 (79%

  identity in 73 amino acids)
- 4065 SEQ ID NO: 218: -0.312093, 646, novel, identical to hypothetical protein [Bacteriophage 933W], but [having] defferent start; similar to orf61 [Bacteriophage lambda] gi|508993|gb|aaA96566.1| (93% identity in 46 amino acids)

SEQ ID NO: 219: -0.186957, 47, novel, identical to 4070 hypothetical protein [Bacteriophage VT2-Sal gi | 5881603 | dbj | Baa84294.1 | (100% identity in 63 amino acids); similar to orf63 [Bacteriophage lambdal gi | 508994 | gb | aaA96567.1 | (90% identity in 61 amino acids) SEQ ID NO: 220: -0.418537, 411, novel, identical to hypothetical [Bacteriophage 4075 protein VT2-Sal gi | 5881604 | dbj | Baa84295.1 |, but [having] defferent start; orf60a [Bacteriophage similar to lambdal gi | 508995 | gb | aaA96568.1 | (96% identity in 60 amino acids) SEQ ID NO: 221: -0.531132, 213, a exonuclease, similar to 4080 exonuclease [Bacteriophagelambda] gi | 2981722 | pdb | 1AVQ | A (98% identity in 226 amino acids) SEQ ID NO: 222: -0.137079, 90, a recombination protein Bet, identical  $\operatorname{Bet}$ [Bacteriophage VT2-Sal to gi | 5881606 | dbj | Baa84297.1 | (100% identity in 261 amino 4085 acids); similar to Bet Bacteriophage lambdal gi | 137511 | sp | P03698 | VBET#LAMBD (99% identity in 261 amino acids) SEQ ID NO: 223: -0.533645, 215, a host-nuclease inhibitor Gam, similar to Gam protein proteins for 4090 example lambdal .[Bacteriophage gi | 138128 | sp | P03702 | VGAM#LAMBD (97% identity in 138 amino acids) SEQ ID NO: 224: -0.435294, 52, a Kil protein, identical to kil [Bacteriophage VT2-Sa] gi | 5881608 | dbj | Baa84299.1 |; similar 4095 to kill proteins for example ,[Bacteriophage lambda] gi | 138622 | sp | P03758 | VKIL#LAMBD (98% identity in 89 amino acids) SEQ ID NO: 225: -0.714458, 167, a regulatory proteincIII (antitermination), identical to cIII [Bacteriophage lambda] 4100 gi | 133366 | sp | P03044 | RPC3#LAMBD (100% identity in 54 amino acids)

SEQ ID NO: 226: 0.126027, 74, a single strandbinding protein

- identical Ea10 Ea10. to Bacteriophage VT2-Sal gi | 5881610 | dbj | Baa84301.1 | (100% identity in 122 amino 4105 similar to Ea10 [Bacteriophage lambdal gi | 137630 | sp | P03757 | VE10#LAMBD (99% identity in 122 amino acids) SEQ ID NO: 227: -0.575177, 142, novel, identical to hypothetical [Bacteriophage protein gi | 5881612 | dbj | Baa84303.1 | (100% identity in 83 amino acids) 4110 SEQ ID NO: 228: -1.413333, 61, a putative anti-termination N protein, identical to N protein [Bacteriophage VT2-Sa] gi|5881613|dbj|Baa84304.1|, but [having] defferent start; similar to N proteins for example , [Bacteriophage 933W] 4115 gi | 4585397 | gb | aaD25425.1 | AF125520#20 (42% identity in 90 amino acids) SEQ ID NO: 229: -0.125172, 291, novel SEQ ID NO: 230: -0.297787, 950, novel SEQ ID NO: 231: -0.469647, 795, novel, identical to 4120 hypothetical protein [Bacteriophage VT2-Sal gi | 5881614 | dbj | Baa84305.1 | (100% identity in 173 amino acids) SEQ ID NO: 232: -0.370764, 302, a putative cl repressor similar to cI [Bacteriophage lambda gi | 133353 | sp | P03034 | RPC1#LAMBD (70% identity in 4125 amino acids) SEQ ID NO: 233: 0.007584, 357, a putative regulatory protein, identical to hypothetical protein [Bacteriophage VT2-Sa] gi | 5881616 | dbj | Baa84307.1 |; similar to c2 [Bacteriophage L] 4130 gi | 1469215 | emb | Caa63999.1 | (42% identity in 49 amino acids) SEQ ID NO: 234: 0.418519, 55, a regulatory protein CII, identical to CII protein [Bacteriophage VT2-Sal
- 4135 phage HK022] gi|631957|pir||842398 (96% identity in 98 amino acids)

gi | 5881617 | dbj | Baa84308.1 | (100% identity in 98 amino acids); similar to CII proteins for example ,[Enterobacteria

- SEQ ID NO: 235: -0.554044, 273, novel, identical to hypothetical protein [Enterobacteria phage HK022] gi | 632160 | pir | | S42399 (100% identity in 48 amino acids);
- 4140 similar to orf48 [Bacteriophage P22] gi | 871503 | emb | Caa55155.1 | (85% identity in 48 amino acids) SEQ ID NO: 236: -0.290062, 162, a endopeptidase (host cell lysis), similar to endopeptidases for example ,[Bacteriophage lambda] gi | 119368 | sp | P00726 | ENPP#LAMBD (97% identity in
- 4145 153 amino acids)

amino acids)

- SEQ ID NO: 237: -0.084177, 159, a lipoprotein Rz1 precursor, similar to Rs1 precursors—for example ,[Bacteriophage lambda] gi|540738|pir||JN0750 (96% identity in 60 amino acids)
- SEQ ID NO: 238: -0.384931, 74, novel, similar to Bor protein 4150 precursors for example ,[Bacteriophage lambda] gi | 137520 | sp | P26814 | VBOR#LAMBD (98% identity in 97
  - SEQ ID NO: 239: -0.322581, 125, novel, similar to hypothetical proteins for example ,YbcV [Escherichia coli]
- 4155 gi | 2495556 | sp | P77598 | YBCV#ECOLI (98% identity in 150 amino acids)
  - SEQ ID NO: 240: -0.276613, 125, novel, identical to YbcW [Escherichia coli] gi|2495557|sp|P75720|YBCW#ECOLI
- SEQ ID NO: 241: 0.049693, 164, novel, similar to hypothetical proteins for example ,[Escherichia coli] gi|1778472|gb|aaB40755.1| (98% identity in 64 amino acids) SEQ ID NO: 242: -0.307692, 66, a terminase small subunit, similar to terminase smallsubunits for example ,Nu1
  - [Bacteriophage lambda] gi|139026|sp|P03707|TERS#LAMBD
- 4165 (97% identity in 181 amino acids)
  - SEQ ID NO: 243: -0.415, 281, a putative terminase large subunit, similar to terminase large subunits for example, protein

    A [Bacteriophage lambda] gi | 137616 | sp | P03708 | TERL#LAMBD (99% identity in 641)
- 4170 amino acids), GTG start

- SEQ ID NO: -: 0.61519, 80, a head-to-tail joining protein, similar to head-to-tail joining proteins for example ,GpW [Bacteriophage lambda] gi | 138415 | sp | P03727 | VHTJ#LAMBD (98% identity in 68 amino acids)
- 4175 SEQ ID NO: 485: -0.691397, 373, a putative portal protein, similar to portal proteins for example ,GpB [Bacteriophage lambda] gi | 138762 | sp | P03710 | VMCB#LAMBD (98% identity in 533 amino acids)
- SEQ ID NO: 486: -0.496629, 90, a minor capsid protein, similar to minor capsid proteins for example, protein C [Bacteriophage lambda] gi|137565|sp|P03711|VCAC#LAMBD (97% identity in 439 amino acids), GTG start, containing Nu3-homolog
- SEQ ID NO: 487: -0.65931, 146, a major capsid protein,
  4185 similar to major capsid proteins for example ,GpD
  [Bacteriophage lambda]
  gi|137566|sp|P03712|VCAD#LAMBD(99% identity in 110
  amino acids)
- SEQ ID NO: 488: 0.03027, 186, a putative major capsid 4190 protein, similar to major capsid proteins for example ,GpE [Bacteriophage lambda] gi|116752|sp|P03713|HEAD#LAMBD (98% identity in 341 amino acids)
  - SEQ ID NO: 489: -0.356579, 77, a DNA packaging protein, similar to DNA packaging proteins for example ,GpFI
- 4195 [Bacteriophage lambda] gi | 139324 | sp | P03709 | VPF1#LAMBD (98% identity in 132 amino acids)
  - SEQ ID NO: 490: -0.53038, 159, a minor capsid protein, similar to minor capsid proteins—for example ,GpFII [Bacteriophage lambda] gi | 137575 | sp | P03714 | VCF2#LAMBD(94% identity in
- 4200 117 amino acids), GTG start

  SEQ ID NO: 491: -0.797196, 108, a minor tail protein, similar to minor tail proteins for example ,GpZ [Bacteriophage lambda] gi | 138849 | sp | P03731 | VMTZ#LAMBD (98% identity in 192 amino acids)

- 4205 SEQ ID NO: 492: -0.397163, 142, a minor tail protein, similar to minor tail proteins for example ,GpU [Bacteriophage lambda] gi | 138847 | sp | P03732 | VMTU#LAMBD (100% identity in 131 amino acids)
- SEQ ID NO: 493: -0.69942, 346, a major tail protein V,
  4210 similar to major tail proteins for example ,GpV
  [Bacteriophage lambda] gi|138848|sp|P03733|VMTV#LAMBD
  (95% identity in 246 amino acids)
  - SEQ ID NO: 494: -0.687309, 198, a minor tail protein, similar to minor tail proteins for example ,GpG [Bacteriophage
- 4215 lambda] gi | 138842 | sp | P03734 | VMTG#LAMBD (96% identity in 140 amino acids)
  - SEQ ID NO: 495: -0.404622, 239, a putative minor tail protein, similar to minor tail proteins for example ,GpT [Bacteriophage lambda] gi|138846|sp|P03735|VMTT#LAMBD
- 4220 (99% identity in 144 amino acids), probably produced by translational frameshift
  - SEQ ID NO: 496: -0.494286, 106, a tail length tape measure protein precursor, similar to tail length tape measure protein precursors for example ,GpH [Bacteriophage lambda]
- 4225 gi | 138843 | sp | P03736 | VMTH#LAMBD (96% identity in 849 amino acids)
  - SEQ ID NO: 497: -0.175, 101, a minor tail protein, similar to minor tail proteins for example ,GpM [Bacteriophage lambda] gi | 138845 | sp | P03737 | VMTM#LAMBD (94% identity in
- 4230 109 amino acids)
  - SEQ ID NO: 498: -0.355238, 106, a minor tail protein, similar to minor tail proteins for example ,GpL [Bacteriophage lambda] gi | 138844 | sp | P03738 | VMTL#LAMBD (98% identity in 232 amino acids)
- 4235 SEQ ID NO: 499: -0.282857, 106, a tail assembly protein, similar to tail assembly proteins for example ,GpK [Bacteriophage lambda] gi|139638|sp|P03729|VTAK#LAMBD (97% identity in 199 amino acids)

- SEQ ID NO: 500: -0.675172, 146, a tail assembly protein, similar to tail assembly proteins for example ,GpI 4240 [Bacteriophage lambda] gi | 139637 | sp | P03730 | VTAI#LAMBD (98% identity in 223 amino acids) SEQ ID NO: 501: 0.114286, 64, a host specificity protein, similar to host specificity proteins for example ,GpJ [Bacteriophage lambda] gi | 138412 | sp | P03749 | VHSJ#LAMBD 4245 (89% identity in 1131 amino acids) SEQ ID NO: 502: -0.550256, 196, a putative membrane protein precursor, similar to membrane protein Lom precursors example ,[prophage P-EibA 4250 gi | 7532789 | gb | aa F 63231.1 | AF 151091#2 (69% identity in 199 acids); Bacteriophage gi | 138693 | sp | P03701 | VLOM#LAMBD (44% identity in 199 amino acids) SEQ ID NO: 503: 0.15098, 52, a putative tail fiber protein, 4255 similar to putative tail fiber proteins for example, Gp37 [Escherichia coli] gi | 7466858 | pir | | G64887 (95% identity in 496 amino acids) SEQ ID NO: 504: 0.198571, 71, a tail fiber assembly protein, similar to tail fiber assembly proteins for example Orf194 [Bacteriophage lambda] gi | 139990 | sp | P03740 | Y194#LAMBD 4260 (92% identity in 191 amino acids) SEQ ID NO: 505: -0.96087, 93, novel, similar to hypothetical proteins for example ,putative catalase [Salmonella typhimurium] gi | 7162108 | emb | CAB76676.1 | (84% identity in 289 amino acids) 4265 SEQ ID NO: 506: -0.407736, 350, novel, similar to hypothetical proteins for example ,YciE [Escherichia coli] gi | 775201 | gb | aaA65179.1 | (88% identity in 168 amino acids)
- 4270 hypothetical proteins for example ,YciF [Escherichia coli] gi | 140432 | sp | P21362 | YCIF#ECOLI (80% identity in 166 amino acids)

SEQ ID NO: 507: -0.273387, 125, novel, similar to

- SEQ ID NO: 508: -0.473626, 274, novel, similar to hypothetical proteins for example ,YciG-homolog [Salmonella
- 4275 typhimurium] gi | 6851081 | emb | CAB71036.1 | (88% identity in 60 amino acids), (also similar to YciG, E. coli [in TONB-TRPA INTERGENIC REGION])
  - SEQ ID NO: 509: 0.544262, 62, novel, similar to hypothetical proteins for example ,ybcY [Escherichia coli]
- 4280 gi | 2495559 | sp | P77460 | YBCY#ECOLI (99% identity in 143 amino acids)
  - SEQ ID NO: 510: -0.353615, 167, novel, similar to hypothetical proteins for example ,YlcE [Escherichia coli] gi|3025212|sp|P77087|YLCE#ECOLI (98% identity in 61
- 4285 amino acids), (similar to orf194, lambda, phage tail assembly protein)
  - SEQ ID NO: 511: -0.336744, 646, novel, similar to hypothetical proteins for example ,L0013 [Escherichia coli O-157:H7 EDL933] gi|3414881|gb|aaC31492.1| (99% identity
- 4290 in 133 amino acids)
  - SEQ ID NO: 512: 0.348333, 61, novel, similar to hypothetical proteins for example ,L0014 [Escherichia coli O-157:H7 EDL933] gi|3414882|gbaaC31493.1| (100% identity in 115 amino acids)
- 4295 SEQ ID NO: 513: -0.398876, 90, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli O-157:H7 EDL933] gi|3414883|gb|aaC31494.1| (100% identity in 512 amino acids)
- SEQ ID NO: 514: 0.087324, 72, a putative fimbrial protein 4300 (partial), similar to truncated BfpA [Escherichia coli] gi|4808944|gb|aaD30026.1|AF119170#1 (75% identity in 40 amino acids)
  - SEQ ID NO: 515: -0.027193, 115, novel, similar to hypothetical proteins for example ,[ plasmid F]
- 4305 gi | 8918853 | dbj | Baa97900.1 | (76% identity in 492 amino acids)
  SEQ ID NO: 516: -0.440678, 178, an outer membrane protease

- precursor, similar to outer membrane protease precursors for example ,protease VII precursor [Escherichia coli] gi | 129161 | sp | P09169 | OMPT#ECOLI (98% identity in 317
- 4310 amino acids)

  SEQ ID NO: 517: -0.283069, 190, novel, similar to hypothetical proteins for example ,putative DNAbinding protein [Streptomyces coelicolor A3(2)]

gi|6855358|emb|CAB71249.1| (34% identity in 171 amino

- 4315 acids)
  - SEQ ID NO: 518: -0.234839, 156, a transposase, identical to hypothetical protein[Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241
    - SEQ ID NO: 519: 0.076471, 69, a transposase, identical to
- 4320 transposase [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7443862 | pir | | T00240

SEQ ID NO: 520: 0.045946, 75, similar to a part of hypothetical proteins, for example, YPJA#ECOLI gi | 2507221 | sp | P52143 (amino acids at the position 1336-1569/1569) (96% identity in

- 4325 234 amino acids), GTG start
  - SEQ ID NO: 521: -0.288889, 73, novel
  - SEQ ID NO: 522: 1.11087, 47, a transposase (insertion sequence IS629), similar to gi | 7443862 | pir | T00240 (96% identity in 296 amino acids)
- 4330 SEQ ID NO: 523: -0.714754, 62, a transposase (insertion sequence IS629), similar to hypothetical proteins for example ,[Shigella flexneri SHI-2 pathogenicityisland] gi|5532454|gb|aaD44738.1|AF141323#9 (98% identity in 108 amino acids)
- 4335 SEQ ID NO: 524: -0.468595, 122, a putative TonB dependent outer membrane receptor, similar to TonBdependent outer membrane receptor PrrA [Escherichia coli CFT073] gi|3661477|gb|aaC61709.1| (97% identity in 656 amino acids) SEQ ID NO:525: -0.648128, 188, a molybdenum transporter
- 4340 protein, similar to molybdenum transporter proteins for

- example ,gi|3661478|gb|aaC61710.1| (91% identity in 284 amino acids)
- SEQ ID NO: 526: -0.117179, 554, novel
- SEQ ID NO: 527: -0.148992, 646, novel, similar to
- 4345 hypothetical proteins for example ,Orf2 [Escherichia coli CFT073] gi|3661479|gb|aaC61711.1| (98% identity in 214 amino acids)
  - SEQ ID NO: 528: -0.435414, 834, a putative ferric enterobactintransporter, similar to ferric
- 4350 enterobactintransporter ATP-binding protein [Escherichia coli CFT073] gi|3661480|gb|aaC61712.1| (79% identity in 148 amino acids)
  - SEQ ID NO: 529: -0.008333, 109, a putative ABC protein (permease), similar to ABC transporter permeases for
- 4355 example ,[Haemophilus influenzae] gi|2501391|sp|Q57130|YE71#HAEIN (40% identity in 323 amino acids)
  - SEQ ID NO: 530: -0.180172, 117, a putative ABC transporter, similar to iron (iii) ABC transporter, ATP-binding protein
- 4360 [Pyrococcus abyssi (strain Orsay)] gi|7519847|pir||A75077
  (24% identity in 246 amino acids); hypothetical proteins for example ,[Methanosarcina barker] gi|2129363|pir||S62196
  (26% identity in 259 amino acids)
  - SEQ ID NO: 531: -0.46554, 149, novel
- 4365 SEQ ID NO: 532: 0.172807, 115, a putative integrase, similar to phage integrase family, for example ,[Bacteriophage 21] gi | 138558 | sp | P27077 | VINT#BPP21 (50% identity in 370 amino acids)
  - SEQ ID NO: 533: -0.333614, 239, a putative excisionase,
- 4370 similar to excisionases for example ,[Bacteriophage 21] gi | 139674 | sp | P27079 | VXIS#BPP21 (45% identity in 77 amino acids)
  - SEQ ID NO: 534: -0.296774, 125, a putative exonuclease, its N-terminal part (amino acids at the position 1-256) is similar to

- 4375 hypothetical proteins for example ,ydfE [Escherichia coli crypticprophage/truncated insertion sequence IS2 fusion] gi | 78597 | pir | | S03698 (92% identity in 256 amino acids); its Central part (amino acids at the position 209-622) is similar to Exodeoxyribonuclease VIII (EC 3.1.11.-) (Exo VIII).
- 4380 [Escherichia coli] gi|1742216|dbj|Baa14950.1| (39% identity in 361 amino acids); its C-terminal part (amino acids at the position 644-776) is similar to exonuclease [phage T4] gi|119690|sp|P04536|EXOD#BPT4 (27% identity in 133 amino acids)
- 4385 SEQ ID NO: 535: -0.091398, 94, novel, similar to hypothetical protein YdfD [Escherichia coli] gi | 140587 | sp | P29010 | YDFD#ECOLI (96% identity in 63 amino acids)
- SEQ ID NO: 536: -0.238298, 142, a putative cell division
  4390 inhibition protein, similar to cell division inhibitor dicB
  [Escherichia coli] gi|2507009|sp|P09557|DICB#ECOLI (93% identity in 62 amino acids)

SEQ ID NO: 537: -0.317647, 953, novel SEQ ID NO: 538: -0.665487, 114, novel

- 4395 SEQ ID NO: 539: -0.364655, 233, novel, similar to hypothetical 8.3 KD protein YdfC [Escherichia coli] gi|140586|sp|P21418|YDFC#ECOLI, (94% identity in 72 amino acids)
- SEQ ID NO: 540: -0.672619, 85, a putative repressor protein
  4400 of division inhibition gene dicB, similar to DicA repressor
  protein of division inhibition gene dicB [Escherichia coli]
  gi | 118631 | sp | P06966 | DICA#ECOLI (63% identity in 131 amino
  acids); its N-terminal part (amino acids at the position 1-68
  amino acids) is similar to N-terminal part of protein
- 4405 [Bacteriophage P22] gi | 1333359 | sp | P03035 | RPC2#BPP22(61% identity in 68 amino acids)
  - SEQ ID NO: 541: -0.47226, 293, a putative repressor protein of division inhibition gene dicB, similar to DicC repressor

- protein of division inhibition gene dicB [Escherichia coli] gi | 118633 | sp | P06965 | DICC#ECOLI (82% identity in 74 amino 4410 acids); its N-terminal part (amino acids at the position 1-57 amino acids) is similar to (at low level) Cro [Bacteriophage P22] gi | 132195 | sp | P09964 | RCRO#BPP22 (36% identityin 57 amino acids)
- SEQ ID NO: 542: -0.389388, 246, 4415 novel. similar to protein YdfX [Escherichia coli] hypothetical 11.0 kDa gi | 3183265 | sp | P76165 | YDFX#ECOLI (87% identity in 93 amino acids)
- SEQ ID NO: 543: -0.211702, 95. novel, similar to replication 4420 termination factor (prepriming protein I) DnaT [Escherichia coli] gi | 1361001 | pir | | S56589 (51% identity in 83 amino acids) SEQ ID NO: 544: -0.145524, 783, a putative phagereplication protein, similar to phagereplication proteins for example, protein 14 [phage phi-80] gi | 137937 | sp | P14814 | VG14#BPPH8
- (48% identity in 129 amino acids) SEQ ID NO: 545: -0.473433, 1134, a putative fimbrial minor pilin protein precursor, similar to N-terminal part of fimbrial minor pilin protein precursors for example, Pap-related pilus H [Escherichia coli] gi | 837337 | gb | aaA67692.1 | (75% identity in
- 56 amino acids), GTG start, probably interrupted by frameshift 4430 SEQ ID NO: 546: 0.168627, 52, a fimbrial minor pilin protein precursor (partial), similar to C-terminal part of fimbrial minor pilin protein precursors, for example, PrsH [Escherichia coli] gi | 1172646 | sp | P42185 | PRSH#ECOLI (62% identity in 50
- amino acids) 4435

- SEQ ID NO: 547: 0.350336, 150, a putative colonization factor, identical to Anm (attachment and effacement of negative mutant) protein |Escherichia coli gi | 6715555 | gb | aaB48445.2 | (100% identity in 252 amino
- 4440 acids); similar to accessory colonization factor AcfC [Vibrio cholerae] gi | 558481 | gb | aaA50604.1 | (50% identity in 239 amino acids)

- SEQ ID NO: 548: -0.544186, 302, a putative toxic protein (prophage maintenance; modulation host cell killing), similar to
- 4445 Hok/Gef family for example ,Gef [Escherichia coli] gi|2120017|pir||S40540 (79% identity in 69 amino acids) SEQ ID NO: 549: -0.409434, 54, novel, similar to Rem protein [Escherichia coli]gi|132324|sp|P07010|REM#ECOLI (71% identity in 84 amino acids)
- 4450 SEQ ID NO: 550: -0.517544, 58, novel, similar to (at low level) orf QD1 [Bacteriophage N15] gi|2564084|gb|aaB81659.1| (33% identity in 64 amino acids) SEQ ID NO: 551: -0.641758, 92, novel, similar to hypothetical protein b1560 [Escherichia coli] gi|7466196|pir||C64911 (86%)
- identity in 347 amino acids); similar to hypothetical—protein A [phage P1] gi | 732234 | sp | Q06262 | YORA#BPP1 (85% identity in 347 amino acids), GTG start
  - SEQ ID NO: 552: -0.407064, 454, a putative crossover junction endodeoxyribonuclease, similar to Gp67 [Bacteriophage
- 4460 HK97] gi | 6901639 | gb | aaF31142.1 | (60% identity in 113 amino acids); crossover junction endodeoxyribonucleases for example ,Rus [Escherichia coli cryptic lambdoid prophage DLP12] gi | 2507117 | sp | P40116 | RUS#ECOLI (39% identity in 115 amino acids)
- SEQ ID NO: 553: -0.475714, 71, novel

  SEQ ID NO: 1213: -0.410758, 410, novel [hypothetical lipoprotein], its C-terminal part is similar to orf2

  [Bacteriophage P27] gi | 8346569 | emb | CAB93762.1 | (98% identity in 63 amino acids), GTG start
- 4470 SEQ ID NO: 1214: -0.622581, 63, a putative DNA methylase, similar to orf3 [BacteriophageP27] gi|8346570|emb|CAB93763.1| (85% identity in 312 amino acids); similar to adenine specific modification methylases for example ,Gp52 [phage N15] gi|7433503|pir||T13139 (55%
- 4475 identity in 270 amino acids)
  SEQ ID NO: 1215: -0.359514, 248, novel, similar to

- hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (52% identity in 613 amino acids)
- 4480 SEQ ID NO: 1216: 0.293846, 66, a putative holin protein, similar to holin proteins for example ,[Bacteriophage 933W] gi|4499808|emb|CAB39307.1| (95% identity in 71 amino acids) SEQ ID NO: 1217: 0.377049, 62, novel, similar to hypothetical protein YdfR [Escherichia coli]
- 4485 gi | 3183262 | sp | P76160 | YDFR#ECOLI (45% identity in 74 amino acids)
  - SEQ ID NO: 1218: -0.180952, 64, a putative endolysin, similar to endolysins for example ,[Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45 (96% identity in 177
- 4490 amino acids)
  SEO ID NO: 1210 -
  - SEQ ID NO: 1219: -0.23625, 81, a putative antirepressor protein, identical to putative antirepressor protein Ant [Bacteriophage 933W] gi | 4585423 | gb | aaD25451.1 | AF125520; similar to antirepressor protein Ant [Bacteriophage
- 4495 P22]gi|131843|sp|P03037|RANT#BPP22 (49% identity in 126 amino acids)
  - SEQ ID NO: 1220 -0.936364, 100, endopeptidase (host lysis), identical to Rz [Bacteriophage VT2-Sa] gi|5881639|dbj|Baa84330.1|; similar to Rz endopeptidases for
- 4500 example ,[Bacteriophage lambda]
  gi|119368|sp|P00726|ENPP#LAMBD (69% identity in 153
  amino acids)
  - SEQ ID NO: 1221: -0.548598, 322, a lipoprotein Rz1 precursor, similar to Rz1 protein precursors for
- 4505 example ,[Bacteriophage 933W]
  gi | 4585425 | gb | aaD25453.1 | AF125520#48(98% identity in 61
  amino acids); [Bacteriophage lambda]
  gi | 540738 | pir | | JN0750(70% identity in 61 amino acids)
- SEQ ID NO: 1222: -0.179452, 74, novel, similar to 4510 hypothetical proteins for example [Escherichia coli]

amino acids)

- gi | 1778472 | gb | aaB40755.1 | (70% identity in 67 amino acids)
  SEQ ID NO: 1223: -0.636194, 269, a putative DNase, similar
  to (at low level) putative DNAse [Bacteriophagephi-C31]
  gi | 1107475 | emb | Caa62587.1 | (28% identity in 85 amino acids)
- 4515 SEQ ID NO: 1224: 0.322807, 115, novel

  SEQ ID NO: 1225: -0.454217, 84, a putative terminase small subunit, similar to (at low level) putative terminase small subunit [Bacillus subtilis PBSX phage]

  gi | 1722886 | sp | P39785 | XTMA#BACSU (42% identity in 57
- 4520 amino acids), GTG start

  SEQ ID NO: 1226: -0.484559, 137, a putative terminase large subunit, similar to phage D3terminase-like protein [Haemophilus influenzae] gi | 6739656 | gb | aaF27357.1 | AF198256#11 (22% identity in 472
- SEQ ID NO: 1227: -0.942222, 91, a putative head protein/prohead protease, its N-terminal part is similar to putative prohead proteases for example ,[Bacteriophage HK97] gi | 1722780 | sp | P49860 | VP4#BPHK7 (28% identity in
- 4530 136 amino acids); its C-terminal part is similar to major head protein [mycobacterium phage L5] gi|465114|sp|Q05223|VG17#BPML5 (23% identity in 280 amino acids), GTG start
  - SEQ ID NO: 1228: -0.382433, 75, novel
- 4535 SEQ ID NO: 1229: -0.597662, 386, a putative portal protein, its N-terminal-half part is similar to head portal proteins, for example ,[Bacteriophage HK022] gi|6863114|gb|aaF30355.1|AF069308#3 (26% identity in 351 amino acids); its C-terminal-half part is similar to
- 4540 C-terminal-half part of putative transducer protein [H. salinarum] gi|3913878|sp|Q48317|HTR4#HALSA(21% identity in 347 amino acids)
  - SEQ ID NO: 1230: -0.524865, 186, novel
  - SEQ ID NO: 1231: -0.486352, 404, a putative head-tail

- 4545 adaptor, similar to putative head-tail adaptors for example ,[Bacteriophage HK97] gi|6901597|gb|aaF31100.1| (45% identity in 111 amino acids)
  - SEQ ID NO: 1232: -0.194643, 113, novel, similar to phage hypothetical proteins for example, Gp10 [Bacteriophage HK97]
- 4550 gi | 6901598 | gb | aaF31101.1 | (75% identity in 148 amino acids)

  SEQ ID NO: 1233: 0.009184, 99, novel, similar to Gp11

  [Bacteriophage HK97 | gi | 6901599 | gb | aaF31102.1 | (49% identity in 113 amino acids)
- SEQ ID NO: 1234: 1.106849, 147, a putative major tail subunit, similar to major tail subunit [Bacteriophage HK97] gi | 6901588 | gb | aaF31091.1 | AF069529#4 (65% identity in 234 amino acids), GTG start
  - SEQ ID NO: 1235: -1.563158, 58, a putative tail assembly chaperone, similar to putative tailassembly chaperons for
- 4560 example ,p14 [Bacteriophage HK97] gi | 6901600 | gb | aaF31103.1 | (62% identity in 124 amino acids) SEQ ID NO: 1236: -0.692373, 119, novel, similar to C-terminal part of Gp14 [Bacteriophage HK97] gi | 6901601 | gb | aaF31104.1 | (60% identity in 94 amino acids),
- 4565 probablyproduced by translational frameshift
  SEQ ID NO: 1237: -0.32604, 554, a putative tail length tape
  measure protein, similar to tail length tape measure
  proteins for example ,[Bacteriophage HK97]
  gi|6901589|gb|aaF31092.1|AF069529#5 (52% identity in 1022
- 4570 amino acids)

  SEQ ID NO: 1238: -0.727957, 94, a putative minor tail protein, similar to minor tail proteins for example ,GpM

  [Bacteriophage lambda] gi|138845|sp|P03737|VMTM#LAMBD (44% identity in 110 amino acids). GTG start
- 4575 SEQ ID NO: 1239: -0.284615, 92, a putative minor tail protein, similar to minor tail proteins for example ,GpL [Bacteriophage lambda] gi|138844|sp|P03738|VMTL#LAMBD (72% identity in 137 amino acids)

- SEQ ID NO: 631: -0.709473, 381, a putative host specificity 4580 protein, similar to host specificity proteins for example, GpJ [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD (69% identity in 1157 amino acids)
  - SEQ ID NO: 632: -0.351282, 79, a putative outer membrane protein precursor, similar to outer membrane protein Lom
- 4585 precursors for example ,[prophage P-EibA] gi | 7532789 | gb | aaF63231.1 | AF151091#2(77% identity in 199 amino acids); [Bacteriophage lambda] gi | 138693 | sp | P03701 | VLOM#LAMBD (40% identity in 199 amino acids)
- 4590 SEQ ID NO: 633: -0.545985, 275, a putative tail fiber protein, similar to tail fiber proteins for example ,[Bacteriophage 933W] gi|4585436|gb|aaD25464.1|AF125520#59 (38% identity in 370 amino acids)
- 4595 SEQ ID NO: 634: -0.471244, 234, novel, similar to hypothetical protein [Bacteriophage 933W] gi|4585437|gb|aaD25465.1|AF125520#60 (92% identity in 89 amino acids)
- SEQ ID NO: 635: -0.194, 101, novel 4600 SEQ ID NO: 636: 1.042727, 111, novel, similar to hypothetical
- proteins for example ,Orf2 [Escherichia coli strain B171-8] gi|4126792|dbj|Baa36750.1| (37% identity in 111 amino acids) SEQ ID NO: 637: -0.138976, 509, novel

SEQ ID NO: 638: -0.319205, 152, an integrase, similar to

- 4605 integrases, for example, [Bacteriophage HK022] gi | 138560 | sp | P16407 | VINT#BPHK0 (89% identity in 229 amino acids), maybe comprising the deletion of 100 amino acids at N-terminus
  - SEQ ID NO: 639: -0.625, 57, novel
- 4610 SEQ ID NO: 640: -0.083333, 97, novel

  SEQ ID NO: 641: -0.538333, 121, disrupted transposase, similar to C-terminal of putative transposases for

- example ,[Yersinia pestis plasmid pMT1] gi | 2996347 | gb | aaC13227.1 | (74% identity in 89 amino acids),
- 4615 TTG start SEQ ID NO: 642: -0.450655, 230, a disrupted transposase, similar to C-terminal part of putative transposases, for example, [Yersinia pestis plasmid pMT1] gi | 7447905 | pir | | T14710 (70%) identity in 90 amino acids), comprising the deletion of
- 4620 N-terminal part (-180 amino acids) SEQ ID NO: 643: 0.76381, 106, novel, identical to L0015 Escherichia coli O-157:H7 strain EDL933 gi | 3414883 | gb | aaC31494.1 |
- SEQ ID NO: 644: -0.675317, 159, novel, identical to L0014 4625 [Escherichia coli O-157:H7 strain EDL933 gi | 3288157 | emb | Caa11510.1 | SEQ ID NO: 645: -0.396079, 154, novel, identical to L0013 [Escherichia coli EDL933] O-157:H7 strain gi | 3414881 | gb | aaC31492.1 |
- 4630 SEQ ID NO: 646: 0.016667, 61, novel SEQ ID NO: 647: 0.228866, 98, novel, similar to (at low level) protein [insertion hypothetical sequence IS6301 gi | 140943 | spP16943 | YIS5#SHISO (47% identity in 25 amino acids), TTG start
- 4635 SEQ ID NO: 648: -0.455333, 151, novel SEQ ID NO: 649: -0.113235, 69, novel, similar to hypothetical proteins for example ,orf2 [Escherichia coli strain B171-8] gi | 4126790 | dbj | Baa36748.1 |, (63% identity in 206 amino acids)
- SEQ ID NO: 650: -1.015625, 65, bfpT-regulated chaperone-like 4640 protein. similar to TrcA (bfpT-r for example .ulated chaperone-like protein)-like proteins for coli example ,TrcA[Escherichia strain B171-8] gi | 4126789 | dbj | Baa36747.1 |, (72% identity in 195 amino 4645
- SEQ ID NO: 651: -0.513812, 182, novel, partially similar to

acids)

- hypothetical protein [insertion sequence IS630] gi | 140943 | spP16943 | YIS5#SHISO (81% identity in 60 amino acids), GTG start, probably disrupted
- 4650 SEQ ID NO: 652: -0.585648, 642, novel, similar to N-terminal part of hypothetical 39 kDa protein [insertion element IS630] gi | 1143207 | gb | aaA84873.1 | (82% identity in 54 amino acids) SEQ ID NO: 653: -0.526471, 69, novel, similar to hypothetical protein ORF2 [Escherichia coli strain B171-8]
- 4655 gi | 4126790 | dbj | Baa36748.1 | (38% identity in 167 amino acids); ORF4 [Escherichia coli strain B171-8] gi | 4126792 | dbj | Baa36750.1 | (40% identity in 127 amino acids) SEQ ID NO: 654: -0.431519, 534, a putative transcription regulatory protein, similar to transcription regulatory proteins
- 4660 for example ,UidR [Escherichia coli] gi|2495429|sp|Q59431|UIDR#ECOLI (30% identity in 123 amino acids)
  - SEQ ID NO: 655: -0.048747, 440, a putative multidrug-effluxtransporter proteinprecursor, similar to
- 4665 multidrug-efflux transporter protein precursors for example ,AcrA [Escherichia coli K-12] gi|399000|sp|P31223|ACRA#ECOLI (51% identity in 358 amino acids)
- SEQ NO: ID656 : -0.159091, 111,  $\mathbf{a}$ putative multidrug-effluxtransporter 4670 protein, similar to multidrug-effluxtransporter proteins for example [Escherichia coli K-12] gi | 399001 | sp | P31224 | ACRB#ECOLI (56% identity in 974 amino acids)
- SEQ ID NO: 657: -0.38651, 342, a putative outer membrane 4675 channel protein, similar to outer membrane channel proteins for example OprM, Pseudomonas aeruginosal gi | 3184190 | dbj | Baa28694.1 | (43% identity in 448 amino acids) SEQ ID NO: 658: -0.231818, 133, a putative membrane transporter protein, similar to membrane transporter protein 4680 ,[Streptomyces coelicolor A3(2)for example

- gi | 6469269 | emb | CAB61730.1 | (38% identity in 380 amino acids)
- SEQ ID NO: 659: -0.434188, 118, novel, similar to hypothetical protein [Xylella fastidiosa]
- 4685 gi | 9106817 | gb | aaF84556.1 | AE003997#12 (38% identity in 209 amino acids)
  - SEQ ID NO: 660: -0.471354, 193, similar to C-terminal part of B1327#ECOLI gi | 1787587(amino acids at the position 224-310/310) (33% identity in 87 amino acids)
- 4690 SEQ ID NO: 661: -0.156489, 132, similar to N-terminal part of B1327#ECOLI gi | 1787587(amino acids at the position 22-123/310) (62% identity in 113amino acid)
  - SEQ ID NO: 662: -0.247561, 247, a transposase (insertion sequence IS629), identical to gi | 7443862 | pir | | T00240
- 4695 SEQ ID NO: 663: -0.355, 141, a transposase (insertion sequence IS629), identical to gi | 7444868 | pir | | T00241 SEQ ID NO: 664: -0.182639, 145, a putative regulatory
  - element, similar to(at low level) regulatory proteins for example ,regulatory protein CI (235 amino acids)
- 4700 [Bacteriophage HK022] gi | 1350835 | sp | P18680 (42% identity in 66 amino acids)
  - SEQ ID NO: 665: -0.463487, 850, a putative regulatory element, similar to Cro [Bacteriophage HK022] gi | 1350553 | sp | P18679 (61% identity in 73 amino acids)
- 4705 SEQ ID NO: 666: -0.314679, 110, its C-terminal part (amino acids at the position 139-262 / 262) is similar to C-terminal part of YDAU#ECOLI gi | 1787622 (amino acids at the position 162-285 / 285) (79% identity in 124 amino acids)
  - SEQ ID NO: 667: -0.4625, 233, novel
- 4710 SEQ ID NO: 668: -0.390688, 248, novel
  - SEQ ID NO: 669: 0.20583, 224, novel
  - SEQ ID NO: 670: -0.342491, 1133, novel
  - SEQ ID NO: 671: -0.326633, 200, novel, similar to N-terminal part of Eamino acid protein [Bacteriophage P22]

- 4715 gi | 418207 | sp | Q03544 | VEaa#BPP22(88% identity in 42 amino acids)

  SEQ ID NO: 672: -0.27899, 972, novel, partially similar to
  - hypothetical protein [Bacteriophage H19J]
- gi | 4490348 | emb | CAB38711.1 | (70% identity in 54 amino 4720 acids); partially similar to part of Gp45 [Bacteriophage N15]
- gi | 7521552 | pir | | T13131 (57% identity in 47 amino acids)
  - SEQ ID NO: 673: -0.308808, 194, possible methyltransferase, similar to methyltransferases for example ,cytosine-specific methyltransferase XorII [Xanthomonas oryzae pv.]
- 4725 gi|1709171|sp|P52311|MTX2#XANOR (40% identity in 365 amino acids)
  - SEQ ID NO: 674: -0.40473, 297, novel, similar to (at low level) hypothetical protein HI0983[Haemophilus influenzae] gi | 1074592 | pir | | D64163 (26% identity in 138 amino acids)
- 4730 SEQ ID NO: 675: -0.432143, 169, novel
  SEQ ID NO: 676: -0.448193, 167, novel, similar to Orf79
  [Bacteriophage D3] gi|8895177|gb|aaF80835.1| (36% identity in 199 amino acids)
- SEQ ID NO: 677: -1.706667, 61, novel, similar to hypothetical proteins for example, YbcO [Escherichia coli cryptic prophage DLP12] gi|7467043|pir||C64787 (57% identity in 96 amino acids); Gp66 [Bacteriophage HK97] gi|6901638|gb|aaF31141.1| (56% identity in 94 amino acids) SEQ ID NO: 678: -0.237063, 144, a putative aniterminator,
- 4740 similar to (at low level) antiterminator proteinQ [Bacteriophage 21] gi | 4539484 | emb | CAB39993.1 | (22% identity in 168 amino acids)
  - SEQ ID NO: 679: -0.446341, 83, novel, similar to putative TerB proteins for example ,[Deinococcus radiodurans]
- 4745 gi | 7473690 | pir | | C75302 (26% identity in 129 amino acids)

  SEQ ID NO: 680: -0.403175, 127, novel, GTG start

  SEQ ID NO: 681: 0.010435, 116, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W]

- gi | 4585419 | gb | aaD25447.1 | AF125520#42 (53% identity in 613
- 4750 amino acids)
  - SEQ ID NO: 682: -0.445312, 513, a putative holin protein (host cell lysis), similar to holin proteins for example, [Bacteriophage 933W] gi | 4499808 | emb | CAB39307.1 | (91% identity in 71 amino acids)
- 4755 SEQ ID NO: 683: -0.57037, 55, novel, similar to hypothetical protein [Escherichia coli] gi|3183262|sp|P76160|YDFR#ECOLI (43% identity in 74 amino acids)
  - SEQ ID NO: 684: -0.313158, 495, a endolysin (host cell lysis), similar to endolysins for example ,[Bacteriophage 933W]
- 4760 gi | 4335686 | gb | aaD17382.1 | (96% identity in 177 amino acids)

  SEQ ID NO: 685: -0.652681, 318, a putative antirepressor,
  identical to putative antirepressor [Bacteriophage 933W]
  gi | 4585423 | gb | aaD25451.1 | AF125520#46 (100% identity in
  189 amino acids); its N-terminal part (amino acids at the
- 4765 position 1-126) is similar to antirepressor protein Ant [Bacteriophage P22] gi | 131843 | sp | P03037 | RANT#BPP22 (49% identity in 126 amino acids)
  - SEQ ID NO: 686: -0.24433, 195, an endopeptidase (host cell lysis), similar to endopeptidases for example, [Bacteriophage
- 4770 VT2-Sal gi|5881639|dbj|Baa84330.1| (100% identity in 155 amino acids)
  - SEQ ID NO: 687: -0.965741, 109, novel, similar to hypothetical protein [Escherichia coli] gi|1778472|gb|aaB40755.1| (70% identity in 67 amino acids);
- 4775 hypothetical protein [Salmonella dublin] gi | 3511132 | gb | aaC33722.1 | (70% identity in 49 amino acids) SEQ ID NO: 688: -0.397973, 297, a putative DNase, similar to (at low level) gp30 (DNase) [Bacteriophagephi-C31] gi | 1107475 | emb | Caa62587.1 | (28% identity in 85 amino acids);
- 4780 similar to (at low level) TerF-related protein [Deinococcus radiodurans] gi | 7473956 | pir | | C75599 (33% identity in 72 amino acids)

- SEQ ID NO: -: -0.413248, 235, novel
- SEQ ID NO: : 0.280303, 67, a putative terminase small
- 4785 subunit, similar to phage terminase small subunits for example ,[Bacillus subtilis PBSX] gi|1722886|sp|P39785|XTMA#BACSU (34% identity in 52 amino acids)
- SEQ ID NO: 1641: -0.383784, 297, a putative terminase large subunit, similar to phage hypothetical proteins, for example ,phage D3 terminase-like protein [Haemophilus influenzae] gi | 6739656 | gb | aaF27357.1 | AF198256#11 (22% identity in 57 amino acids)
- SEQ ID NO: 1642: -0.942593, 109, a phage major head protein/prohead protease, its C-terminal part is similar to major head proteins for example ,[Mycobacterium phageL5] gi|465114|sp|Q05223|VG17#BPML5 (22% identity in 306 amino acids); its N-terminal part is similar to putative prohead proteases for example ,[Rhodobacter capsulatus]
- 4800 gi | 6467535 | gb | aaF13181.1 | AF181080#3 (30% identity in 133 amino acids); similar to putative prohead protease [Rhodobacter capsulatus] gi | 6467535 | gb | aaF13181.1 | AF181080#3 (30% identity in 133 amino acids), GTG start
- SEQ ID NO: -: -0.615396, 657, novel

  SEQ ID NO: 1419: 0.067253, 285, a putative portal protein, similar to phage portal proteins for example, [Bacteriophage D3] gi|5059250|gb|aaD38955.1| (24% identity in 366 amino acids)
- 4810 SEQ ID NO: 1420: -0.121505, 94, novel
   SEQ ID NO: 1421: -0.211215, 215, novel
   SEQ ID NO: 1422: 0.150397, 253, a putative phage head-tail adaptor, similar to head-tail adaptors for example ,[Bacteriophage HK97] gi|6901597|gb|aaF31100.1|
- 4815 (44% identity in 111 amino acids)
  SEQ ID NO: 1423: 0.99049, 327, novel, similar to phage

- hypothetical proteins for example ,Gp10 [Bacteriophage HK97] gi | 6901598 | gb | aaF31101.1 | (75% identity in 148 amino acids)
- SEQ ID NO: 1424: -0.024118, 341, novel, similar to Gp11
- 4820 [Bacteriophage HK97] gi | 6901599 | gb | aaF31102.1 | (49% identity in 113 amino acids)
  - SEQ ID NO: 1425: 0.580303, 67, a major tail subunit, similar to major tail subunit [Bacteriophage HK97] gi | 6901588 | gb | aaF31091.1 | AF069529#4 (67% identity in 234
- 4825 amino acids)
  - SEQ ID NO: 338: -0.622872, 377, a putative tail assembly chaperon, similar to tail assembly chaperon Gp14 [Bacteriophage HKJ97] gi|6901600|gb|aaF31103.1| (62% identity in 124 amino acids)
- 4830 SEQ ID NO: 339: -0.239024, 83, novel, similar to C-terminal part of Gp14 [Bacteriophage HK97] gi | 6901601 | gb | aaF31104.1 | (60% identity in 94 amino acids), probably produced by translational frameshift
- SEQ ID NO: 340: -0.7548, 824, a putative tail length tape
  4835 measure protein, similar to tail length tape measure
  proteins for example ,[Bacteriophage HK97]
  gi | 6901589 | gb | aaF31092.1 | AF069529#5 (52% identity in 1022
  amino acids)
- SEQ ID NO: 341: 0.230159, 64, a putative tail component,
  4840 similar to minor tail proteins for example ,GpM
  [Bacteriophage lambdal gi|138845|sp|P03737|VMTM#LAMBD
  (45% identity in 110 amino acids), GTG start
  - SEQ ID NO: 342: -0.180645, 63, a putative tail component, similar to minor tail proteins for example ,GpL
- 4845 [Bacteriophage lambda] gi | 138844 | sp | P03738 | VMTL#LAMBD (75% identity in 232 amino acids)
  - SEQ ID NO: 343: -0.133766, 78, a putative tail assembly, similar to tail assembly proteins for example ,GpK [Bacteriophage lambda] gi|6901605|gb|aaF31108.1| (35%)
- 4850 identity in 226 amino acids)

acids)

- SEQ ID NO: 344: -0.166667, 136, a putative tail assembly, similar to tail assembly proteins for example ,GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD (69% identity in 224 amino acids)
- SEQ ID NO: 345: -0.626389, 73, novel

  SEQ ID NO: 346: -0.679259, 136, a putative superoxide dismutase, similar to copper/zinc-superoxide dismutases for example ,[Salmonella typhimurium] gi|2462699|emb|Caa73588.1| (58% identity in 175 amino
- SEQ ID NO: 347: -0.498667, 76, a putative phage host specificity protein, similar to host specificity proteins for example ,GpJ [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD (70% identity in 1164
- 4865 amino acids)

  SEQ ID NO: 348: -0.345355, 184, similar to outer membrane proteins for example ,Lom protein [Bacteriophage P-EibA] dad |AF151091-2 | aaF63231.1 | (68% identity in 199 amino acids)
- 4870 SEQ ID NO: 349: -0.672832, 347, a putative tail fiber protein, similar to putative tail fiber proteins for example ,[Bacteriophage 933W] gi | 4585436 | gb | aaD25464.1 | AF125520#59 (AF125520) (34% identity in 233 amino acids), GTG start
- 4875 SEQ ID NO: 350: -0.670588, 222, novel, similar to hypothetical protein [Bacteriophage 933W] gi | 4585437 | gb | aaD25465.1 | AF125520#60 (94% identity in 129 amino acids), GTG start
- SEQ ID NO: 351: -0.268932, 104, novel, similar to ORF4
  4880 [Escherichia coli strain B171-8] gi|4126792|dbj|Baa36750.1|
  (35% identity in 116 amino acids): ORF2 [Escherichia coli strain B171-8] gi|4126790|dbj|Baa36748.1| (28% identity in 171 amino acids)
  - SEQ ID NO: 352: -0.120755, 54, novel, similar to ORF4

- 4885 [Escherichia coli strain B171-8] gi|4126792|dbj|Baa36750.1|
  (91% identity in 135 amino acids); ORF2 [Escherichia coli
  strain B171-8] gi|4126790|dbj|Bamino acid36748.1| (43%
  identity in 205 amino acids)
- SEQ ID NO: 353: -0.368651, 253, novel, similar to ORF4
  4890 [Escherichia coli B171-8] gi|4126792|dbj|Baa36750.1| (41% identity in 135 amino acids); ORF2 [Escherichia coli strain B171-8] gi|4126790|dbj|Baa 36748.1| (36% identity in 126 amino acids)
- SEQ ID NO: 354: 0.292857, 71, similar to YDBL#ECOLI 4895 gi | 1787648 (71% identity in 109 amino acids), but comprising different N-terminal part and C-terminal part
  - SEQ ID NO: 355: 0.012941, 86, a putative ABC-type transporter protein, similar to N-terminal part of ABC-type transporter protein YdbA.2 [Escherichia coli]
- 4900 gi | 7465766 | pir | | C48399 (amino acids at the position 1-1128 / 2020) (49% identity in 1011 amino acids)
  - SEQ ID NO: 356: -1.156522, 93, a putative ABC-type transporter protein, similar to C-terminal part of ABC-type transporter protein YdbA.2 [Escherichia coli]
- 4905 gi | 7465766 | pir | | C48399 (amino acids at the position 1220-2020/2020) (77% identity in 806 amino acids)
  - SEQ ID NO: 357: -0.396839, 349, novel
  - SEQ ID NO: 358: -0.287395, 120, novel
  - SEQ ID NO: 359: -0.428409, 177, novel
- 4910 SEQ ID NO: 360: 0.049057, 107, novel
  - SEQ ID NO: 361: -0.469602, 353, novel, similar to Vgr proteins for example ,VgrE protein [Escherichia coli] gi|2920625|gb|aaC32465.1| (98% identity in 702 amino acids)
    - SEQ ID NO: 362: -0.206969, 618, a Rhs protein, similar to
- 4915 Rhs core proteins for example ,RhsD [Escherichia coli] gi | 1786706 (92% identity in 1281 amino acids) (Conserved in E.coli K-12)
  - SEQ ID NO: 363: 0.095775, 72, novel, similar to (at low level)

- IpaH protein IPA7#SHIFL gi|124813|sp|P18014 (35% identity in 120 amino acids); YDDK#ECOLI gi|3183258|sp|P76123 (32% identity in 100 amino acids)

  SEQ ID NO: 364: -0.074561, 115, similar to outer membrane porin precursors for example ,NMPC#ECOLI gi|1786765 (67% identity in 343 amino acids), but comprising different N-terminal part

  SEQ ID NO: 365: -0.466667, 178, novel, GTG start
  - SEQ ID NO: 366: -0.283069, 190, a putative fimbrial chaperone protein precursor, similar to fimbrial chaperone protein precursors for example ,FocC [Escherichia coli]
- 4930 gi | 1169720 | sp | P46008 | FOCC#ECOLI (67% identity 206 amino acids)
  - SEQ ID NO: 367: -0.472903, 156, a putative type 1 fimbrial protein precursor, similar to type 1 fimbrial protein precursors for example ,[Escherichia coli]
- 4935 gi | 729528 | sp | P04128 | FM1A#ECOLI (64% identity 186 amino acids)
  - SEQ ID NO: 368: 0.214754, 62, novel, GTG start
  - SEQ ID NO: 369: -0.717334, 76, a putative regulatory element, similar to araC-family transcription regulatory elementAdpA
- 4940 [Streptomyces coelicolor A3(2)] gi|7544056|emb|CAB87229.1 (41% identity in 316 amino acids)
  - SEQ ID NO: 370: -0.468595, 122, a damage-inducible protein, similar to damage-inducible proteins for example ,DinI [Escherichia coli] gi|2498305|sp|Q47143|DINI#ECOLI (36%)
- 4945 identity in 72 amino acids)
  - SEQ ID NO: 371: -1.029787, 48, novel, similar to hypothetical proteins for example ,ORF4 [Escherichia coli] gi|4126792|dbj|Baa36750.1| (43% identity in 131 amino acids); ORF2 [Escherichia coli] gi|4126790|dbj|Baa36748.1|
- 4950 (35% identity in 126 amino acids)
  - SEQ ID NO: 372: -0.648128, 188, novel, similar to hypothetical proteins for example ,ORF4 [Escherichia coli]

example

gi | 4126790 | dbj | Baa36748.1 | (43% identity in 206 acids); ORF2 [Escherichia coli] gi | 4126792 | dbj | Baa36750.1 | (91% identity in 135 amino acids) 4955 -0.117179, 554,SEQ ID NO: 373: novel, similar to hypothetical proteins for example ORF4 [Escherichia coli] gi | 4126792 | dbj | Baa36750.1 | (34% identity in 116 amino acids); ORF2 [Escherichia coli] gi | 4126790 | dbj | Baa36748.1 | 4960 (28% identity in 171 amino acids) SEQ ID NO: 374: -0.148992, 646, novel, similar to hypothetical protein[Bacteriophage 933WL gi | 4585437 | gb | aaD25465.1 | AF125520#60 (93% identity in 89 4965 amino acids) SEQ ID NO: 375: -0.831147, 62, a putative tail fiber protein, similar to C-terminal part of putative tail fiber protein [Bacteriophage 933WL gi | 4585436 | gb | aaD25464.1 | AF125520#59 (100% identity in 92 4970 amino acids), GTG start, probably disrupted SEQ ID NO: 376: -0.483469, 860, a putative tail fiber protein, similar to N-terminal part of tail fiber proteins example ,Gp37 [Escherichia coli] gi | 7466858 | pir | | G64887(57% identity in 271 amino acids); orf-401 [Bacteriophage lambda] gi | 140053 | sp | P03764 | Y401#LAMBD (56% identity in 4975 amino acids), probably interrupted SEQ ID NO: 377: -0.061111, 109, a putative outer host membrane protein precursor, similar to Lom-like proteins for P-EibAl example , prophage gi | 7532789 | gb | aa F63231.1 | AF151091#2 (68% identity in 199 4980 amino acids); Lom Bacteriophage lambdal gi | 138693 | sp | P03701 | VLOM#LAMBD (44% identity in 199 amino acids) SEQ ID NO: 378: -0.192241, 117, a phage tail protein (host

specificity protein), similar to host specificity proteins ,GpJ

Bacteriophage

- lambdalgi | 138412 | sp | P03749 | VHSJ#LAMBD (65% identity in 1158 amino acids)
- SEQ ID NO: 379: -0.512838, 149, a tail assembly protein, 4990 similar to tail assembly proteins for example ,GpI
  - [Bacteriophage lambda] gi | 139637 | sp | P03730 | VTAI#LAMBD (69% identity in 224 amino acids)
    - SEQ ID NO: 380: 0.172807, 115, a tail assembly protein, similar to tail assembly proteins for example ,GpK
- 4995 [Bacteriophage lambda gi | 139638 | sp | P03729 | VTAK#LAMBD (85% identity in 174 amino acids)
  - SEQ ID NO: 381: -0.337367, 282, a minor tail component, similar to minor tail proteins for example ,GpL [Bacteriophage lambda] gi|138844|sp|P03738|VMTL#LAMBD
- 5000 (76% identity in 232 amino acids)

  SEQ ID NO: 382: -0.296774, 125, a minor tail component, similar to minor tail proteins for example ,GpM

  [Bacteriophage lambda] gi | 138845 | sp | P03737 | VMTM#LAMBD

(79% identity in 109 amino acids)

- SEQ ID NO: 383: -0.091398, 94, a tail length determination, similar to tail length tape measure protein precursors for example ,GpH [Bacteriophage lambda] gi|138843|sp|P03736|VMTH#LAMBD (51% identity in 870 amino acids)
- SEQ ID NO: 384: -0.319298, 1027, a minor tail component, similar to minor tail proteins for example ,GpG-T [Bacteriophage lambda] gi|7429179|pir||TLBPTL (67% identity in 134 amino acids), produced by translational frameshift
- SEQ ID NO: 385: -0.624779, 114, a minor tail component, similar to minor tail protein s for example ,GpG [Bacteriophage lambda] gi | 138842 | sp | P03734 | VMTG#LAMBD (43% identity in 140 amino acids)
- SEQ ID NO: 386 : -0.477931, 146, novel, probably
- 5020 corresponding to protein V [Bacteriophage lambda]

- SEQ ID NO: 387: -0.276079, 1159, a minor tail component, similar to minor tail protein GpU [Bacteriophage lambda] gi | 138847 | sp | P03732 | VMTU#LAMBD (80% identity in 131 amino acids)
- SEQ ID NO: 388: -0.29799, 200, a minor tail component, similar to minor tail proteins for example, GpZ [Bacteriophage lambda] gi | 138849 | sp | P03731 | VMTZ#LAMBD (69% identity in 177 amino acids)
- SEQ ID NO: 389: -0.661327, 438, a tail attachment (minor capsid protein), similar to minor capsid proteins for example ,GpFII [Bacteriophage lambda] gi|137575|sp|P03714|VCF2#LAMBD (91% identity in 117 amino acids)
- SEQ ID NO: 390: -0.392135, 90, DNA-packaging, similar to DNA-packaging proteins for example ,GpFI [Bacteriophage lambda] gi|139324|sp|P03709|VPF1#LAMBD (98% identity in 132 amino acids)
  - SEQ ID NO: 391: 0.522727, 89, a major capsid protein, similar to major capsid proteins for example ,GpE [Bacteriophage
- 5040 lambda] gi | 116701 | sp | P05481 | HEAD#BPPH8 (87% identity in 341 amino acids)
  - SEQ ID NO: 392: -0.269369, 112, a head decoration protein (major capsid protein), similar to major capsid proteins for example ,GpD [Bacteriophage lambda]
- 5045 gi | 137566 | sp | P03712 | VCAD#LAMBD (99% identity in 110 amino acids)
  - SEQ ID NO: 393: -0.239229, 442, a minor capsid protein precursor, similar to minor capsid protein precursors for example ,GpC [Bacteriophage lambda]
- 5050 gi | 137565 | sp | P03711 | VCAC#LAMBD (97% identity in 439 amino acids), capsid assembly protein containing Nu3-homolog SEQ ID NO: 394: -0.247826, 231, a portal protein (minor capsid protein), similar to portal proteins for example ,GpB [Bacteriophage lambda] gi | 138762 | sp | P03710 | VMCB#LAMBD

- 5055 (98% identity in 533 amino acids)

  SEQ ID NO: 395: -0.441584, 304, a head-to-tail joining, similar to head-to-tail joining proteins for example ,GpW [Bacteriophage lambda] gi|138415|sp|P03727|VHTJ#LAMBD (98% identity in 68 amino acids)
- SEQ ID NO: 396: -0.434392, 190, a terminase large subunit (DNA-packaging protein), similar to terminase large subunits for example ,GpA [Bacteriophage lambda] gi|137616|sp|P03708|TERL#LAMBD (97% identity in 641 amino acids), GTG start
- SEQ ID NO: 397: -0.085882, 86, a putative terminase small subunit, similar to terminasesmall subunits for example ,Nu1 [Bacteriophage lambda] (82% identity in 180 amino acids) SEQ ID NO: 398: -0.327551, 99, novel, similar to hypothetical proteins for example ,[Escherichia coli]
- 5070 gi | 1778472 | gb | aaB40755.1 | (90% identity in 53 amino acids)

  SEQ ID NO: 399: -0.445312, 513, a putative transcription regulatory element, similar to PerC (BfpW) transcription activator eaeA/bfpA [Escherichia coli] gi | 1172431 | sp | P43475 | PERC#ECOLI (47% identity in 87
- 5075 amino acids)

  SEQ ID NO: 400: 0.010435, 116, a putative lipoproteinRz1 precursor, similar to lipoproteinRz1 precursors for example,[phage lambda] gi|540738|pir||JN0750 (70% identity in 61 amino acids)
- SEQ ID NO: 401: -0.403175, 127, a putative host cell lysis, similar to endopeptidases for example ,[Bacteriophage H-19B] gi | 4335687 | gb | aaD17383.1 | (77% identity in 150 amino acids) SEQ ID NO: 402: -0.542391, 93, novel, partially similar to hypothetical protein YchG [Escherichia coli]
- 5085 gi | 267475 | sp | P30192 | YCHG#ECOLI (80% identity in 30 amino acids)
  - SEQ ID NO: 403: -0.42, 51, novel, partially similar to a hypothetical proteins for example ,YchG[Escherichia coli]

- gi | 267475 | sp | P30192 | YCHG#ECOLI (95% identity in 60 amino acids), GTG start

  SEQ ID NO: 404: -0.364583, 49, novel, partially similar to a hypothetical protein b1240 [Escherichia coli] gi | 7466155 | pir | | C64871 (54% identity in 51 amino acids) [0020]
- 5095 3) Proteins comprising Insertion Sequence; IS

  Sequence number: hydrophobicity, The number of amino acids, Character such as function
  - SEQ ID NO: 405: -0.221861, 216, novel, identical to hypothetical protein [Bacteriophage VT2-Sa]
- 5100 gi | 5881622 | dbj | Baa84313.1 |, but [having] different start; similar to hypothetical protein [Bacteriophage 933W] gi | 4499790 | emb | CAB39289.1 | (85% identity in 78 amino acids) SEQ ID NO: 406: -0.313776, 197, novel, identical to hypothetical protein [Bacteriophage VT2-Sa]
- 5105 gi | 5881623 | dbj | Baa84314.1 |, but [having] different start; similar to hypothetical proteins for example ,NinB protein [Bacteriophage 21]( 43% identity in 147 amino acids)
  - SEQ ID NO: 407: -0.486667, 61, a putative DNA methylase, identical to hypothetical protein [Bacteriophage VT2-Sa]
- 5110 gi | 5881624 | dbj | Baa84315.1 | (100% identity in 175 amino acids); similar to hypothetical protein Gp62 [Bacteriophage HK97] gi | 6901634 | gb | aaF31137.1 | (98% identity in 175 amino acids); similar to (at low level) DNA N-6-adenine-methyltransferase (M.T1) [Enterobacteria phage
- 5115 T1] gi|166164|gb|aaA87390.1| (31% identity in 143 amino acids)
  - SEQ ID NO: 408: -0.175926, 55, novel, identical to hypothetical protein [Bacteriophage VT2-Sa] gi|5881625|dbj|Baa84316.1| (100% identity in 60 amino
- 5120 acids); similar to hypothetical proteins for example ,NinE protein [Bacteriophage 21]gi|4539480|emb|CAB39989.1| (98% identity in 60 amino acids)

- SEQ ID NO: 409: -0.017752, 170, novel, identical to hypothetical protein [Bacteriophage VT2-Sa]
- 5125 gi | 5881626 | dbj | Baa84317.1 | (100% identity in 57 amino acids), GTG start
  - SEQ ID NO: 1375: -0.38883, 189, a putative antirepressor protein, identical to hypothetical protein [Bacteriophage VT2-Sa] gi | 5881627 | dbj | Baa84318.1 | (100% identity in 244
- amino acids); its C-terminal part similar to C-terminal part antirepressor protein Ant [Bacteriophage P22] gi|131843|sp|P03037|RANT#BPP22 (82% identity in 104 amino acids), its N-terminal part similar to N-terminal part of hypothetical protein [Bacteriophage TP901-1]
- 5135 gi|2924237|emb|Caa74615.1| (42% identity in 119 amino acids)
  - SEQ ID NO: 1376: -0.209115, 374, a DNA-binding protein, identical to Roi [BacteriophageVT2-Sa] gi|5881628|dbj|Baa84319.1|, but [having] different start;
- 5140 similar to Roi proteins for example ,[Enterobacteria phage HK022] gi|1197729|gb|aa C48863.1| (82% identity in 242 amino acids)
  - SEQ ID NO: 1377: 0.177508, 1028, novel, identical to hypothetical protein orf15[Bacteriophage 933W]
- 5145 gi | 4499798 | emb | CAB39297.1 | (100% identity in 201 amino acids), similar to hypothetical proteins for example ,NinG protein [Bacteriophage 21] gi | 4539482 | emb | CAB39991.1 | (94% identity in 201 amino acids)
- SEQ ID NO: 1378: -0.144201, 458, novel, identical to hypothetical protein orf16[Bacteriophage 933W] gi|4499799|emb|CAB39298.1|(100% identity in 64 amino acids); similar to hypothetical proteins for example ,Nin68 [Bacteriophage lambda]gi|9626304|ref|NP#040640.1|(80% identity in 60 amino acids)
- 5155 SEQ ID NO: 1379: 0.890181, 388, antitermination protein Q, identical to antitermination Q protein [Bacteriophage 933W]

- gi | 4585416 | gb | aaD25444.1 | AF125520#39, [having] but different start; similar to antitermination Q proteins example ,[Bacteriophage H-19B] gi|2668768|gb|aaD04655.1|
- 5160 (96% identity in 144 amino acids) SEQ ID NO: -: -0.090909, 221, novel, partially similar to hypothetical protein [Bacteriophage P271 gi|8346570|emb|CAB93763.1| (89% identity in 37 amino acids), TTG start
- 5165 SEQ ID NO: 1676: 0.087912, 92, a Shiga toxin 2 subunit A, identical to gi | 1351074 | sp | P09385 | SLTA#BP933; identical to ECs1908: Comp.(1899924-1900292), -0.25, 123, Shiga toxin 2 subunit B gi | 134538 | sp | P09386 | SLTB#BP933
- SEQ ID NO: 1644: -0.397973, 297, novel, identical to 5170 N-terminal part of hypothetical protein [Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (100% identity in 557 amino acids); similar to N-terminal part of hypothetical proteins for example ,YjhS Shigella dysenteriael gi | 6759965 | gb | aaF28123.1 | AF153317#19 (78% identity in 554
- amino acids) SEQ ID NO: 1645: -0.965741, 109, a transposase (OrfB) (insertion sequence IS629), identical to gi | 7443862 | pir | | T00240
- SEQ ID NO: 1681: -0.893204, 104, a transposase (OrfA) 5180 (insertion sequenceIS629), identical to
  - gi | 7444868 | pir | | T00241 (100% identity in 108 amino acids) SEQ ID NO: -: -0.342857, 85, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4499806 | emb | CAB39305.1 | (100% identity in 59 amino acids)
- SEQ ID NO: -: -0.577099, 263, novel, identical to 5185 hypothetical protein Bacteriophage gi | 4585420 | gb | aaD25448.1 | AF125520#43 (100% identity in 148 amino acids)
- SEQ ID NO: 877: -0.830769, 79, a putative holin protein, 5190 identical to protein [Bacteriophage VT2-Sal

- gi | 5881636 | dbj | Baa84327.1 |; similar to putative holin proteins for example ,[Shigella dysenteriae] gi | 6759967 | gb | aaF28125.1 | AF153317#21 (95% identity in 71 amino acids)
- SEQ ID NO: 878: -0.5, 141, a endolysin, identical to putative endolysin [Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45 (100% identity in 177 amino acids); similar to putative endolysins for example ,[Bacteriophage H-19B]
- 5200 gi | 4335686 | gb | aaD17382.1 | (93% identity in 177 amino acids)

  SEQ ID NO: 879: -1.08, 71, a putative antirepressor protein,
  similar to identical to putative antirepressor protein
  [Bacteriophage 933W]
  gi | 4585423 | gb | aaD25451.1 | AF125520#46; antirepressor
- 5205 proteinAnt [Bacteriophage P22] gi | 131843 | sp | P03037 | RANT#BPP22 (49% identity in 121 amino acids)
  - SEQ ID NO: 880: -0.375862, 88, a putative endopeptidase, identical to endopeptidase[Bacteriophage 933W]
- 5210 gi | 4585424 | gb | aaD25452.1 | AF125520#47 (100% identity in 154 amino acids); similar to endopeptidases for example ,Rz [Bacteriophage lambda] gi | 119368 | sp | P00726 | ENPP#LAMBD (72% identity in 154 amino acids)
- SEQ ID NO: 881: -0.477359, 54, a putative lipoproteinRz1

  5215 precursor, identical to putative Rz1 protein precursor
  [Bacteriophage 933W]

  gi | 4585425 | gb | aaD25453.1 | AF125520#48(100% identity in 61

  amino acids); similar to lipoproteinRz1 precursor

[Bacteriophage lambda] gi | 1017781 | gb | aaC48862.1 | (72%)

5220 identity in 61 amino acids)

SEQ ID NO: 882: -0.293827, 82, a Bor protein precursor, identical to [Bacteriophage 933W] gi|4585426|gb|aaD25454.1|AF125520#49 (100% identity in 97 amino acids); similar to Bor protein precursor [Bacteriophage

- 5225 lambda] gi | 137520 | sp | P26814 | VBOR#LAMBD (96% identity in 97 amino acids)
  - SEQ ID NO: 883: -0.305483, 384, novel, similar to hypothetical protein [Bacteriophage VT2-Sa] gi | 5881640 | dbj | Baa84331.1 | (85% identity in 75 amino acids)
- SEQ ID NO: 884: -0.434955, 330, a putative small subunit terminase, identical to putative small subunit terminase [Bacteriophage 933W] gi | 4585427 | gb | aaD25455.1 | AF125520#50 (100% identity in 268 amino acids)
- 5235 SEQ ID NO: 885: -0.576025, 464, a putative terminase large subunit, identical to putative terminase large subunit [Bacteriophage 933W] gi | 4585428 | gb | aaD25456.1 | AF125520#51 (100% identity in 568 amino acids)
- 5240 SEQ ID NO: 886: -0.238694, 200, a putative portal protein, identical to putative portal protein [Bacteriophage 933W] gi | 4585429 | gb | aaD25457.1 | AF125520#52 (100% identity in 714 amino acids)
- SEQ ID NO: 887: -0.438542, 97, novel, identical to 5245 hypothetical protein [Bacteriophage 933W] gi | 4585430 | gb | aaD25458.1 | AF125520#53 (100% identity in 335 amino acids)
  - SEQ ID NO: 888: -0.264131, 185, novel, identical to hypothetical protein [Bacteriophage 933W]
- 5250 gi | 4585431 | gb | aaD25459.1 | AF125520#54 (100% identity in 404 amino acids)
  - SEQ ID NO: 889: -0.237063, 144, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585432 | gb | aaD25460.1 | AF125520#55 (100% identity in
- 5255 129 amino acids)

  SEQ ID NO: 890 : 1.472727, 56, novel, identical to hypothetical protein [Bacteriophage 933W]

  gi | 4585433 | gb | aaD25461.1 | AF125520#56, but [having]

different start

- 5260 SEQ ID NO: 891: -0.255915, 618, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585434 | gb | aaD25462.1 | AF125520#57, but [having] different start
- SEQ ID NO: 892: 0.052113, 72, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585435 | gb | aaD25463.1 | AF125520#58 (100% identity in 216 amino acids)
  - SEQ ID NO: 893: -0.046491, 115, a putative tail fiber protein, identical to putative tail fiber protein [Bacteriophage 933W]
- 5270 gi | 4585436 | gb | aaD25464.1 | AF125520#59(100% identity in 645 amino acids)
  - SEQ ID NO: 894: -0.466667, 178, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585437 | gb | aaD25465.1 | AF125520#60, but [having]
- 5275 different start
  - SEQ ID NO: 895: -0.283069, 190, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585438 | gb | aaD25466.1 | AF125520#61, but [having] different start
- SEQ ID NO: 896: -0.472903, 156, novel [putative outer membrane protein; OMP], TTG start

  SEQ ID NO: 897: -0.717334, 76, novel [periplasmic], identical to hypothetical protein [Bacteriophage 933W] gi | 4585439 | gb | aaD25467.1 | AF125520#62 (100% identity in
- 5285 567 amino acids); its N-terminal part similar to hypothetical protein [Bacteriophage P-EibD] gi|7523538|gb|aaF63043.1|AF151675#5 (98% identity in 147 amino acids), GTG start
- SEQ ID NO: 898: -0.468595, 122, a putative tail tip fiber protein, identical to hypothetical protein [Bacteriophage 933W] gi | 4585440 | gb | aaD25468.1 | AF125520#63 (100% identity in 422 amino acids); similar to(at low level) tail tip

- fiber protein gp21 [phage N15] gi|7444604|pir|T13107| (24% identity in 381 amino acids)
- SEQ ID NO: 899: -1.029787, 48, novel [putative outer membrane protein; OMP], identical to hypothetical protein [Bacteriophage 933W] gi | 4585441 | gb | aaD25469.1 | AF125520#64, but [having] different start, TTG start
- SEQ ID NO: 900: -0.648128, 188, novel [putative outer membrane protein; OMP], identical to hypothetical protein [Bacteriophage 933W] gi | 4585442 | gb | aaD25470.1 | AF125520#65 (100% identity in 205 amino acids)
- SEQ ID NO: 901: -0.117179, 554, a putative—outer membrane precursor, identical to putative—Lom precursor [Bacteriophage 933W] gi|4585443|gb|aaD25471.1|AF125520#66 (100% identity in 244 amino acids); similar to outer membrane proteinrck [Salmonella typhimurium] gi|282013|pir||A43309
- 5310 (35% identity in 172 amino acids); outer membrane protein Lom precursor gi | 138693 | sp | P03701 | VLOM#LAMBD (35% identity in 167 amino acids); ail gene products for example ,[Yersinia pseudotuberculosis] gi | 5902750 | sp | Q56957 | AIL#YERPS (32% identity in 241 amino
- 5315 acids); virulence proteinpagC precursor [Salmonella typhimurium]gi|129558|sp|P23988|PAGC#SALTY (29% identity in 180 amino acids)
  - SEQ ID NO: 902: -0.148992, 646, novel, identical to hypothetical protein [Bacteriophage 933W]
- 5320 gi | 4585444 | gb | aaD25472.1 | AF125520#67 (100% identity in 133 amino acids)
  - SEQ ID NO: 903: -0.831147, 62, novel, similar to hypothetical protein [Bacteriophage 933W] gi | 4585445 | gb | aaD25473.1 | AF125520#68 (100% identity in
- 5325 218 amino acids)
  SEQ ID NO: 904: -0.482819, 455, novel, identical to

[Bacteriophage hypothetical protein gi | 4585446 | gb | aaD25474.1 | AF125520#69 (100% identity in 148 amino acids) SEQ ID NO: 905: -0.420639, 408, novel, identical to 5330 protein [Bacteriophage hypothetical 933WL gi | 4585447 | gb | aaD25475.1 | AF125520#70 (100% identity in 83 amino acids) SEQ ID NO: 906: -0.063889, 109, novel, identical to 5335 hypothetical protein Bacteriophage 933Wl gi | 4585448 | gb | aaD25476.1 | AF125520#71 (100% identity in 421 amino acids) SEQ ID NO: 907: -0.171552, 117, novel, similar to hypothetical protein Bacteriophage 5340 gi | 4585449 | gb | aaD25477.1 | AF125520#72 (99% identity in 2793 amino acids) SEQ ID NO: 908: -0.512838, 149, novel, identical to hypothetical protein [Bacteriophage] 933W] gi | 4585450 | gb | aaD25478.1 | AF125520#73, but [having] 5345 different start SEQ ID NO: 909: 0.189474, 115, novel, identical to 933W] Bacteriophage hypothetical protein gi|9632540|ref|NP#049534.1| (100% identity in 114 amino acids); similar to hypothetical proteins for example ,ygiW Escherichia 5350 protein precursor colil gi | 1723887 | sp | P52083 | YGIW#ECOLI (53% identity in 93 amino acids) SEQ ID NO: 910: -0.313446, 239, a MokW protein (prophage maintenance; modulation of host cell killing), identical to MokW 5355 [Bacteriophage] 933W] gi | 4585453 | gb | aaD25481.1 | AF125520#76 (100% identity in 70 amino acids); similar to GelF Escherichia gi | 1786200 | gb | aaC73129.1 | (73% identity in 69 amino acids) SEQ ID NO: 911: -0.276613, 125, novel, identical to hypothetical Bacteriophage 5360 protein 933W

gi | 4585454 | gb | aaD25482.1 | AF125520#77, [having] but different start SEQ ID NO: 912: -0.091398, 94, novel, identical to hypothetical protein [Bacteriophage VT2-Sal gi | 5881668 | dbj | Baa84359.1 | (100% identity in 219 amino 5365 acids); identical to C-terminal part of hypothetical [Bacteriophage] 933Wl gi | 4585455 | gb | aaD25483.1 | AF125520#78(100% identity in 219 amino acids) SEQ ID NO: 913: -0.343275, 1027, novel, identical to 5370 hypothetical protein [Bacteriophage VT2-Sal gi | 5881669 | dbj | Baa84360.1 |, but [having] different start; similar to hypothetical protein [Bacteriophage gi | 7649907 | dbj | Baa94185.1 | (92% identity in 72 amino acids); 5375 hypothetical proteins for example, [Bacteriophage VT2-Sa] gi | 4585386 | gb | aaD25414.1 | AF125520#9 (92% identity in 68 amino acids) SEQ ID NO: 914: -0.624779, 114, novel, identical to hypothetical protein Bacteriophage gi | 5881670 | dbj | Baa84361.1 | (100% identity in 94 amino acids), 5380 GTG start SEQ ID NO: 915: -0.332759, 233, novel, identical to hypothetical protein Bacteriophage VT2-Sal gi|5881671|dbj|Baa84362.1| (100% identity in acids); similar to C4-type zinc finger proteins (TraR family) 5385 for example ,orf39 [Pseudomonas aeruginosa phage phi CTX] gi | 4063813 | dbj | Baa36267.1 | (42% identity in 59 amino acids) SEQ ID NO: 916: -0.407287, 248, a putative anti-repressor protein, identical to hypothetical protein [Bacteriophage 5390 VT2-Sal gi | 5881672 | dbj | Baa84363.1 | (100% identity in 209 amino acids); similar to hypothetical protein HI1422 [Haemophilus influenzae Rdl gi | 1175795 | sp | P44193 | YE22#HAEIN (40% identity in 158

amino acids); putative phage anti-repressor proteins

for

- 5395 example ,[Neisseria meningitidis] gi | 7379969 | emb | CAB84545.1 | (49% identity in 112 amino acids)
  - SEQ ID NO: 917: 0.069027, 227, novel
  - SEQ ID NO: 918: -1.014706, 69, probably resistance to phage
- 5400 N4, lambda, Rtn membrane associated protein [Escherichia coli]gi | 2498867 | sp | P76446 | RTN#ECOLI (31% identity in 498 amino acids)
  - SEQ ID NO: 919: -0.130857, 176, novel, similar to FidL -Salmonella typhimurium gi|4324611|gb|aaD16955.1| (29%
- 5405 identity in 149 amino acids)
  - SEQ ID NO: 920: -0.304721, 1166, a putative transcriptionactivator, similar to transcriptionactivators for example ,MarT [Salmonella typhimurium] gi | 4324612 | gb | aaD16956.1 | (28% identity in 268 amino acids)
- 5410 SEQ ID NO: 921: -0.308543, 200, a putative oxidoreductase, similar to oxidoreductases for example ,[Escherichia coli] gi|2492762|sp|P76633|YGCW#ECOLI (55% identity in 257 amino acids)
- SEQ ID NO: 922: -0.814127, 362, a putative chaperone, 5415 similar to hypothetical proteins for example ,ORF60 [Yersinia pestis] gi|7467334|pir||T17432 (48% identity in 204 amino acids); chaperone proteins for example ,EcpD [Escherichia coli] gi|2506408|sp|P33128|ECPD#ECOLI (35% identity in 185 amino acids)
- 5420 SEQ ID NO: 923: -0.431859, 114, novel, similar to hypothetical proteins for example ,ORF59 [Yersinia pestis] gi|4106627|emb|Caa21382.1| (34% identity in 438 amino acids)
- SEQ ID NO: 924: -0.114136, 192, a putative outer membrane usher protein, similar to hypothetical protein ORF 58 [Yersinia pestis] gi|4106626|emb|Caa21381.1| (44% identity in 824 amino acids); outer membrane usher proteins for example ,FimD [Salmonella typhimurium

- gi | 585135 | sp | P37924 | FIMD#SALTY (32% identity in 832 5430 amino acids) SEQ ID NO: 925: -0.282297, 210, a putative chaperone, similar to hypothetical protein ORF57 [Yersinia pestis] gi | 4106625 | emb | Caa21380.1 | (39% identity in 233 amino acids); chaperone proteins for example , EcpD [Escherichia coli] gi | 2506408 | sp | P33128 | ECPD#ECOLI (36% identity in 217 5435 amino acids) SEQ ID NO: 926: -0.123005, 214, a putative pilin protein, similar to hypothetical protein ORF56 [Yersinia pestis] gi | 4106624 | emb | Caa21379.1 | (36% identity in 185 amino 5440 acids); major pilin proteins for example ,Sf amino acids [Escherichia coli] gi | 4105989 | gb | aaD02646.1 | (32% identity in 181 amino acids) SEQ ID NO: -: -0.309259, 109, novel SEQ ID NO: 1488: -0.323145, 1012, a putative filamentous 5445 hemagglutinin-like protein, similar to hemagglutinin/hemolysin-related proteins Neisseria meningitidis for example ,gi | 7225719 | gb | aaF40927.1 | (25% identity in 1001 amino acids); filamentous hemagglutinin B precursor [Bordetella pertussis] gi | 78213 | pir | | S21010(20%) 5450 identity in 824 amino acids) SEQ ID NO: -: -0.353779, 808, a putative hemolysin activatorrelated protein, similar to hemolysin activatorrelated example ,[Pectobacterium chrysanthemi] for proteins gi | 1772622 | gb | aaC31980.1 | (27% identity in 484 amino precursor [Serratia 5455 acids); hemolvsin activation protein marcescens gi | 123205 | sp | P15321 | HLYB#SERMA (24%identity in 475 amino acids) SEQ ID NO:1608 : -0.270213, 142,putative holo-[acyl-carrier protein synthase, similar to 5460 holo-[acyl-carrier protein synthases for
  - example, [Campylobacter jejuni] gi | 6968838 | emb | CAB73833.1 |
    (39% identity in 121 amino acids)

similar

5480

- SEQ ID NO: 1609: -0.224107, 113, a putative 3-oxoacyl-(acyl carrier protein) reductase, similar to 3-oxoacyl-(acyl carrier protein) reductases for example ,[Moritella marina] gi|7227179|gb|aaF42251.1| (41% identity in 188 amino acids) SEQ ID NO: 1610 : -0.570629, 144, a putative (3R)-hydroxymyristol-(acyl carrier protein) dehydratase,
- 5470 dehydratases for example ,gi|7190847|gb|aaF39621.1 (30% identity in 158 amino acids)
  - SEQ ID NO: 1611: -0.0544, 126, a putative acyl carrier protein, similar to acyl carrier proteins for example ,AcpC [Streptococcus agalactiae]

(3R)-hydroxymyristol-(acyl carrier

protein)

- 5475 gi | 4886773 | gb | aaD32036.1 | AF093787#4 (38% identity in 86 amino acids)
  - SEQ ID NO: 1409: -0.480057, 703, a putative aminomethyl transferase, similar to aminpometyl transferases for example ,gi|7450600|pir||C75088 (26% identity in 333 amino acids)
  - SEQ ID NO: 1410: -0.678001, 1401, a putative 3-oxoacyl-[acyl-carrier-protein] synthase, its N-terminal-half part is similar to 3-oxoacyl-[acyl-carrier-protein] synthase (EC 2.3.1.41) [Bacillus subtilis] gi | 7433750 | pir | | G69842 (37%)
- identity in 393 amino acids); its C-terminal-half part is similar to gi | 7433750 | pir | | G69842 (22% identity in 439 amino acids); similar to N- and C -terminal-half part nodulation proteins (nodE) for example ,[Rhizobium meliloti plasmid] gi | 128459 | sp | P06230 | NODE#RHIME, product comprises two
- 5490 3-oxoacyl-[acyl-carrier-protein] SEQ ID NO: 1628: -0.368862, 168, novel, similar to(at low level) a part ofpolyketide synthases for example ,[Streptomyces sp. strain MA65481 gi | 7481905 | pir | | T17428 (23% identity in 201 amino acids)
- 5495 SEQ ID NO: -: -0.500273, 367, novel SEQ ID NO: -: -0.253226, 63, a putative ABC transporter,

- similar to putative ABC transporters (ATP-binding protein) for example ,[Thermotoga maritima] gi|7445988|pir||H72342 (50% identity in 222 amino acids)
- SEQ ID NO: 1538: -0.112712, 237, novel

  SEQ ID NO: 1539: 0.259358, 188, novel [hypothetical membrane protein], similar to hypothetical proteins for example ,BBJ27 [Lyme disease spirochete plasmid J/lp38] gi | 7463605 | pir | | D70248 (25% identity in 399 amino acids)
- SEQ ID NO: 1633: -1.014893, 95, novel [periplasmic]

  SEQ ID NO: 1634: -0.166975, 325, novel

  SEQ ID NO: -: -0.77625, 81, a phage integration, similar to integrases for example ,[Vibrio cholerae]

  gi|498253|gb|aaC44230.1| (32% identity in 390 amino acids)
- SEQ ID NO: 2: -0.123944, 214, novel, similar to(at low level) hemagglutinin main component [Clostridium botulinum phage (type C)] gi|1346254|sp|P46084|HA33#CLOBO (23% identity in 190 amino acids)
- SEQ ID NO: 3: -0.274163, 210, a transposase, similar to sB proteins for example ,[Shigelladysenteriae Iso-IS1] gi | 6759959 | gb | aa F28117.1 | AF153317#13 (72% identity in 129 amino acids), GTG start
- SEQ ID NO: 4: -0.112565, 192, a putative regulatory protein, 5520 similar to prophage cp4-57regulatory proteinAlpA [Escherichia coli (strain K-12)] gi | 461502 | sp | P33997 | ALPA#ECOLI (52% identity in 61 amino acids)
  - SEQ ID NO: 5: -0.320225, 90, novel, similar to hypothetical protein b2625 (YfjI) [Escherichia coli K-12]
- 5525 gi | 1723621 | sp | P52124 | YFJI#ECOLI (40% identity in 444 amino acids)
  - SEQ ID NO: 6: -0.628261, 93, novel, similar to(at low level) hypothetical protein Cj1244 [Campylobacter jejuni] gi | 6968677 | emb | CAB73498.1 | (25% identity in 78 amino acids)
- 5530 SEQ ID NO: 7: -0.642435, 272, novel, similar to hypothetical

- protein A153R [Chlorella virus PBCV-1] gi|7461298|pir||T17644 (32% identity in 365 amino acids); DNA repair protein rad25 PAB0128 [Pyrococcus abyssi (strain Orsay)]gi|7514780|pir||A75209 (28% identity in 392 amino acids); putative helicase(D10 protein) [Bacteriophage T5] gi|137606|sp|P11107|VD10#BPT5 (27% identity in 393 amino acids)
  - SEQ ID NO: 8: -0.313568, 200, novel, TTG start
- SEQ ID NO: 9: -0.309146, 1160, novel, identical to L0015
  [Escherichia coli] gi|3414883|gb|aaC31494.1| (100% identity in 512 amino acids); similar to hypothetical proteins for example ,[Escherichia coli] gi|3288156|emb|aa11509.1| (99% identity in 411 amino acids)
- SEQ ID NO: 10: 0.086667, 226, novel, identical to L0014

  [Escherichia coli] gi | 3288157 | emb | Caa11510.1 | (100% identity in 115 amino acids); similar to hypothetical proteins for example ,orf50 [Escherichia coli] gi | 6009426 | dbj | Baa84885.1 | (76% identity in 107 amino acids)
- SEQ ID NO: 11: -0.430396, 228, novel, similar to hypothetical proteins for example ,L0013 [Escherichia coli] gi|3414881|gb|aaC31492.1| (98% identity in 133 amino acids), GTG start
  - SEQ ID NO: 12: -0.358621, 233, a IS30 transposase (interrupted), similar to N-terminal part of IS30 transposas for example ,i | 2851554 | sp | P37246 | TRA8#ECOLI (99% identity in 101 amino acids)
  - SEQ ID NO: 13: -0.43945, 110, a putative transposase, similar to transposases for example ,Hp1[Escherichia coli] gi|3661482|gb|aaC61713.1| (98% identity in 272 amino acids),
- 5560 InsB [Shigella dysenteriae] gi | 5532467 | gb | aaD44751.1 | AF141323#22(98% identity in 272 amino acids)
  - SEQ ID NO: 14: -0.352643, 871, a putative complement resistance protein precursor, similar to lipoproteintraT

- 5565 precursors for example ,gi|418135|sp|P32885|TRT1#ECOLI (83% identity in 227 amino acids), TTG start
  - SEQ ID NO: 15: -0.186861, 138, novel
  - SEQ ID NO: 16: -0.535714, 141, novel
  - SEQ ID NO: 17: -0.34, 251, novel
- SEQ ID NO: 18: -0.155725, 132, a putative diacylglycerol kinase, similar to diacylglycerol kinases for example ,gi | 125321 | sp | P00556 | KDGL#ECOLI (76% identity in 119 amino acids)
  - SEQ ID NO: 19: -0.514689, 178, novel[putative outer
- 5575 membrane protein; OMP], similar to hypothetical proteins for example ,yjdB in basS-adiY intergenic region [Escherichiacoli] gi | 731986 | sp | P30845 | YJDB#ECOLI (45% identity in 428 amino acids)
  - SEQ ID NO: 20: -0.476923, 118, novel, TTG start
- 5580 SEQ ID NO: 21: -0.231818, 133, novel
  - SEQ ID NO: 22: -0.38651, 342, novel, GTG start
  - SEQ ID NO: 23: -0.159091, 111, an urease accessory protein UreD, similar to UreD urease-associated proteins for example ,[Klebsiellaaerogenes]
- 5585 gi|731078|sp|Q09063|URED#KLEAE (71% identity in 242 amino acids), TTG start
  - SEQ ID NO: 24: -0.048747, 440, an urease gamma subunit, similar to urease gamma subunits for example ,[Klebsiella pneumoniae] gi | 137084 | sp | P18316 | URE3#KLEAE(96% identity
- 5590 in 100 amino acids)
  - SEQ ID NO: 25: -0.431519, 534, an urease beta subunit, similar to urease beta subunits for example ,[Klebsiella pneumoniae] gi|137077|sp|P18315|URE2#KLEAE (82% identity in 106 amino acids)
- 5595 SEQ ID NO: 26: -0.526471, 69, an urease alpha subunit, similar to urease alpha subunits for example ,[Klebsiella pneumoniae] gi|137070|sp|P18314|URE1#KLEAE (90% identity in 567 amino acids)

- SEQ ID NO: 27: -0.582995, 642, an urease accessory protein,
  5600 similar to UreE ureaseaccessory proteins for
  example ,[Klebsiellaaerogenes]
  gi|137095|sp|P18317|UREE#KLEAE (80% identity in 154
  amino acids)
- SEQ ID NO: 28: -0.439779, 182, an urease accessory protein,

  similar to UreF ureaseaccessory proteinUreFs for
  example ,[Klebsiellaaerogenes]
  gi|137097|sp|P18318|UREF#KLEAE (79% identity in 224
  amino acids)
- SEQ ID NO: 29: -0.995946, 75, an urease accessory protein,
  5610 similar to UREG urease accessory proteins for
  example ,[Klebsiellaaerogenes] gi|137099|sp|P18319|UR
  EG#KLEAE (90% identity in 205 amino acids)
  - SEQ ID NO: 30 -0.961539, 105, novel, similar to hypothetical proteins for example ,TnpJ [Shigella flexneri]
- 5615 gi | 5532468 | gb | aaD44752.1 | AF141323#23 (100% identity in 87 amino acids)

[0021]

- 4) Proteins derived from phage
- Sequence number: hydrophobicity, The number of amino acids,
- 5620 Character such as function
  - SEQ ID NO: 31: 0.178689, 62, a putative antirepressor, similar to antirepressors for example ,[Bacteriophage 933W] gi|4585423|gb|aaD25451.1|AF125520#46 (99% identity in 189 amino acids)
- SEQ ID NO: 32: -0.403947, 153, a putative host cell lysis, similar to endolysins for example ,[Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45 (97% identity in 177 amino acids)
- SEQ ID NO: 33: -0.280953, 190, novel, similar to hypothetical protein gi|3183262|sp|P76160|YDFR#ECOLI (45% identity in 74 amino acids)
  - SEQ ID NO: 34: -0.440678, 178, a putative holin protein,

- similar to holins for example ,[Bacteriophage VT2-Sa] gi | 5881636 | dbj | Baa84327.1 | (97% identity in 68 amino acids)
- 5635 SEQ ID NO: 35: -0.074561, 115, novel, similar to hypothetical protein [Bacteriophage VT2-Sa] gi|5881634|dbj|Baa84325.1| (53% identity in 602 amino acids)
  - SEQ ID NO: 36: 0.142647, 69, novel, similar to tellurium resistance protein TerB proteins for example ,[Deinococcus
- 5640 radiodurans gi | 7473690 | pir | | C75302 (26% identity in 129 amino acids)
  - SEQ ID NO: 37: -0.225415, 603, a putative transcription regulatory element, similar to transcription regulatory elements for example ,[Escherichia coli]
- 5645 gi|586679|sp|P37638|YHIW#ECOLI (34% identity in 197 amino acids)
  - SEQ ID NO: 38: -0.247553, 144, similar to hypothetical protein [Bacteriophage P27] gi|8346569|emb|CAB93762.1| (96% identity in 63 amino acids)
- SEQ ID NO: 39: 0.054872, 196, a putative anti-terminator protein, similar to Q protein [Bacteriophage 21] gi | 7440086 | pir | | D71566 (31% identity in 45 amino acids) SEQ ID NO: 40: -0.147692, 66, a putative crossover junction endodeoxyribonuclease, similar to crossover junction
- endodeoxyribonuclease [Escherichia coli] gi|2507117|sp|P40116|RUS#ECOLI (42% identity in 94 amino acids); Gp67 [BacteriophageHK97] gi|6901639|gb|aaF31142.1| (61% identity in 98 amino acids)
- SEQ ID NO: 41: -0.278804, 185, similar to B1560#ECOLI 5660 gi|1787843 (85% identity in 354 amino acids)
  - SEQ ID NO: 42: -0.439604, 102, novel
  - SEQ ID NO: 43: -0.380555, 361, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585451 | gb | aaD25479.1 | AF125520#74 (99% identity in 114
- 5665 amino acids); Ygi [Escherichia coli] gi | 1723887 | sp | P52083 | YGIW#ECOLI (53% identity in 93

amino acids)

SEQ ID NO: 44: -0.741111, 91, a prophage maintenance protein; modulation of host cell killing, identical to MokW

- 5670 [Bacteriophage 933W]
  gi | 4585453 | gb | aaD25481.1 | AF125520#76 (100% identity in 70
  amino acids); similar to Hok/Gef family for example ,Gef
  [Escherichia coli] gi | 2120017 | pir | | \$40540 (73% identity in 69
  amino acids)
- 5675 SEQ ID NO: 45: -0.235088, 115, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585382 | gb | aaD25410.1 | AF125520#5 (67% identity in 77 amino acids)
- SEQ ID NO: 46: 0.222857, 71, novel, similar to hypothetical 5680 protein [Bacteriophage 933W] gi|4585384|gb|aaD25412.1|AF125520#7 (70% identity in 72 amino acids)

SEQ ID NO: 47: -0.37027, 186, novel, GTG start SEQ ID NO: 48: 0.130555, 73, novel, GTG start

- 5685 SEQ ID NO: 49: -0.680583, 104, novel, similar to Gp9
  [Bacteriophage Mu] gi | 6010430 | gb | aaF01133.1 | AF083977#54
  (28% identity in 94 amino acids)
  - SEQ ID NO: 50: 0.116, 76, novel, similar to hypothetical protein YdaW [Escherichia coli]
- 5690 gi|3025105|sp|P76066|YDAW#ECOLI, (56% identity in 143 amino acids), TTG start
  - SEQ ID NO: 51: -0.382796, 94, a putative replication protein, similar to C -terminal-half part of replication protein 14 [Bacteriophage phi-80] gi | 137937 | sp | P14814 | VG14#BPPH8
- 5695 (45% identity in 129 amino acids)
  - SEQ ID NO: 52: -0.438934, 245, novel, similar to C -terminal-half part of DnaT [Escherichia coli] gi|1361001|pir||S56589 (49% identity in 95 amino acids)
- SEQ ID NO: 53: -0.760454, 221, novel, similar to hypothetical protein [Escherichia coli] gi|3025103|sp|P76064|YDAT#ECOLI

amino acids)

(30% identity in 141 amino acids)

SEQ ID NO: 54: -0.684726, 348, a putative regulatory protein, similar to Cro [BacteriophageP22] gi | 132195 | sp | P09964 | RCRO#BPP22 (39% identity in 53 amino

- 5705 acids)
  SEQ ID NO: 55: -0.385816, 142, a putative repressor protein, similar to repressor proteins for example ,C2 [Bacteriophage P22] gi|133359|sp|P03035|RPC2#BPP22(27% identity in 166
- 5710 SEQ ID NO: 56: -0.0975, 81, novel, similar to hypothetical proteins for example ,YdfK[Escherichia coli] gi|140584|sp|P29008|YDFA#ECOLI (87% identity in 49 amino acids); YdaF gi|3915965|sp|P38395|YDAF#ECOLIF (83% identity in 49 amino acids)
- 5715 SEQ ID NO: 57: 0.15977, 175, novel, similar to (at low level)

  ATP-dependent protease La homolog
  gi|1708857|sp|P42425|LON2#BACSU (27% identity in 95
  amino acids)

SEQ ID NO: 58: -0.425974, 78, novel

- SEQ ID NO: 59: -0.477358, 213, novel, TTG start

  SEQ ID NO: 60: -0.526087, 70, a putative cell division inhibitor, similar to DicB [Escherichia coli] gi|226094|prf||1410309A (67% identity in 55 amino acids)

  SEQ ID NO: 61: -0.439535, 87, novel, similar to hypothetical
- 5725 protein YdfD [Escherichia coli] gi|140587|sp|P29010|YDFD#ECOLI (45% identity in 62 amino acids)
  - SEQ ID NO: 62: -0.11129, 63, a putative exonuclease, similar to exonucleases for example ,exodeoxyribonuclease VIII
- 5730 [Escherichia coli] gi|2507105|sp|P15032|RECE#ECOLI(57% identity in 350 amino acids)
  - SEQ ID NO: 63: 0.082258, 63, a putative integrase, similar to N-terminal part of putative integrases for example ,[Escherichia coli cryptic prophage]

- 5735 gi|7449509|pir||E64913 (93% identity in 183 amino acids), TTG start, probably disrupted
  - SEQ ID NO: 64: -0.580917, 415, novel
  - SEQ ID NO: 65: -0.50929, 184, a transposase (OrfB), identical to transposase [Escherichia coli plasmid p O-157 IS629]
- 5740 gi | 7443862 | pir | | T00240
  - SEQ ID NO: 66: -0.175, 85, a transposase (OrfA), identical to hypothetical protein [Escherichia coli plasmid p O-157 intron sequence IS629] gi | 7444868 | pir | | T00241
    - SEQ ID NO: 67: -0.397973, 297, a putative transposase,
- 5745 similar to putative transposases for example ,[Yersinia pestis plasmid pMT1] gi | 7447905 | pir | | T14710 (78% identity in 257 amino acids), TTG start, probably disrupted SEQ ID NO: 68: -0.965741, 109, novel, identical to L0013 [Escherichia coli O-157:H7 strain EDL933]
- 5750 gi|3414881|gb|aaC31492.1| (100% identity in 126 amino acids); similar to hypothetical proteins for example ,Hp3 [Escherichia coli strain CFT073]gi|3661484|gb|aaC61715.1| (100% identity in 74 amino acids)
- SEQ ID NO: 69: -0.092042, 290, novel, identical to L0014
  5755 [Escherichia coli O-157:H7 strain EDL933]
  gi|3288157|emb|Caa11510.1| (100% identity in 115 amino acids); similar to hypothetical proteins for example ,Orf50
  [Escherichia coli strain B171] gi|6009426|dbj|Baa 84885.1|
  (76% identity in 107 amino acids)
- 5760 SEQ ID NO: 70: -0.403175, 127, novel, identical to L0015 Escherichia coli O-157:H7 strain EDL933 gi | 3414883 | gb | aaC31494.1 | (100% identity in 512 acids); similar to hypothetical proteins for example . Escherichia coli plasmid pColV-K30
- 5765 gi | 3288156 | emb | Caa11509.1 | (99% identity in 411 amino acids)
  - SEQ ID NO: 71: 0.010435, 116, a putative transposase (interrupted), similar to N-terminal part of transposases, for

- example ,[Escherichia coli strain B171]
- 5770 gi | 1004096 | gb | aaB36833.1 | (89% identity in 132 amino acids)
  SEQ ID NO: 72: -0.445312, 513, novel, similar to hypothetical
  proteins for example ,ORF2 in trcA region [Escherichia coli
  strain B171-8] gi | 4126790 | dbj | Baa36748.1 | (41% identity in
  209 amino acids); ORF4 in trcA region [Escherichia coli strain
- 5775 B171-8] gi | 4126792 | dbj | Baa36750.1 | (36% identity in 133 amino acids)
  - SEQ ID NO: 73: '0.736428, 141, novel, similar to hypothetical protein [Lactococcus bacteriophage c2] gi | 1146281 | gb | aaA92162.1 | (31% identity in 59 amino acids),
- 5780 GTG start
  - SEQ ID NO: 74: -0.321951, 124, novel
  - SEQ ID NO: 75: -0.187826, 116, novel, similar to hypothetical proteins for example ,ORF4 in trcAregion [Escherichia coli strain B171-8] gi|4126792|dbj|Baa36750.1| (39% identity in
- 5785 124 amino acids); ORF2 in trcA region [Escherichia coli strain B171-8] gi|4126790|dbj|Baa36748.1| (27% identity in 171 amino acids)
  - SEQ ID NO: 76: 0.102083, 49, novel, similar to hypothetical protein [Bacteriophage 933W] gi|7649887|dbj|Baa94165.1|
- 5790 (93% identity in 89 amino acids)
  - SEQ ID NO: 77: -0.173373, 170, a putative tail fiber protein, similar to tail fiber proteins for example ,[Bacteriophage 933W] gi | 4585436 | gb | aaD25464.1 | AF125520#59(34% identity in 339 amino acids)
- SEQ ID NO: 78: -0.320225, 90, a putative outer membrane protein, similar to Lom outer membrane proteins for example ,[Bacteriophage P-EibA] gi | 7532789 | gb | aaF63231.1 | AF151091#2 (68% identity in 199 amino acids)
- 5800 SEQ ID NO: 79: -0.644471, 408, a probably host specificity protein (partial), similar to C -terminal-half part of protein J [Bacteriophage lambda]

- gi | 138412 | sp | P03749 | VHSJ#LAMBD(38% identity in 77 amino acids), GTG start, probably disrupted by frameshift
- SEQ ID NO: 80: -0.313568, 200, a host specificity protein (partial), partially similar to protein J [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD (65% identity in 639 amino acids), probably disrupted by frameshift
- SEQ ID NO: 81: 0.256338, 72, a host specificity protein
  5810 (interrupted), similar to N-terminal part of protein J
  [Bacteriophage lambda]
  gi|138412|sp|P03749|VHSJ#LAMBD(80% identity in 369
  amino acids), truncated by frameshift
- SEQ ID NO: 82: -0.181623, 654, similar to tail assembly,tail assembly proteins for example ,GpI [Bacteriophage lambda] gi | 139637 | sp | P03730 | VTAI#LAMBD (68% identity in 224 amino acids)
  - SEQ ID NO: 83: -0.403069, 392, tail assembly, similar to tail assembly proteins for example ,GpK [Bacteriophage lambda]
- 5820 gi | 139638 | sp | P03729 | VTAK#LAMBD (85% identity in 196 amino acids), GTG start
  - SEQ ID NO: 84: 0.103097, 227, a minor tail component, similar to minor tail proteins for example ,GpL [Bacteriophage lambda] gi | 138844 | sp | P03738 | VMTL#LAMBD (76% identity in
- 5825 232 amino acids)
  - SEQ ID NO: 85: -0.412946, 225, a putative minor tail component, similar to minor tail proteins for example ,GpM [Bacteriophage lambda]
- gi|138845|sp|P03737|VMTM#LAMBD(44% identity in 110
- 5830 amino acids), GTG start
  - SEQ ID NO: 86: -0.340086, 233, a putative tail length tape measure protein, similar to tail length tape measure proteins for example ,[Bacteriophage HK97] gi | 6901589 | gb | aaF31092.1 | AF069529#5 (52% identity in 1076
- 5835 amino acids)
  - SEQ ID NO: 87: -0.624779, 114, novel, similar to C-terminal

- part of Gp14 [Bacteriophage HK97] gi|6901601|gb|aaF31104.1| (60% identity in 96 amino acids), probablyproduced by translational frameshift
- SEQ ID NO: 88: -0.311204, 1081, a putative tail assembly chaperone, similar to tail assembly chaperone [Bacteriophage HK97] gi | 6901600 | gb | aaF31103.1 | (62% identity in 124 amino acids)
- SEQ ID NO: 89: -0.146237, 94, a putative major tail component, similar to major tail subunit [Bacteriophage HK97] gi | 6901588 | gb | aaF31091.1 | AF069529#4 (68% identity in 234 amino acids)
  - SEQ ID NO: 90: -0.309678, 125, novel, similar to Gp11 [Bacteriophage HK97] gi|6901599|gb|aaF31102.1| (49%
- 5850 identity in 113 amino acids)
  - SEQ ID NO: 91: -0.186135, 239, novel, similar to phage hypothetical protein Gp10 [Bacteriophage HK97] gi | 6901598 | gb | aaF31101.1 | (75% identity in 148 amino acids) SEQ ID NO: 92: 0.172807, 115, a putative head-tail adaptor,
- 5855 similar to putative head-tail adaptors for example ,[Bacteriophage HK97] gi|6901597|gb|aaF31100.1| (45% identity in 111 amino acids)
  - SEQ ID NO: 93: -0.512838, 149, novel
- SEQ ID NO: 94: -0.192241, 117, a putative portal protein, similar to portal proteins for example ,[Bacteriophage D3] gi | 5059250 | gb | aaD38955.1 | (24% identity in 366 amino acids) SEQ ID NO: 95: -0.061111, 109, novel
  - SEQ ID NO: 96: -0.483469, 860, a putative major head protein/prohead protease, its N-terminal part similar to
- putative prohead protease for example ,[Rhodobacter capsulatus] gi|6467535|gb|aaF13181.1|AF181080#3 (30% identity in 137 amino acids); its C-terminal part similar to major head proteins for example ,[Mycobacterium phage L5] gi|465114|sp|Q05223|VG17#BPML5 (23% identity in 280
- 5870 amino acids)

- SEQ ID NO: 97: -0.831147, 62, a putative terminase large subunit, similar to hypothetical proteins for example ,phage D3 terminase-like protein [Haemophilus influenzae] gi | 6739656 | gb | aaF27357.1 | AF198256#11 (22% identity in 472 amino acids)
- SEQ ID NO: 98: -0.148992, 646, a putative terminase small subunit, similar to terminasesmall subunit PBSX phage Bacillus subtilis gi | 1722886 | sp | P39785 | XTMA#BACSU (42% identity in 57 amino acids), GTG start
- SEQ ID NO: 99: -0.117179, 554, novel

  SEQ ID NO: 100: -0.648128, 188, a putative DNase, similar to(at low level) DNase [Bacteriophage phi-C31] gi | 1107475 | emb | Caa62587.1 | (28% identity in 85 amino acids) SEQ ID NO: 101: -1.029787, 48, novel, similar to hypothetical
- proteins for example ,[Escherichia coli] gi|1778472|gb|aaB40755.1| (70% identity in 67 amino acids) SEQ ID NO: 102: -0.468595, 122, a lipoproteinRz1 precursor, similar to lipoproteinRz1 precursors for example ,[Bacteriophage933W]
- 5890 gi | 4585425 | gb | aaD25453.1 | AF125520#48 (98% identity in 61 amino acids)
  - SEQ ID NO: 103: -0.717334, 76, an endopeptidase (cell lysis), identical to Rz [Bacteriophage VT2-Sa] gi|5881639|dbj|Baa84330.1|; similar to Rz endopeptidases for
- 5895 example ,[Bacteriophage lambda]
  gi | 119368 | sp | P00726 | ENPP#LAMBD (69% identity in 153
  amino acids)
  - SEQ ID NO: 104: 0.214754, 62, a putative anti-repressor, identical to Ant [Bacteriophage 933W]
- 5900 gi | 4585423 | gb | aaD25451.1 | AF125520#46; its N-terminal part (amino acids at the position 1-126) similar to anti-repressor Ant [Bacteriophage P22] gi | 131843 | sp | P03037 | RANT#BPP22 (49% identity in 126 amino acids)
  - SEQ ID NO: 105: -0.472903, 156, a putative endolysin,

- 5905 similar to endolysins for example ,[Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45 (96% identity in 177 amino acids)
  - SEQ ID NO: 106: -0.283069, 190, novel, similar to hypothetical protein YdfR (103 amino acids) [Escherichia coli]
- 5910 gi | 3183262 | sp | P76160 | YDFR#ECOLI (45% identity in 74 amino acids)
  - SEQ ID NO: 107: -0.466667, 178, a putative holin protein, similar to holin proteins for example ,[Bacteriophage H-19B] gi|2668771|gb|aaD04658.1| (97% identity in 68 amino acids)
- 5915 SEQ ID NO: 108: -0.074561, 115, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] (52% identity in 613 amino acids)
  - SEQ ID NO: 109: 0.142647, 69, novel
  - SEQ ID NO: 110: -0.212987, 617, novel
- 5920 SEQ ID NO: 111: 0.459524, 43, novel, similar to tellurium resistance proteins (TerB) for example ,[Deinococcus radiodurans] gi|7473690|pir||C75302 (26% identity in 120 amino acids), TTG start
  - SEQ ID NO: 112: -0.452273, 89, novel, TTG start
- SEQ ID NO: 113: -0.153521, 143, a putative antitermination protein, similar to antitermination Q proteins for example, [Bacteriophage 82] gi | 132277 | sp | P13870 | RegQ#BP82 (75% identity in 229 amino acids)
- SEQ ID NO: 114: -0.142593, 55, a putative crossover junction endodeoxyribonuclease, similar to Gp67 [Bacteriophage HK97] gi | 6901639 | gb | aaF31142.1 | (64% identity in 114 amino acids); crossover junction endodeoxyribonucleases Rus (Hollidayjunction nuclease) (Holliday junction resolvase) [Escherichia coli cryptic lambdoid prophage DLP12] (40%
- 5935 identity in 110 amino acids)

  SEQ ID NO: 115: -0.425764, 230, similar to B1560#ECOLI
  gi | 1787843 (83% identity in 348 amino acids), GTG start
  SEQ ID NO: 116: -0.304202, 120, novel

```
SEQ ID NO: 117: -0.39169, 350, novel
5940
      SEQ ID NO: 118: 0.15098, 52, novel
      SEQ ID NO: 119: 1.332353, 35, novel, similar to hypothetical
      protein [Salmonella typhimurium] gi | 7467246 | pir | | T03012
      (28% identity in 69 amino acids); Ren proteins
      example ,[Bacteriophage H-19] gi|2668762|gb|aaD04649.1|
      (26% identity in 109 amino acids)
5945
      SEQ ID NO: 120: -0.410309, 195, novel, GTG start
      SEQ ID NO: 121: 0.470229, 132, a putative DNA replication
      protein, similar to DNAreplication protein DnaC homologs for
      example ,[Escherichia coli] gi | 7429001 | pir | | C64886 (79%
5950
      identity in 246 amino acids)
      SEQ ID NO: 122: -0.365766, 223, a putative replication
      protein, its C -terminal-half part similar to replication proteins
      for
                  example
                                   ,[Bacteriophage
                                                           phi-80]
      gi|137940|sp|P14815|VG15#BPPH8 (34% identity in 148
5955
      amino acids); its N-terminal part similar to hypothetical
                               Escherichia
      protein
                                                              colil
      gi | 3025235 | sp | P75978 | YMFN#ECOLI (68% identity in 62
      amino acids)
      SEQ ID NO: 123: -0.47439, 247, novel, similar to hypothetical
5960
                    YdaY
                               [Escherichia
                                                  coli
                                                             K-12
      gi | 3025103 | sp | P76064 | YDAT#ECOLI (30% identity in 141
      amino acids)
      SEQ ID NO: 124: -0.667987, 304,
                                              novel, similar to
      hypothetical
                          protein
                                     YdaS
                                              [Escherichia
                                                              colil
      gi | 3025102 | sp | P76063 | YDAS#ECOLI (39% identity in 57
5965
      amino acids)
      SEQ ID NO: 125: -0.42695, 142, novel, similar to hypothetical
      protein b1145 [Escherichia coli cryptic prophage e14]
      gi | 7444154 | pir | | F64859 (28% identity in 68 amino acids), TTG
5970
      start
```

SEQ ID NO: 126: -0.183, 101, novel

SEQ ID NO: 127: -0.718055, 145, novel, similar to

```
hypothetical proteins for example, [Rhizobium sp. NGR234]
      gi | 2496690 | sp | P55534 | Y4KP#RHISN (38% identity in 89
5975
      amino acids)
      SEQ ID NO: 128: -1.053333, 76, novel
      SEQ ID NO: 129: -0.040217, 93, novel, GTG start
      SEQ ID NO: 130: -0.648148, 55, novel, similar to excisionases
      for
                                           ,[BacteriophageVT2-Sa]
                      example
5980
      dad | AP000363-2 | Baa84285.1 | (43% identity in 69 amino acids)
      SEQ ID NO: 131: -0.001695, 119, novel [hypothetical
      lipoprotein],
                    similar to
                                 hypothetical
                                                    proteins
                                                              for
      example
                     , CJ0034c
                                     [Campylobacter]
                                                           iejuni]
      gi | 6967539 | emb | CAB72527.1 (35% identity in 229 amino acids),
5985
      GTG start
      SEQ ID NO: 1595: -0.731325, 84, a transposase (insertion
      sequence IS629), similar to hypothetical
                                                   proteins
                                       [Shigella
                                                         flexneril
      example
                        .TnpE
      gi | 5532454 | gb | aaD44738.1 | AF141323#9 (99% identity in 108
5990
      amino acids)
      SEQ ID NO: 1684: -0.126695, 237, a transposase (OrfB)
      (insertion sequence IS629), similar to transposase IS629
      gi | 7443863 | pir | | T00315 (98% identity in 295 amino acids)
      SEQ ID NO: 1647: -0.938889, 109, a putative integrase,
5995
      similar to integrases for example [Bacteriophage S2]
      gi|1679807|emb|Caa96221.1| (57% identity in 331 amino
      acids)
      SEQ ID NO: 1648: -0.432542, 296, novel, similar to(at low
                               protein b1839 [Escherichia coli]
      level) hypothetical
      gi | 7451973 | pir | | G64945 (33% identity in 109 amino acids)
6000
      SEQ ID NO: 1158: -0.498198, 334, novel, similar to(at low
      level) cell
                   division
                                protein
                                         Div Escherichia
                                                             colil
      gi | 2507010 | sp | P15286 (27% identity in 121 amino acids)
      SEQ ID NO: 1159: -0.102609, 116, a putative transcription
6005
      regulatory element, similar
                                    to
                                        putative transcription
```

regulatory elements for example , Neisseria meningitidis

amino acids)

```
gi | 7226247 | gb | aaF41408.1 | (32% identity in 102 amino acids)
      SEQ ID NO: 1160: -0.209722, 217, novel
      SEQ ID NO: 1161: -0.639552, 135, a putative DNA-binding
      protein, similar to putative DNA-binding protein Cox [Vibrio
6010
      cholerae Bacteriophage K139] gi | 4530499 | gb | aaD22064.1 |
      (46% identity in 56 amino acids); phage hypothetical proteins
      for example .[Bacteriophage S2] gi | 1679810 | emb | Caa 96224.1 |
      (42% identity in 61 amino acids); [Escherichia coli retron EC67]
6015
      gi | 141342 | sp | P21315 | YR7A#ECOLI (42% identity in 61 amino
      acids)
      SEQ ID NO: 1162: -0.051111, 46, novel
      SEQ ID NO: 1163: 0.01194, 68, novel
      SEQ ID NO: 1164: -0.692241, 117, novel
6020
      SEQ ID NO: 1165: -0.229348, 93, novel
      SEQ ID NO: 1166: -0.27625, 81, novel
      SEQ ID NO: 1167: -0.094928, 139, novel
      SEQ ID NO: 1168: -0.673134, 68, novel
      SEQ ID NO: 1169: -0.281818, 89, novel, similar to
6025
      hypothetical
                     proteins
                                 for example [Shigella flexneri]
      gi | 421263 | pir | | S34345 (41% identity in 84 amino acids)
      SEQ ID NO: 1170: -0.030303, 100, a putative derepression
      protein, similar to(at low level) derepression protein epsilon
      [Bacteriophage P4] gi | 137833 | sp | P05463 | VEPS#BPP4 (32%)
      identity in 50 amino acids)
6030
      SEQ ID NO: 1171: -0.201464, 206, novel
      SEQ ID NO: 1172: -0.709211, 77, a putative replication
      protein, similar to replication proteins for example ,GpA
      [Bacteriophage 186] gi | 1351406 | sp | P41064 | VPA#BP186 (34%)
6035
      identity in 567 amino acids)
      SEQ ID NO: 1173: -0.276033, 122, putative regulation of
      plasmid partition, similar to plasmid partition proteins
                                                               for
      example
                par [Escherichia,
                                       coli
                                                 plasmid
                                                               R11
      gi | 134954 | sp | P11904 | STBA#ECOLI (46% identity
                                                               314
```

- SEQ ID NO: 1174: -0.74575, 895, regulation of plasmid partition, similar to plasmid partition proteins for example ,TSB [Escherichia coli plasmid NR1] gi | 134956 | sp | P11906 | STBB#ECOLI (40% identity in 62 amino acids)
- SEQ ID NO: 1175: -0.094984, 320, a putative transposase, its N-terminal part (amino acids at the position 1-103/217) is identical to N-terminal part of transposase [Escherichia coli plasmid p O-157 insertion sequence IS629]
- 6050 gi | 7443862 | pir | | T00240(1·103/296 amino acids), its
  C-terminal part (amino acids at the position 104·217/217) is
  identical to C-terminal part of transposase [Escherichia coli
  plasmid p O·157 insertion sequence IS629]
  gi | 7443862 | pir | | T00240(183·296/296 amino acids)
- 6055 SEQ ID NO: 1176: -0.466346, 105, a transposase, similar to hypothetical proteins in insertion sequences for example ,[Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241 (96% identity in 108 amino acids)
- 6060 SEQ ID NO: 1177: -0.368996, 230, novel, similar to hypothetical proteins for example ,orf20 [Escherichia coli plasmid pB171] gi | 6009396 | dbj | Baa84855.1 | (54% identity in 158 amino acids) (transferase)
- SEQ ID NO: 1178: -0.912037, 109, a putative tail protein, 6065 similar to tail proteins for example ,F protein [Bacteriophage 186] gi | 3337273 | gb | aaC34171.1 | (43% identity in 151 amino acids)
  - SEQ ID NO: 1179: -0.174684, 159, novel, similar to C-terminal part of tail proteins for example ,GpT
- 6070 [Bacteriophage P2] gi|3139112|gb|aaD03293.1|(39% identity in 66 amino acids), GTG start, probably disrupted by frameshift SEQ ID NO: 1180: -0.337037, 163, a putative tail protein, similar to N-terminal part of tail proteins for example ,GpT [Bacteriophage P2] gi|3337272|gb|aaC34170.1| (32% identity

protein

- 6075 in 648 amino acids), interrupted by frameshift SEQ ID NO: 1181: -0.326978, 279, a putative phage tail protein, similar to gi|3139111|gb|aaD03292.1| (47% identity in 42 amino acids)
- SEQ ID NO: 1182: -0.055746, 697, a putative tail protein, 6080 similar to tail proteins for example ,GpE [Bacteriophage P2] gi|3139110|gb|aaD03291.1| (31% identity in 85 amino acids) SEQ ID NO: 1183: -0.129487, 79, a putative tail tube protein, similar to tail tube proteins for example ,tail
- 6085 gi | 139325 | sp | P22502 | VPF2#BPP2 (44% identity in 157 amino acids)

FII

SEQ ID NO: 1184: -0.284298, 122, a putative tail sheath protein, similar to tail sheath proteins for example ,FI [Pseudomonas aeruginosa bacteriophage phiCTX]

[Bacteriophage

- 6090 gi | 4063795 | dbj | Baa36249.1 | (47% identity in 377 amino acids)

  SEQ ID NO: 1185: -0.266471, 171, a tail protein, similar to

  N-terminal part of tail proteins for example ,GpD

  [Bacteriophage P2] gi | 6136287 | sp | P10312 | VPD#BPP2 (59% identity in 70 amino acids)
- 6095 SEQ ID NO: 1186: -0.193147, 395, a transposase, similar to transposases for example ,[Escherichia coli insertion sequence IS30] gi|2851554|sp|P37246|TRA8#ECOLI (99% identity in 342 amino acids)
  - SEQ ID NO: 1187: -0.173832, 108, novel, GTG start
- 6100 SEQ ID NO: 1188: -0.841108, 344, novel
  SEQ ID NO: 1189: -0.626563, 65, similar to FLIC#ECOLI
  gi | 1788232 (55% identity in 585 amino acids)
  - SEQ ID NO: 1190: -0.435484, 94, its N-terminal part (amino acids at the position 1-104/379) similar to YEDM#ECOLI
- 6105 gi | 1788245 (77% identity in 104 amino acids), its central part (amino acids at the position 162-266/379) is similar to YEDN#ECOLI gi | 1788244 (60% identity in 105 amino acids), its C-terminal part (amino acids at the position 272-331/379) is

- similar to B1933#ECOLI gi | 1788243 (46% identity in 59 amino acids); similar to(at low level) YOPM#YERPE SP | P17778 (27% identity in 181 amino acids)
  - SEQ ID NO: -: -0.296752, 586, similar to C-terminal part of YEDL#ECOLI gi | 1788242 (61-159/159 amino acids) (93% identity in 99 amino acids)
- 6115 SEQ ID NO: -: -0.242216, 380, its N-terminal part (amino acids at the position 1-104/379) is similar to YEDM#ECOLI gi | 1788245 (76% identity in 104 amino acids), its central part (amino acids at the position 162-266/379) is similar to YEDN#ECOLI gi | 1788244 (61% identity in 105 amino acids), its
- 6120 C-terminal part (amino acids at the position 272-331/379) is similar to B1933#ECOLI gi | 1788243 (53% identity in 59 amino acids); similar to(at low level) IPAH#SHIFL dad | M32063-1 (30% identity in 146 amino acids)
  - SEQ ID NO: 1554 -0.263636, 100, novel, TTG start
- SEQ ID NO: -: -0.244327, 380, novel

  SEQ ID NO: -: -0.468966, 117, a putative secerted effector protein, similar to hypothetical proteins for example ,EspF

  [Escherichia coli strain B10]

  gi | 6090818 | gb | aaF03351.1 | AF116900#2 ESPF#ECOLI (39%
- 6130 identity in 126 amino acids)

  SEQ ID NO: 756: -0.497235, 218, novel, similar to hypothetical protein [Bacteriophage 933W] gi | 4585437 | gb | aaD25465.1 | AF125520#60 (93% identity in 89 amino acids)
- 6135 SEQ ID NO: 757: -0.686944, 338, a putative bacteriophage tail fiber protein, similar to tail fiber proteins for example ,[Bacteriophage 933W] gi|4585436|gb|aaD25464.1|AF125520#59 (38% identity in 370 amino acids)
- 6140 SEQ ID NO: 758: -0.324719, 90, a putative outer membrane protein, similar to Lom outer membrane protein precursors for example ,[prophage P-EibA]

- gi | 7532789 | gb | aaF63231.1 | AF151091#2 (68% identity in 199 amino acids)
- 6145 SEQ ID NO: 759: -0.67254, 438, a bacteriophage host specificity protein(partial), similar to C-terminal part of host specificity proteins for example ,GpJ [Bacteriophage lambda]gi|138412|sp|P03749|VHSJ#LAMBD (58% identity in 788 amino acids), probably disrupted by frameshift
- SEQ ID NO: 760: -0.313568, 200, a bacteriophage host specificity protein (interrupted), similar to N-terminal part of host specificity proteins for example, protein J [Bacteriophage lambda] gi | 138412 | sp | P03749 | (80% identity in 369 amino acids), GTG start, interrupted by frameshift
- 6155 SEQ ID NO: 761: -0.245668, 809, a putative tail assembly protein, similar to tail assembly proteins for example ,GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD (69% identity in 224 amino acids)
  - SEQ ID NO: 762: -0.365217, 392, bacteriophage tail assembly,
- 6160 similar to tail assembly proteins for example ,GpK [Bacteriophage lambda] gi|139638|sp|P03729|VTAK#LAMBD (87% identity in 186 amino acids)
  - SEQ ID NO: 763: 0.086667, 226, a possible bacteriophage tail component, similar to minor tail proteins for example ,GpL
- 6165 [Bacteriophage lambda] gi|138844|sp|P03738|VMTL#LAMBD (76% identity in 232 amino acids)
  - SEQ ID NO: 764: -0.344973, 190, a bacteriophage tail component, similar to minor tail proteins for example ,GpM [Bacteriophage lambda] gi | 138845 | sp | P03737 | VMTM#LAMBD
- 6170 (79% identity in 109 amino acids)
  - SEQ ID NO: 765: -0.3125, 233, tail length determination, similar to C-terminal part of tail length tape measure protein precursors for example ,GpH [Bacteriophage lambda] gi | 138843 | sp | P03736 | VMTH#LAMBD (80% identity in 253
- 6175 amino acids), probably disrupted by frameshift SEQ ID NO: 766: -0.43945, 110, bacteriophage tail length

determination, similar to N-terminal part tail length tape measure proteins for example ,GpH [Bacteriophage lambda] gi | 138843 | sp | P03736 | VMTH#LAMBD (76% identity in 587 6180 amino acids), interrupted by frameshift SEQ ID NO: 767: -0.258268, 255, a bacteriophage tail component, similar to minor tail proteins for example ,GpT [Bacteriophage lambda] gi | 138846 | sp | P03735 | VMTT#LAMBD (78% identity in 96 amino acids), probably produced by 6185 translationalframeshift SEQ ID NO: 768: -0.505, 621, a bacteriophage tail component, similar to minor tail proteins for example Bacteriophage lambdalgi | 138842 | sp | P03734 | VMTG#LAMBD (68% identity in 6190 167 amino acids) SEQ ID NO: 769: 0.034653, 102, novel SEQ ID NO: 770: -0.22028, 144, a bacteriophage head component, similar to N-terminal part of major head proteins [Bacteriophage for example Gp7 2116195 gi | 547612 | sp | P36270 | HEAD#BPP21percent gi | 547612 | sp | P36270 | (95% identity in 88 amino acids), probably interrupted SEQ ID NO: 771: -0.239801, 202, a bacteriophage head similar head decoration proteins for component, to 21 6200 example ,Gpshp [Bacteriophage gi | 549437 | sp | P36275 | VSHP#BPP21 (95% identity in 115 amino acids) SEQ ID NO: 772: -0.331818, 89, a bacteriophage head-tail preconnector, similar to minor head proteins for 6205 example ,head-tail preconnector Gp5 [Bacteriophage gi | 549296 | sp | P36273 | VG05#BPP21 (97% identity in 501 amino acids), scaffold protein(302-501 amino acids) containing

SEQ ID NO: 773: -0.024348, 116, a bactreiophage portal

protein, similar to portal proteins for example ,Gp5

homolog of Gp6 [Bacteriophage 21]

[Bacteriophage 21] gi | 549295 | sp | P36272 | VG04#BPP21 (98% identity in 530 amino acids) SEQ ID NO: 774: 0.055688, 502, a putative head completion protein, similar to phage proteins for example ,head 6215 211 completion Gp3 Bacteriophage protein gi | 549294 | sp | P36271 | VG03#BPP21 (98% identity in 68 amino acids) SEQ ID NO: 775: -0.448868, 531, a bacteriophage terminase large subunit, similar to terminase large subunits for 6220 example Gp2 Bacteriophage 21gi | 2851579 | sp | P36693 | TERL#BPP21 (91% identity in 637 amino acids) SEQ ID NO: 776: -0.394118, 69, a possible bacteriophage terminase small subunit, similar to terminase small subunits 6225 for example ,Gp1 [Bacteriophage N15] gi | 7444578 | pir | | T13087 (42% identity in 106 amino acids), GTG start SEQ ID NO: 777: -0.425233, 643, a transcription regulatory similar PerC (BfpW)[Escherichiacoli] element. to gi | 1172431 | sp | P43475 | PERC#ECOLI (47% identity in 6230 amino acids) SEQ ID NO: 778: -0.508875, 170, a lipoprotein precursor, lipoproteinRz1 precursors similar for to 933W] example ,[Bacteriophage gi | 4585425 | gb | aaD25453.1 | AF125520#48 (85% identity in 61 6235 amino acids) SEQ ID NO: 779: -0.983654, 105, an endopeptidase (host cell lysis). Rzendopeptidases for similar to example VT2-Sal ,[Bacteriophage gi | 5881639 | dbj | Baa84330.1 | (83% identity in 154 amino acids) 6240 SEQ ID NO: 780: 0.178689, 62, novel SEQ ID NO: 781: -0.26, 156, similar to possible endolysins, protein [Bacteriophage example .R H-19Bl gi | 4335686 | gb | aaD17382.1 | (98% identity in 177 amino acids)

SEQ ID NO: 782: 0.62, 61, novel, similar to YdfR [Escherichia

- 6245 coli] gi | 3183262 | sp | P76160 | YDFR#ECOLI (44% identity in 74 amino acids)
  - SEQ ID NO: 783: -0.393785, 178, a possible holin protein (host cell lysis), similar to holin proteins for example, protein [Bacteriophage VT2-Sa] gi | 5881636 | dbj | Baa84327.1 | (94%)
- 6250 identity in 68 amino acids)
  - SEQ ID NO: 784: -0.114912, 115, a transposase, identical to hypothetical protein[Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241
    - SEQ ID NO: 785: 0.133823, 69, a transposase, identical to
- 6255 transposase [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7443862 | pir | | T00240
  - SEQ ID NO: 786: -0.965741, 109, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (53% identity in 613
- 6260 amino acids)
  - SEQ ID NO: 787: -0.397973, 297, novel, GTG start
  - SEQ ID NO: 788: -0.243181, 617, novel, GTG start
  - SEQ ID NO: 789: 0.475926, 55, novel, similar to putative TerB proteins for example ,[Deinococcus radiodurans]
- 6265 gi | 7473690 | pir | | C75302 (26% identity in 120 amino acids)
  SEQ ID NO: 790: 1.385455, 56, an antitermination, similar to antiterminators for example, protein Q [Bacteriophage 82] gi | 132277 | sp | P13870 | R for example, Q#BP82 (75% identity in 229 amino acids)
- 6270 SEQ ID NO: 791: -0.143662, 143, a crossover junction endodeoxyribonuclease, similar to Rus proteins for example ,[Bacteriophage 82] gi|6901639|gb|aaF31142.1|GP67#BPHK97 (63% identity in 112 amino acids); similar to Gp67 [Bacteriophage HK97] gi|6901639|gb|aaF31142.1| (63%
- 6275 identity in 112 amino acids)

  SEQ ID NO: 792: -0.393886, 230, novel, similar to hypothetical proteins for example ,b1560 [Escherichia coli] gi | 7466196 | pir | | C64911 (85% identity in 348 amino acids),

GTG start

6305

- 6280 SEQ ID NO: 793: -0.221009, 120, novel, similar to orf QD1 [Bacteriophage N15] gi|2564084|gb|aaB81659.1| (31% identity in 64 amino acids)
  - SEQ ID NO: 794: -0.35702, 350, a prophage maintenance (modulation of hostcell killing), similar to Hok/Gef family for
- 6285 example ,MokW [Bacteriophage 933W] gi | 4585453 | gb | aaD25481.1 | AF125520#76 (87% identity 70 amino acids)
  - SEQ ID NO: 795: -1.208696, 93, novel
- SEQ ID NO: 796: 0.081429, 71, novel, its N-terminal part (amino acids at the position 1.46 amino acids) is similar to GP45 [Bacteriophage N15] gi | 7521552 | pir | | T13131 (56% identity in 46 amino acids); its N-terminal part (amino acids at the position 37-97) is similar to b2363 [Escherichia coli]

gi | 7451977 | pir | | H65009 (73% identity in 61 amino acids)

6295 SEQ ID NO: 797: 1.402941, 35, novel
SEQ ID NO: 798: -0.425134, 188, novel, GTG start
SEQ ID NO: 799: -0.893204, 104, novel
SEQ ID NO: 800: -1.069355, 63, novel

(47% identity in 129 amino acids)

- SEQ ID NO: 801: -0.171186, 119, novel, similar to YdaW 6300 [Escherichia coli] gi|3025105|sp|P76066|YDAW#ECOLI (61% identity in 135 amino acids)
  - SEQ ID NO: 802: -0.148649, 75, a putative phage replication protein, similar to replication proteins for example ,Gp14 [Bacteriophage phi-80] gi|137937|sp|P14814|VG14#BPPH8
- SEQ ID NO: 803: -0.504741, 233, novel, similar to replication termination factor dnaT (primosomal protein I) [Escherichia coli] gi | 1361001 | pir | | S56589 (30% identity in 85 amino acids)
  - SEQ ID NO: 804: -0.721364, 221, novel, similar to YdaT
- 6310 [Escherichia coli] gi | 3025103 | sp | P76064 | YDAT#ECOLI (31% identity in 83 amino acids); similar to(at low level) regulatory protein CII [Bacteriophage phi-80]

- gi | 133360 | sp | P14820 | RPC2#BPPH8 (40% identity in 40 amino acids)
- 6315 SEQ ID NO: 805: -0.660869, 346, a putative cell division control protein (repressor), similar to DicC (repressor protein of division inhibition genedicB) [Escherichia coli] gi | 118633 | sp | P06965 | DICC#ECOLI (31% identity in 72 amino acids)
- SEQ ID NO: 806: -0.360284, 142, a possible repressor protein, similar to repressor proteins for example ,C2 repressor [Bacteriophage P22] gi|133359|sp|P03035|RPC2#BPP22 (30% identity in 203 amino acids)
  SEQ ID NO: 807: -0.694667, 76, novel
- 6325 SEQ ID NO: 808: -0.046047, 216, a possible cell division inhibitor, similar to DicB protein [Escherichia coli] gi|2507009|sp|P09557|DICB#ECOLI (65% identity in 55 amino acids)
- SEQ ID NO: 809: -0.494, 51, novel, similar to hypothetical proteins for example ,YdfD[Escherichia coli] gi|140587|sp|P29010|YDFD#ECOLI (46% identity in 62 amino acids)
  - SEQ ID NO: 810: -0.01129, 63, novel SEQ ID NO: 811: 0.119355, 63, novel
- 6335 SEQ ID NO: 812: -0.751913, 733, novel

  SEQ ID NO: 813: -0.487736, 107, an integrase, similar to integrases for example ,[Bacteriophage HK022] gi | 138560 | sp | P16407 | VINT#BPHK0 (24% identity in 316 amino acids)
- 6340 SEQ ID NO: 814: -0.347761, 68, novel, similar to hypothetical proteins for example ,L0013 [Escherichia coli O-157:H7 strain EDL933] gi|3414881|gb|aaC31492.1|(100% identity in 133 amino acids), GTG start
- SEQ ID NO: 815: -0.722352, 341, novel, similar to hypothetical proteins for example ,L0014 [Escherichia coli O·157:H7 strain EDL933] gi | 3288157 | emb | Caa11510.1 | (100%)

identity in 115 amino acids)

SEQ ID NO: 1581: -0.388722, 134, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli

6350 O·157:H7 strain EDL933] gi|3414883|gb|aaC31494.1| (100% identity in 512 amino acids)

SEQ ID NO: 1582: 0.010435, 116, novel

SEQ ID NO: 1583: -0.445312, 513, a transposase (insertion sequence IS629), similar to IS629 hypothetical proteins for

- 6355 example ,[Escherichia coli plasmid p O-157]
  gi|7444868|pir||T00241 (96% identity in 108 amino acids)
  SEQ ID NO: 1349: -0.262963, 55, a transposase (insertion sequence IS629), similar to IS629 transposase [Escherichia coli plasmid p O-157) gi|7443862|pir||T00240 (96% identity in
- 6360 296 amino acids)

  SEQ ID NO: 1350: -0.942593, 109, novel, partially similar tohypothetical proteins for example ,YjdA [Escherichia coli] gi|731985|sp|P16694|YJDA#ECOLI (17% identity in 236 amino acids) (at low level)
- 6365 SEQ ID NO: 1351: -0.402027, 297, novel, similar to hypothetical protein YjcZ[Escherichia colil gi|731984|sp|P39267|YJCZ#ECOLI (29% identity in 278 amino acids), GTG start
- SEQ ID NO: 1352: -0.652559, 294, novel, similar to(at low level) hypothetical proteins for example ,[Xanthomonas campestris] gi|6689533|emb|CAB65709.1| (44% identity in 74 amino acids)

SEQ ID NO: 1353: -0.372093, 302, novel SEQ ID NO: 1354: 0.036798, 357, novel

- 6375 SEQ ID NO: 1355: -0.067841, 228, novel, similar to hypothetical proteins for example ,YafZ [Escherichia coli] gi|2495487|sp|P77206|YAFZ#ECOLI (75% identity in 272 amino acids)
- SEQ ID NO: 1356: -0.074265, 137, a putative antirestriction 6380 protein, similar to hypothetical proteins for example ,YfjX

gi | 3435182 | gb | aaC32350.1 |

- [Escherichia coli] gi | 1723636 | sp | P52139 | YFJX#ECOLI (68% identity in 152 amino acids); similar to antirestriction proteins for example ,KlcA protein [ plasmid RK2] gi | 1730051 | sp | P52603 | KLA2#ECOLI (38% identity in 139)
- 6385 amino acids)

  SEQ ID NO: 1357: -0.550183, 274, an acetyltransferase, identical to WbdR [Escherichia coli O-157:H7 C664-1992]
- SEQ ID NO: 1358: -0.385535, 160, novel, similar to
  6390 C-terminal part of H repeat-associated proteins for
  example ,[Escherichia coli]
  gi|140772|sp|P28912|YHHI#ECOLI (66% identity in 36 amino
  acids), TTG start
- SEQ ID NO: 1259: 0.180543, 222, novel, similar to H
  6395 repeat-associated proteins for example ,[Escherichia coli]
  gi | 140772 | sp | P28912 | YHHI#ECOLI (75% identity in 49 amino acids)
  - SEQ ID NO: 1260: 0.204, 51, novel, similar to H repeat-associated proteins for example ,[Escherichia coli]
- 6400 gi | 140772 | sp | P28912 | YHHI#ECOLI (83% identity in 36 amino acids), GTG start
  - SEQ ID NO: 1261: -0.351852, 55, a phosphomannomutase, identical to ManB [Escherichia coli O-157:H7 C664-1992] gi|3435181|gb|aaC32349.1|
- 6405 SEQ ID NO: 1262 : -0.141667, 37, a mannose-1-P guanosyltransferase, identical to ManC [Escherichia coli O-157:H7 C664-1992] gi | 3435180 | gb | aaC32348.1 |
  - SEQ ID NO: 1263: -0.222368, 457, a probable GDP-L-fucose pathway enzyme, identical to WbdQ [Escherichia coli
- 6410 O-157:H7 C664-1992] gi | 3435179 | gb | aaC32347.1 |
  SEQ ID NO: 1264: -0.221577, 483, a fucose synthetase, identical to Fcl [Escherichia coli O-157:H7 C664-1992] gi | 4867922 | dbj | Baa77731.1 |
  - SEQ ID NO: 1265: -0.168047, 170, a GDP-D-mannose

- 6415 dehydratase, identical to Gmd [Escherichia coli O-157:H7 C664-1992]gi|3435177|gb|aaC32345.1|
  SEQ ID NO: 1266: -0.264486, 322, a (e) glycosyl transferase, similar to WbdP [Escherichia coli O-157:H7 C664-1992] gi|3435176|gb|aaC32344.1|
- 6420 SEQ ID NO: 1267: -0.261021, 373, a perosamine synthetase, identical to Per [Escherichia coli O-157:H7 C664-1992] gi|3435175|gb|aaC32343.1| SEQ ID NO: 1268: -0.176485, 405, an O antigen flippase, identical to Wzx [Escherichia coli O-157:H7 C664-1992]
- 6425 gi | 3435174 | gb | aaC32342.1 |

  SEQ ID NO: 1269: -0.321585, 367, a probable glycosyl transferase, identical to WbdO[Escherichia coli O-157:H7 C664-1992] gi | 3435173 | gb | aaC32341.1 |
- SEQ ID NO: 1270: 0.75141, 462, an O antigen polymerase, identical to Wzy [Escherichia coli O-157:H7 C664-1992] gi|3435172|gb|aaC32340.1|, GTG start SEQ ID NO: 1271: -0.16371, 249, a (e) glycosyl transferase, identical to WbdN [Escherichia coli O-157:H7 C664-1992] gi|4867915|dbj|Baa77724.1|
- 6435 SEQ ID NO: 1272: 0.558884, 395, a putative UDP-galactose 4-epimerase, similar to putative UDP-galactose 4-epimerase [Vibrio cholerae] gi|3724321|dbj|Baa33610.1 (27% identity in 329 amino acids)
- 6440 hypothetical proteins for example ,gi|9106618|gb|aaF84382.1|AE003986#12 [Xylella fastidiosa] (60% identity in 105 amino acids)
  - SEQ ID NO: 1638: -0.29577, 332, novel, similar to hypothetical protein [Xylella fastidiosa]

SEQ ID NO: 1273: -0.404615, 261, novel, similar to

6445 gb | aaF84486.1 | AE003993#5 (52% identity in 86 amino acids)

SEQ ID NO: 1692: -0.842857, 113, novel

SEQ ID NO: 1693: -0.109375, 97, novel

SEQ ID NO: 1588: -0.478481, 80, novel [putative] outer

- membrane protein; OMP]
- 6450 SEQ ID NO: 1589: -0.057391, 116, similar to YEHA#ECOLI gi | 1788426 (44% identity in 207 amino acids) [putative type-1 fimbrial protein]
  - SEQ ID NO: 1590: 0.006731, 105, similar to YEHB#ECOLI gi | 1788427 (92% identity in 826 amino acids); similar to usher
- 6455 protein MrkC [Klebsiella pneumoniae]
  dad | M55912-4 | aaA25095.1 (32% identity in 810 amino acids)
  SEQ ID NO: -: -0.098256, 345, similar to YEHC#ECOLI
  gi | 1788428 (87% identity in 224 amino acids); similar to
  chaperone MrkB [Klebsiella pneumoniae]
- 6460 dad | M55912-3 | aaA25094.1 (39% identity in 211 amino acids)

  SEQ ID NO: -: -0.513075, 827, similar to YEHD#ECOLI
  gi | 1788429 (85% identity in 180 amino acids); AC/I pili
  protein [Escherichia coli] dad | X76121-1 | Caa53727.1 (28% identity in 177 amino acids)
- 6465 SEQ ID NO: -: -0.266071, 225, similar to YEHE#ECOLI gi1788430 (69% identity in 93 amino acids)

  SEQ ID NO: -: 0.199444, 181, a putative molybdate metabolism regulator, similar to N-terminal part of molybdate metabolism regulator MolR [Escherichia coli]
- 6470 gi | 7466653 | pir | | B64979 (amino acids at the position 1-244/1264) (37% identity in 249 amino acids), GTG start SEQ ID NO: -: -0.272043, 94, a putative molybdate metabolism regulator, similar to C-terminal part of molybdate metabolism regulator molR [Escherichia coli]
- 6475 gi | 465576 | sp | P33345 | MOLR#ECOLI (45% identity in 1000 amino acids), GTG start
  - SEQ ID NO: -: -0.647107, 243, identical to transposase (OrfB) (insertion sequence IS629), gi | 7443862 | pir | | T00240
  - SEQ ID NO: 1509: -0.306124, 948, similar to transposase
- 6480 (OrfA) (insertion sequenceIS629), gi | 7444868 | pir | | T00241 (99% identity in 108 amino acids)
  - SEQ ID NO: 1650: -0.397973, 297, novel

- SEQ ID NO: 1651: -0.958333, 109, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W]
- 6485 gi | 4585437 | gb | aaD25465.1 | AF125520#60 (97% identity in 102 amino acids), TTG start
  - SEQ ID NO: 555: -0.584146, 83, a putative tail fiber protein, similar to tail fiber proteins for example ,[Bacteriophage 933W] gi|4585436|gb|aaD25464.1|AF125520#59 (36% identity
- 6490 in 361 amino acids)
  - SEQ ID NO: 556: -0.411765, 103, a putative outer membrane protein Lom precursor, similar to Lom precursors for example ,[Bacteriophage P-EibA] gi | 7532789 | gb | aaF63231.1 | AF151091#2 (76% identity in 199
- 6495 amino acids)

  SEQ ID NO: 557: -0.679634, 438, a putative host specificity protein (partial), similar to C-terminal part of host specific proteins for example ,GpJ [Bacteriophage lambda]

gi | 138412 | sp | P03749 | VHSJ#LAMBD(62%

- 6500 amino acids). GTG start
  - SEQ ID NO: 558: -0.288442, 200, a putative host specific protein (interrupted), similar to N-terminus of host specificity proteins for example ,GpJ [Bacteriophage lambda] gi|138412|sp|P03749|VHSJ#LAMBD(80% identity in 369

identity

775

- amino acids), GTG start, probably truncated by framesift SEQ ID NO: 559: -0.197032, 776, a putative tail assembly protein, similar to tail assembly proteins for example ,GpI [Bacteriophage lambda] gi|139637|sp|P03730|VTAI#LAMBD (69% identity in 224 amino acids)
- 6510 SEQ ID NO: 560: -0.365217, 392, a putative tail assembly protein, similar to tail assembly proteins for example ,GpK [Bacteriophage lambda] gi|139638|sp|P03729|VTAK#LAMBD (86% identity in 196 amino acids)
- SEQ ID NO: 561: 0.086667, 226, a putative minor tail
  6515 protein, similar to minor tail proteins for
  example ,GpI[Bacteriophage lambda]

- gi | 138844 | sp | P03738 | VMTL#LAMBD (76% identity in 232 amino acids)
- SEQ ID NO: 562: -0.32996, 248, a putative minor tail protein,
  6520 similar to minor tail proteins for example ,GpM
  [Bacteriophage lambda]
  gi | 138845 | sp | P03737 | VMTM#LAMBD(79% identity in 109
  amino acids)
- SEQ ID NO: 563: -0.3125, 233, a putative tail length tape
  6525 measure protein precursor, similar to tail length tape measure
  protein precursors for example ,GpH [Bacteriophagelambda]
  gi|138843|sp|P03736|VMTH#LAMBD (49% identity in 876
  amino acids)
- SEQ ID NO: 564: -0.43945, 110, a putative minor tail protein, similar to minor tail proteins for example ,GpT [Bacteriophage lambda] gi | 138846 | sp | P03735 | VMTT#LAMBD(70% identity in 102 amino acids), probably produced by translational frameshift SEQ ID NO: 565: -0.353916, 882, a putative minor tail
- 6535 protein, similar to minor tail proteins for example ,GpG [Bacteriophage lambda] gi|138842|sp|P03734|VMTG#LAMBD (43% identity in 140 amino acids)
  - SEQ ID NO: 566: -0.358824, 103, novel
- SEQ ID NO: 567: -0.545714, 141, a putative minor tail protein U, similar to minor tail proteins for example ,GpU [Bacteriophage lambda] gi|138847|sp|P03732|VMTU#LAMBD (55% identity in 132 amino acids)
  - SEQ ID NO: 568: -0.34, 251, a putative minor tail protein, similar to minor tail proteins for example ,GpZ
- 6545 [Bacteriophage lambda] gi | 138849 | sp | P03731 | VMTZ#LAMBD (52% identity in 206 amino acids)
  - SEQ ID NO: 569: -0.141667, 133, novel
  - SEQ ID NO: 570: -0.45942, 208, novel (hypothetical membrane protein)
- 6550 SEQ ID NO: 571: -0.103226, 94, novel

- SEQ ID NO: 572: 0.549074, 109, a transposase (OrfA) (insertion sequence IS629), identical to hypothetical protein [Escherichia coli plasmid p O·157 insertion sequence IS629] gi | 7444868 | pir | | T00241
- 6555 SEQ ID NO: 573: -0.202367, 339, a transposase (OrfB) (insertion sequenceIS629), identical to transposase [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7443862 | pir | | T00240
- SEQ ID NO: 574 :-0.958333, 109,a putative 6560 protease/scaffold protein, similar to ClpP proteases example, [Bacteriophage D3] gi | 5059251 | gb | aaD38956.1 | (39% identity in 195 amino acids); putative scaffolding protein Streptococcus thermophilus bacteriophage DT1 gi | 4530143 | gb | aaD21883.1 | (31% identity in 193 amino acids),
- 6565 GTG start

  SEQ ID NO: 575: -0.397973, 297, a putative portal protein, similar to portal protein-like protein [Wolbachia sp. wKuel gi | 6723246 | dbj | Baa89642.1 | (24% identity in 438 amino acids); similar to(at low level) portal proteins for
- 6570 example ,gp4 [phage 21] gi|549295|sp|P36272|VG04#BPP21 (20% identity in 368 amino acids)
  - SEQ ID NO: 576: -0.101359, 369, novel
  - SEQ ID NO: 577: -0.4932, 501, a putative terminase large subunit, similar to terminase large subunit-like protein
- 6575 [Wolbachia sp. wKue] gi | 6723244 | dbj | Baa89640.1 | (25% identity in 629 amino acids); terminase large subunits for example ,GpA [Bacteriophage lambda] gi | 137616 | sp | P03708 | TERL#LAMBD (23% identity in 615 amino acids), GTG start
- 6580 SEQ ID NO: 578: -0.598718, 79, novel

  SEQ ID NO: 579: -0.665488, 708, a lipoprotein Rz1 precursor, similar to lipoproteinRz1 precursors for example ,[Bacteriophage 933W] gi|4585425|gb|aaD25453.1|AF125520#48 (98% identity in 61

- 6585 amino acids)
  - SEQ ID NO: 580: -0.458861, 159, an endopeptidase (host cell lysis), identical to Rz[Bacteriophage VT2-Sa] gi|5881639|dbj|Baa84330.1|; similar to endopeptidases for example ,Rz [Bacteriophage lambda]
- 6590 gi | 119368 | sp | P00726 | ENPP#LAMBD (69% identity in 153 amino acids)
  - SEQ ID NO: 581: 0.214754, 62, a putative antirepressor protein, identical to putative antirepressor protein [Bacteriophage 933W]
- 6595 gi | 4585423 | gb | aaD25451.1 | AF125520#46; its N-terminal part (amino acids at the position 1-126) is similar to antirepressor proteinAnt [Bacteriophage P22] (49% identity in 126 amino acids)
- SEQ ID NO: 582: -0.472903, 156, a putative endolysin, dentical to endolysin [Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45; similar to endolysins for example ,R protein [Bacteriophage H-19B] gi | 4335686 | gb | aaD17382.1 | (93% identity in 177 amino acids) SEQ ID NO: 583: -0.283069, 190, a putative holin protein,
- 6605 identical to putative holin [Bacteriophage 933W] gi | 4499808 | emb | CAB39307.1 |; similar to holin proteins for example , protein [Bacteriophage 21] gi | 138706 | sp | P27360 | VLYS#BPP21 (77% identity in 71 amino acids)
- 6610 SEQ ID NO: 584: -0.449153, 178, novel, similar to hypothetical proteins for example ,[Shigella dysenteriae] gi|6759966|gb|aaF28124.1|AF153317#20 (91% identity in 81 amino acids)
- SEQ ID NO: 585: 0.039437, 72, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4499806 | emb | CAB39305.1 | SEQ ID NO: 586: -0.312346, 82, novel, similar to hypothetical
  - proteins for example ,[Bacteriophage VT2-Sa]

- gi | 5881634 | dbj | Baa84325.1 | (92% identity in 649 amino acids)
- 6620 SEQ ID NO: 587: 0.008475, 60, a Shiga toxin I subunit B precursor, identical to Shiga toxin I subunit B precursor gi | 134539 | sp | P08027 | SLTB#BPH30
  - SEQ ID NO: 588: -0.218518, 649, a Shiga toxin I subunit A precursor, identical to Shiga toxin I subunit A precursor
- [Shigella dysenteriae] gi | 134537 | sp | P10149 | SLTA#BPH30 SEQ ID NO: 589: 0.031461, 90, an antitermination protein, similar to antitermination proteins for example, protein Q [Bacteriophage H-19B] (95% identity in 144 amino acids)
- SEQ ID NO: 590: 0.083492, 316, novel, similar to hypothetical proteins for example ,Nin 68 [Bacteriophage lambda] gi|1351593|sp|P03771|Y68#LAMBD (80% identity in 60 amino acids)
  - SEQ ID NO: 591: -0.268056, 145, novel, similar to hypothetical proteins for example ,NinG protein
- 6635 [Bacteriophage 21] gi | 4539482 | emb | CAB39991.1 | (90% identity in 201 amino acids)
  - SEQ ID NO: 592: -0.534375, 65, novel, similar to hypothetical proteins for example ,NinF [Bacteriophage P22] gi | 512350 | emb | Caa55162.1 | (96% identity in 58 amino acids)
- SEQ ID NO: 593: -1.045273, 202, novel

  SEQ ID NO: 594: -0.286957, 70, novel, identical to hypothetical protein [Bacteriophage VT2-Sa] gi|5881625|dbj|Baa84316.1|; similar to Nin E proteins for example, [Bacteriophage 21] (100% identity in 57 amino acids)
- 6645 SEQ ID NO: 595: -0.939098, 134, novel, similar to hypothetical proteins for example ,[Bacteriophage VT2-Sa] gi|5881624|dbj|Baa84315.1| (98% identity in 175 amino acids); DNA N-6-adenine-methyltransferase [Bacteriophage T1] (31% identity in 143 amino acids)
- 6650 SEQ ID NO: 596: -1.339655, 59, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585410 | gb | aaD25438.1 | AF125520#33 (98% identity in

- 148 amino acids); Nin B [Bacteriophage 21] gi | 4539479 | emb | CAB39988.1 | (43% identity in 147 amino
- 6655 acids)

  SEQ ID NO: 597: -0.174286, 176, novel, similar to hypothetical proteins for example ,[Bacteriophage SEQ ID NO: 933W] gi | 4585409 | gb | aaD25437.1 | AF125520#32 (99%)

identity in 109 amino acids). GTG start

- 6660 SEQ ID NO: 598: -0.739189, 149, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi|4499788|emb|CAB39287.1| (97% identity in 92 amino acids) SEQ ID NO: 599: 0.00851, 142, a Ren protein, similar to Ren proteins for example ,[Bacteriophage lambda]
- 6665 gi | 139473 | sp | P03761 | VREN#LAMBD (97% identity in 96 amino acids)
  - SEQ ID NO: 600: -0.872826, 93, a phage replication protein P, similar to phage replication protein Ps for example ,[Bacteriophage lambda]
- 6670 gi | 139488 | sp | P03689 | VRPP#LAMBD(97% identity in 233 amino acids)
  - SEQ ID NO: 601: -0.0375, 97, a phage replication protein O, similar to phage replication protein Os for example ,[Bacteriophage 933W]
- 6675 gi | 4585405 | gb | aaD25433.1 | AF125520#28(99% identity in 312 amino acids)
  - SEQ ID NO: 602: -0.448927, 234, a regulatory protein CII, similar to regulatory protein CIIs for example ,[Bacteriophage 933W]
- 6680 gi | 4585404 | gb | aaD25432.1 | AF125520#27 (94% identity in 98 amino acids)
  - SEQ ID NO: 603: -0.815064, 313, a putative regulatory protein, similar to putative regulatory proteins for example, [Bacteriophage VT2-Sal gi|5881616|dbj|Baa84307.1|
- 6685 (42% identity in 71 amino acids)
  SEQ ID NO: 604: -0.220408, 99, a putative prophage

6690

- repressor CI, similar to prophagerepressor CIs for example ,[Bacteriophage lambda] gi | 133353 | sp | P03034 | RPC1#LAMBD (48% identity in 205 amino acids)
- SEQ ID NO: 605: -0.223611, 73, novel
  - SEQ ID NO: 606: -0.193868, 213, novel (hypothetical membrane protein)
- SEQ ID NO: 607: -0.194624, 94, a putative regulatory protein (transcription anti-termination), similar to putative transcriptionanti-termination proteins for example, protein N [Bacteriophage phi-21] gi | 132274 | sp | P07243 | R for example, N#BPPH3 (99% identity in 64 amino acids) SEQ ID NO: 608: -0.036066, 184, novel
- 6700 SEQ ID NO: 609: -0.355556, 91, a putative superinfection exclusion protein, similar to superinfection exclusion protein B [Bacteriophage P22] gi|585991|sp|P38396|SIEB#BPP22 (84% identity in 191 amino acids)
- SEQ ID NO: 610: 0.358824, 52, a putative single-stranded DNAbinding protein, identical to putative single-stranded DNAbinding protein [Bacteriophage 933W]; similar to Ea10(single-stranded DNAbinding protein) [Bacteriophage lambda] gi|137630|sp|P03757|VE10#LAMBD (99% identity in 122 amino acids)
- 6710 SEQ ID NO: 611: -0.012435, 194, a regulatory protein cIII (antitermination), identical to regulatory proteincIII [Bacteriophage lambda] gi|133366|sp|P03044|RPC3#LAMBD SEQ ID NO: 612: -0.263935, 123, a Kil protein (host killing), similar to Kil proteins for example, [Bacteriophage lambda]
- 6715 gi | 138622 | sp | P03758 | VKIL#LAMBD (97% identity in 89 amino acids)
  - SEQ ID NO: 613: -0.544444, 55, a host-nuclease inhibitor protein Gam (interrupted), similar to N-terminal part of gam [Bacteriophage lambda] (99% identity in 37 amino acids)
- 6720 SEQ ID NO: 614: -0.120225, 90, putative host-nuclease

- inhibitor proteinGam, similar to C-terminal part of Gam [Bacteriophage lambda] gi|138128|sp|P03702|VGAM#LAMBD (99% identity in 98 amino acids), probably disrupted by frameshift
- 6725 SEQ ID NO: 615: ·0.28, 51, a recombination protein Bet, identical to Bet protein[Bacteriophage 933W] gi|4585391|gb|aaD25419.1|AF125520#14; similar to Bet protein [Bacteriophage lambda] gi|137511|sp|P03698|VBET#LAMBD (99% identity in 261
- 6730 amino acids)

  SEQ ID NO: 616: -0.707143, 99, an exonuclease, identical to exonucleases [Bacteriophage933W]

  gi | 4585390 | gb | aaD25418.1 | AF125520#13 ; similar to exonucleases for example ,[Bacteriophage lambda]
- 6735 gi | 119702 | sp | P03697 | EXO#LAMBD (97% identity in 225 amino acids)
  - SEQ ID NO: 617: -0.509195, 262, novel, identical to hypothetical protein [Bacteriophage 933W] gi | 4585389 | gb | aaD25417.1 | AF125520#12; similar to
- 6740 hypothetical protein orf60a [Bacteriophage lambda]
  gi | 508995 | gb | aaA96568.1 | (95% identity in 62 amino acids)
  SEQ ID NO: 618: -0.358667, 226, novel, identical to
  hypothetical protein [Bacteriophage 933W]
  gi | 4585388 | gb | aaD25416.1 | AF125520#11; similar to orf63
- 6745 [Bacteriophage lambda] gi|508994|gb|aaA96567.1| (88% identity in 61 amino acids)
  - SEQ ID NO: 619: -0.13871, 63, novel, identical to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585387 | gb | aaD25415.1 | AF125520#10 ; similar to
- 6750 hypothetical protein orf61 [Bacteriophage lambda] (93% identity in 46 amino acids)
  - SEQ ID NO: 620: -0.192064, 64, a putative C4-type zinc finger protein (TraRfamily), similar to putative C4-type zinc finger protein (TraR family) for

- 6755 example ,gi | 7649830 | dbj | Baa94108.1 | (93% identity in 73 amino acids)
  - SEQ ID NO: 621: -0.410753, 94, novel, its N-terminal part is similar to hypothetical proteins for example, [Bacteriophage 933W] gi | 4585455 | gb | aaD25483.1 | AF125520#78 (68% identity
- 6760 in 168 amino acids); its C-terminal part is similar to hypothetical protein [Bacteriophage HK022] gi | 6863138 | gb | aaF30379.1 | AF069308#27 (96% identity in 196 amino acids), GTG start
  - SEQ ID NO: 622: -0.617808, 74, novel
- 6765 SEQ ID NO: 623: -0.622222, 316, novel, its N-terminal part (amino acids at the position 1-44) is similar to hypothetical proteins for example ,[Bacteriophage 933W] gi|4585382|gb|aaD25410.1|AF125520#5 (84% identity in 44 amino acids)
- 6770 SEQ ID NO: 624: -0.068966, 59, novel, partially similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585455 | gb | aaD25483.1 | AF125520#78 (41% identity in 90 amino acids)
  - SEQ ID NO: 625: -0.482204, 119, novel
- 6775 SEQ ID NO: 626: -0.8125, 121, a putative excisionase, similar to putative excisionases for example ,[Bacteriophage 933W] gi | 4585379 | gb | aaD25407.1 | AF125520#2 (47% identity in 74 amino acids)
- SEQ ID NO: 627: -0.72, 81, a putative integrase, similar to integrases for example ,[Bacteriophage 933W] gi | 4585378 | gb | aaD25406.1 | AF125520#1 (65% identity in 423 amino acids)
  - SEQ ID NO: 628: -0.803572, 85, a putative salicylate hydroxylase, similar to salicylatehydroxylases for
- 6785 example ,[Streptomyces coelicolor] gi | 7481300 | pir | | T36193 (31% identity in 348 amino acids)
  - SEQ ID NO: 629: -0.471028, 429, similar to probable glutathione-S-transferase, glutathione-S-transferases for

- $example \ , [Pseudomonas \ sp. \ U2] \ gi \, | \, 3406829 \, | \, gb \, | \, aaC29501.1 \, |$
- 6790 (43% identity in 210 amino acids)
  - SEQ ID NO: 1444: -0.21864, 398, a putative isomerase, similar to isomerases for example ,isomerase-decarboxylase homolog [Pseudomonas sp. U2] gi | 3406828 | gb | aaC29500.1 | (46% identity in 188 amino acids);
- 6795 similar to hypothetical protein Orf2 [Sphingomonas sp. RW5] gi|3550668|emb|Caa12268.1| (54% identity in 228 amino acids)
  - SEQ ID NO: 1445: 0.236279, 216, probable gentisate 1,2-dioxygenase, similar to gentisate 1,2-dioxygenases for
- 6800 example ,[Pseudomonas alcaligenes]
  gi|5733104|gb|aaD49427.1|AF173167#1 (53% identity in 333
  amino acids); [Sphingomonas sp. RW5]
  gi|3550667|emb|Caa12267.1| (45% identity in 339 amino acids)
- 6805 SEQ ID NO: 1446: -0.183691, 234, a putative transporter protein, similar to transporter proteins for example ,4-hydroxybenzoate transporter [Pseudomonas putida] gi | 6093655 | sp | Q51955 | PCAK#PSEPU (42% identity in 420 amino acids)
- 6810 SEQ ID NO: 1447: -0.411988, 343, a putative regulatory protein, similar to regulatory proteins for example ,galactose binding protein regulatory element [Azospirillum brasilense] gi|1730232|sp|P52661|GBPR#AZOBR (32% identity in 281 amino acids)
- 6815 SEQ ID NO: 1448: 0.803097, 453, a putative antibiotic resistance protein, similar to antibiotic resistance protein homolog YwoG [Bacillus subtilis] gi|7474437|pir||B70065 (38% identity in 381 amino acids)
- SEQ ID NO: 1449: -0.049371, 319, a putative transcription regulatory element, similar to putative transcription regulatory elements for example ,YvbU [Bacillus subtilis] gi | 6648030 | sp | O32255 (32% identity in 266 amino acids)

- SEQ ID NO: -: 0.973737, 397, novel
- SEQ ID NO: -: 0.093836, 293, a transposase (OrfA) (insertion
- 6825 sequence IS629), hypothetical protein gi | 7444868 | pir | | T00241
  - SEQ ID NO: 1623, ECs3123:3078013-3079083; -0.672472, 357, identical to transposase (OrfB) (insertion sequence IS629) gi | 7443862 | pir | | T00240,
- 6830 SEQ ID NO: 1653: -0.965741, 109, similar to B2332#ECOLI gi|7466328|pir||B65006 (41% identity in 289 amino acids)
  SEQ ID NO: 1654: -0.397973, 297, similar to B2333#ECOLI gi1788674 (56% identity in 174 amino acids); minor fimbrial subunit StfG protein [Salmonella typhimurium]
- dad | AF093503-7 | aaC64157.1 (48% identity in 139 amino acids)

  SEQ ID N O-1572: -0.075, 281, similar to B2334#ECOLI

  gi | 1788675 (53% identity in 141 amino acids); similar to minor

  fimbrial subunits for example ,StfF [Salmonella typhimurium]

  gi3747033 (53% identityin 158 amino acids)
- 6840 SEQ ID N O-1573: 0.123626, 183, similar to B2335#ECOLI gi | 1788676 (47% identity in 166 amino acids); similar to minor fimbrial subunit StfE protein [Salmonella typhimurium] dad | AF093503-5 | aaC64155.1 (48% identity in 154 amino acids) SEQ ID N O-1574: -0.085256, 157, similar to YFCS#ECOLI
- 6845 gi | 1788677 (85% identity in 250 amino acids); periplasmic fimbrial chaperone StfD protein [Salmonella typhimurium] dad | AF093503-4 | aaC64154.1 (59% identity in 233 amino acids) SEQ ID N O-1575: 0.534337, 167, its N-terminal part (amino acids at the position 1-581/883) is similar to YFCU#ECOLI
- 6850 gi | 1788679 (90% identity in 577 amino acids), its C-terminal part (amino acids at the position 587-883/883) is similar to B2337#ECOLI gi | 1788678 (88% identity in 297 amino acids)
  - SEQ ID NO: -: -0.305159, 253, similar to B2339#ECOLI gi|1788680 (88% identity in 187 amino acids); major fimbrial
- 6855 subunit StfA protein [Salmonella typhimurium] dad | AF093503-2 | aaC64152.1 (39% identity in 187 amino acids)

- SEQ ID NO: -: -0.461661, 880, a putative DNA injection protein, its N-terminal part is similar to N-terminal part of injection protein gp20lphage 6860 gi | 1174950 | sp | Q01076 | VG20#BPP22(47% identity in 217 amino acids); its C-terminal part is similar to(at low level) hypothetical C-terminal part ofproteins . Caenorhabditis el for example example .ans
- 6865 amino acids)

  SEQ ID NO: -: -0.20107, 188, a putative DNA transfer protein precursor, similar to DNA transfer protein Gp7

  [Bacteriophage P22] gi | 418222 | sp | Q01074 | VG07#BPP22(66% identity in 207 amino acids)

gi | 5805382 | gb | aaD51972.1 | AF173372#1 (34% identity in 76

- 6870 SEQ ID NO: 1289: -0.056085, 379, novel, similar to hypothetical protein P31 [Bacteriophage APSE-1] gi | 6118026 | gb | aaF03974.1 | AF157835#31 (35% identity in 152 amino acids); gp14 [Bacteriophage P22] gi | 418225 | sp | Q01075 | VG14#BPP22(22% identity in 143 amino
- 6875 acids)

  SEQ ID NO: 1290: -0.180088, 227, novel

  SEQ ID NO: 1291: -0.107742, 156, a putative replication protein, partially similar to replication proteins for

example ,[Haemophilus actinomycetemcomitans

- 6880 pVT736-1] gi|398106|gb|aaC37125.1| (26% identity in 145 amino acids)
  - SEQ ID NO: 1292: 0.176842, 96, novel
  - SEQ ID NO: 1293: -0.803463, 232, novel
  - SEQ ID NO: 1294: -1.430769, 53, novel
- 6885 SEQ ID NO: 1295: -0.364681, 471, a putative resolvase, similar to resolvases for example ,[ plasmid pM3] gi|5668998|gb|aaD46124.1|AF078924#3 (46% identity in 204 amino acids); [Yersinia pestis plasmid pMT1] gi|7467461|pir||T14990 (43% identity in 193 amino acids)
- 6890 SEQ ID NO: 1296: -0.218966, 59, a sucrose transporter protein,

- similar to sucrose transporter protein (permease) [Escherichia coli strain EC3132] gi|231914|sp|P30000|CSCB#ECOLI (99% identity in 415 amino acids)
- SEQ ID NO: 1297: -0.367308, 209, a putative fructokinase, similar to fructokinase (EC 2.7.1.4) for example ,[Escherichia coli strain EC3132] gi|730731|sp|P40713|SCRK#ECOLI (98% identity in 291 amino acids)
  - SEQ ID NO: 1298: 0.823615, 416, a sucrose hydrolase, similar to sucrose hydrolase [Escherichia coli strain EC3132]
- 6900 gi | 3462879 | gb | aaC33123.1 | (98% identity in 477 amino acids)

  SEQ ID NO: 1299: 0.010855, 305, a sucrose operon repressor, sucrose operon repressor [Escherichia coli]
  - SEQ ID NO: similar to gi|729214|sp|P40715|CSCR#ECOLI (99% identity in 331 amino acids)
- 6905 SEQ ID NO: 1300: -0.532914, 478, similar to EryA homologue [Bacteriophage If1] dad | U02303-9 | aaC62159.1 (76% identity in 333 amino acids)
  - SEQ ID NO: 1301: -0.041088, 332, a putative transposase, similar to transposase homologA [Helicobacter pylori]
- 6910 gi | 2114470 | gb | aaD11513.1 (58% identity in 137 amino acids)

  SEQ ID NO: 1618: -0.604712, 383, similar to FLXA#ECOLI
  gi | 2498386 | sp | P77609 (43% identity in 74 amino acids)
  - SEQ ID NO: -: -0.437222, 181, a putative polyferredoxin, similar to ferredoxin [Methanosarcina thermophila]
- 6915 gi | 282643 | pir | | A42960 (48% identity in 43 amino acids); similar to polyferredoxin [Methanococcus voltae] gi | 99156 | pir | | S24802 (22% identity in 207 amino acids)
  - SEQ ID NO: -: -0.478761, 114, a putative anaerobic dimethyl sulfoxide reductase chain C, similar to anaerobic dimethyl
- 6920 sulfoxide reductase chain Cs for example ,[Escherichia coli] gi | 118699 | sp | P18777 | DMSC#ECOLI (27% identity in 271 amino acids)
  - SEQ ID NO: 1490: -0.1, 285, a putative anaerobic dimethyl sulfoxide reductasechain B, similar to anaerobic dimethyl

- 6925 sulfoxide reductases chain Bs for example ,[Escherichia coli] gi | 2506394 | sp | P18776 | DMSB#ECOLI (59% identity in 185 amino acids)
  - SEQ ID NO: 1491: 1.152381, 274, a putative anaerobic dimethyl sulfoxide reductase chain A precursor, similar to
- 6930 anaerobic dimethyl sulfoxide reductase chain A precursors for example ,[Escherichia coli] gi|118697|sp|P18775|DMSA#ECOLI (43% identity in 768 amino acids)
- SEQ ID NO: 1492: -0.325837, 210, novel, similar to DNA damage-inducible proteins for example ,DinI [Escherichia coli] gi | 2498305 | sp | Q47143 | DINI#ECOLI (43% identity in 81 amino acids)
  - SEQ ID NO: 1493: -0.412988, 794, novel, similar to(at low level) putative Cys3His zinc finger protein ATCTH
- 6940 [Arabidopsis thaliana] gi|1800279|gb|aaB68046.1| (37% identity in 35 amino acids)
  - SEQ ID NO: 1061: -0.60122, 83, a chaperone-like protein, similar to TrcA-like proteins for example ,bfpT-r for example ,ulated chaperone-like protein TrcA [Escherichiacoli
- 6945 strain B171-8] gi | 4126789 | dbj | Baa36747.1 | (85% identity in 195 amino acids)
  - SEQ ID NO: 1062: -0.528302, 54, novel, similar to hypothetical proteins for example ,ORF2 [Escherichia coli strain B171-8] gi | 4126790 | dbj | Baa36748.1 | (99% identity in
- 6950 216 amino acids)
  - SEQ ID NO: 1063: -0.526531, 197, novel, similar to hypothetical protein ORF3[Escherichia coli strain B171-8] gi | 4126791 | dbj | Baa36749.1 | (98% identity in 352 amino acids) SEQ ID NO: 1064: -0.181019, 217, novel, similar to
- 6955 hypothetical proteins for example ,ORF4 [Escherichia coli strain B171-8] gi|4126792|dbj|Baa36750.1| (99% identity in 140 amino acids)
  - SEQ ID NO: 1065: -0.571307, 353, novel, similar to

6970

- hypothetical protein [Bacteriophage 933W]
- 6960 gi|4585437|gb|aaD25465.1|AF125520#60 (93% identity in 129 amino acids)
  - SEQ ID NO: 1066: -0.416429, 141, identical to transposase, hypothetical protein [Escherichia coli plasmid p O-157 insertion sequence IS629] gi | 7444868 | pir | | T00241; similar to
- 6965 hypothetical protein, IS elements for example ,TnpE[Shigella flexneri] gi | 5532454 | gb | aaD44738.1 | AF141323#9 (97% identity in 108 amino acids)
  - SEQ ID NO: 1067: -0.251938, 130, a transposase, identical to transposase [Escherichiacoli plasmid p O-157 insertion sequence IS629] gi | 7443862 | pir | | T00240
- SEQ ID NO: 1068: -0.965741, 109, novel, its N-terminal part (amino acids at the position 1-87) is partially similar to hypothetical proteins for example ,L0015 (amino acids at the position 50-136/512) [Escherichia coli O-157:H7 strain EDL933]
- 6975 gi | 3414883 | gb | aaC31494.1 |

  SEQ ID NO: 1069: -0.397973, 297, novel, identical to hypothetical protein L0014[Escherichia coli O-157:H7 strain EDL933] gi | 3288157 | emb | Caa11510.1 |; similar to hypothetical proteins for example ,ORF50 [Escherichia coli]
- 6980 gi | 6009426 | dbj | Baa84885.1 | (76% identity in 107 amino acids)
  SEQ ID NO: 1070: -0.501818, 166, novel, similar to
  hypothetical proteins for example ,L0013 [Escherichia coli
  O-157:H7 strain EDL933] gi | 3414881 | gb | aaC31492.1 | (100%
  identity in 126 amino acids)
- 6985 SEQ ID NO: 1071: 0.010435, 116, a putative endolysin (host cell lysis), similar to N-terminal-half part of endolysins for example ,[Bacteriophage 933W] gi | 4585422 | gb | aaD25450.1 | AF125520#45 (93% identity in 73 amino acids), probably interrupted
- 6990 SEQ ID NO: 1072: -0.403175, 127, novel, similar to hypothetical protein YdfR[Escherichia coli] gi | 3183262 | sp | P76160 | YDFR#ECOLI (47% identity in 74

amino acids)

SEQ ID NO: 1073: -0.144737, 77, a holin (host cell lysis),

- 6995 similar to holin proteins for example ,[Bacteriophage VT2-Sa] gi | 5881636 | dbj | Baa84327.1 | (90% identity in 91 amino acids) SEQ ID NO: 1074: '0.027193, 115, novel, similar to hypothetical proteins for example ,[Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (52% identity in 613
- 7000 amino acids)

SEQ ID NO: 1075: 0.095775, 72, novel

SEQ ID NO: 1076: -0.210048, 618, novel, similar to hypothetical proteins for example ,[Actinobacillus actinomycetemcomitans] gi|7592819|dbj|Baa94406.1 (29%

- 7005 identity in 228 amino acids)
  - SEQ ID NO: 1077: 0.446789, 110, anititermination, similar to antitermination proteins for example, protein Q [Bacteriophage lambda] gi|132278|sp|P03047|R for example, Q#LAMBD (97% identity in 207 amino acids)
- 7010 SEQ ID NO: 1078: 0.628745, 248, a serine/threonine protein phosphatase, similar to serine/threonine proteinphosphatases for example ,[Bacteriophage lambda] gi|130792|sp|P03772|PP#LAMBD (95% identity in 221 amino acids)
- 7015 SEQ ID NO: 1079: -0.263768, 208, novel, similar to hypothetical proteins for example ,NinG [Bacteriophage 21] gi|4539482|emb|CAB39991.1| (89% identity in 199 amino acids)
- SEQ ID NO: 1080: -0.243891, 222, novel, similar to phage 7020 hypothetical proteins for example ,[Bacteriophage phi-YeO3-12] gi|6598993|emb|CAB63597.1| (32% identity in 110 amino acids)
  - SEQ ID NO: 1081: -1.078325, 204, a putative transposase, similar to N-terminal part of transposases for
- 7025 example ,[Escherichia coli insertion sequence IS30] gi|2851554|sp|P37246|TRA8#ECOLI (100% identity in 247

amino acids)

SEQ ID NO: 1082: -0.772872, 189, novel, TTG start

SEQ ID NO: 1083: -0.849402, 252, novel

7030 SEQ ID NO: 1084: -0.28168, 132, novel

SEQ ID NO: 1085: 1.133413, 423, novel

SEQ ID NO: 1086: -0.535766, 138, novel, its C-terminal part is similar to ctp synthase Rickettsia prowasekii gi | 7438005 | pir | | C71695 (24% identity in 138 amino acids); its

7035 N-terminal part is similar to hypothetical protein Plasmodium falciparum gi | 4493974 | emb | CAB39033.1 | (24% identity in 129 amino acids)

SEQ ID NO: 1087: -0.442424, 133, novel

SEQ ID NO: 1088: -0.501657, 544, a putative integrase,

- 7040 similar to site specific recombinases for example ,integraserecombinase protein [Methanobacterium thermoautotrophicum] gi | 7428936 | pir | | D69219 (27% identity in 174 amino acids)
- SEQ ID NO: 1089: -0.314416, 438, novel (DNAbinding 7045 protein), similar to putative DNA-binding protein [Bacteriophage P4] gi|140147|sp|P12552|Y9K#BPP4 (42% identity in 50 amino acids); similar to hypothetical proteins for example ,[Yersinia pestis] gi|7467337|pir||T17447 (46% identity in 40 amino acids)
- SEQ ID NO: 1090: -0.426185, 402, novel

  SEQ ID NO: 1091: -0.441176, 69, a putative regulatory element, similar to regulatory proteins for example ,MocR [Sinorhizobium meliloti] gi|1346565|sp|P49309 (34% identity in 466 amino acids)
- 7055 SEQ ID NO: 1092: -0.333569, 284, novel, similar to conserved hypothetical protein [Streptomyces coelicolor A3(2)] gi | 7649565 | emb | CAB89054.1 (38% identity in 141 amino acids) SEQ ID NO: 1597: -0.168469, 445, novel, similar to N-terminal part of hypothetical proteins for example ,VdcD 7060 [Streptomyces sp. D7] gi | 4741970 | gb | aaD28783.1 | AF134589#3

- (57% identity in 71 amino acids); YclD [Bacillus subtilis] gi | 7452267 | pir | | A69762 (48% identity in 68 amino acids) SEQ IDNO:1598 :-0.074126, 144, putative 4-hydroxybenzoate decarboxylase, identical to YelC 7065 [Escherichia coli O-157:H7 strain? gi | 4887556 | emb | CAB43499.1 | (100% identity in 475 amino acids): similar VdcCStreptomyces sp. D71 to gi | 6686069 | sp | Q9X697 | VDCC#STRD7 (72% identity in 474 amino acids); 4-hydroxybenzoate decarboxylase [Clostridium 7070 hydroxybenzoicuml gi | 5739200 | gb | aaD50377.1 | AF128880#1(53% identity in 469 amino acids) SEQ ID NO: 1541: -0.65, 79, a putative phenylacrylic acid decarboxylase, identical to Pad1[Escherichia coli O-157:H7 7075 strain ?] gi | 4887557 | emb | CAB43500.1 |; similar phenylacrylic acid decarboxylases for .VdcB example [Streptomyces sp. D7] (73% identity in 190 amino acids) SEQ ID NO: 1542: -0.214105, 476, a transcription regulatory element, identical to SlyA [Escherichia coli O-157:H7 strain?] 7080 to gi | 4887558 | emb | CAB43501.1 |; similar to transcription regulatory elements for example ,[Streptomyces coelicolor] gi | 7481485 | pir | | T35022 (32% identity in 124 amino acids) SEQ ID NO: 1543: 0.027919, 198, novel, similar to hypothetical for example ,[Escherichia coli] proteins 7085 gi | 7404494 | sp | P45956 | YGBF#ECOLI (86% identity in amino acids) SEQ ID NO: 1544: -0.374074, 136, novel, similar to protein b2755 Escherichia coli strain K-12 hypothetical gi | 7460139 | pir | | G65056 (84% identity in 303 amino acids), 7090 GTG start SEQ ID NO: 1330: 0.025773, 98, novel, similar to(at low
  - level) hypothetical protein b2756 [Escherichia coli strain K·12] gi|6136707|sp|Q46897|YGCH#ECOLI (28% identity in 200 amino acids)

- 7095 SEQ ID NO: 1331: -0.038111, 308, novel, similar to hypothetical protein b2757[Escherichia coli strain K-12] gi|7459357|pir||A65057 (35% identity in 160 amino acids) SEQ ID NO: 1332: -0.411111, 217, novel, similar to hypothetical protein b2758[Escherichia coli strain K-12]
- 7100 gi | 7476186 | pir | | C70849 (32% identity in 93 amino acids) [0022]
  - 5) Regulatory element
  - Sequence number: hydrophobicity, The number of amino acids, Character such as function
- 7105 SEQ ID NO: 1333: -0.537097, 249, novel

  SEQ ID NO: 1334: -0.248718, 352, novel, similar to hypothetical protein b2760[Escherichia coli strain K-12] gi|7451979|pir||D65057 (24% identity in 303 amino acids)

  SEQ ID NO: 1335: -0.612921, 179, novel, similar to
- 7110 hypothetical protein YgcB[Escherichia coli strain K-12] gi|2506493|sp|P38036|YGCB#ECOLI (28% identity in 778 amino acids), GTG start
  - SEQ ID NO: 1336: -0.429615, 521, similar to YBDY#ECOLI gi | 3025009 | sp | P77091 (78% identity in 50 amino acids);
- 7115 similar to SrnB [ plasmid F] dad | AP001918-5 | Baa97875.1 (42% identity in 49 amino acids)
  - SEQ ID NO: 1337: -0.257627, 886, novel, similar to hypothetical proteins for example ,Tp70 [Treponema pallidum] gi|7521576|pir||A71309 (35% identity in 124 amino
- 7120 acids)
  - SEQ ID NO: -: 0.81, 51, novel, similar to N-terminal part of hypothetical proteins for example ,YgcG [Escherichia coli] gi|1723817|sp|P55140|YGCG#ECOLI(43% identity in 186 amino acids)
- 7125 SEQ ID NO: 1512: -0.608397, 132, novel

  SEQ ID NO: 1513: 0.301786, 225, novel, its N-terminal part is similar to N-terminal part of hypothetical proteins for example ,YgcG [Escherichia coli]

- gi | 1723817 | sp | P55140 | YGCG#ECOLI(31% identity in 147
- 7130 amino acids)
  - SEQ ID NO: 1514: 0.238, 51, similar to YGCG#ECOLI gi | 1789140 (40% identity in 275 amino acids); similar to hypothetical protein [Pseudomonas aeruginosa] dad | AE004490-5 | aaG03925.1 (43% identity in 273 amino acids),
- 7135 GTG start

  SEQ ID NO: 1515: 0.225393, 383, a lipoprotein precursor (type III secretion system), similar to type III secretion system lipoprotein precursors for example ,PrgK protein [Salmonella typhimurium] gi | 1172615 | sp | P41786 | PRGK#SALTY (53%)
- 7140 identity in 231 amino acids)

  SEQ ID NO: -: 0.151648, 274, a type III secretion protein, similar to MxiI [Shigella flexneri] gi|547954|sp|Q06080|MXII#SHIFL (32% identity in 93 amino acids);PrgJ protein [Salmonella typhimurium]
- 7145 gi|1172614|sp|P41785|PRGJ#SALT Y (31% identity in 87 amino acids)
  - SEQ ID NO: 1192: 0.037705, 245, a type III secretion protein, similar to putative typeIII secretion proteins for example ,PrgI protein [Salmonella
- 7150 typhimurium]gi|1172613|sp|P41784|PRGI#SALTY (64% identity in 76 amino acids)
  - SEQ ID NO: 1193: -0.282727, 111, a putative adherence factor, similar to a part of adherence factors for example ,Efa1 [Escherichia coli O111:H- strain E45035]
- 7155 gi | 6013469 | gb | aaD49229.2 | AF159462#1(amino acids at the position 433-711/3223) (100% identity in 279 amino acids), probably disrupted by frameshift
  - SEQ ID NO: 1194: -0.588608, 80, a transposase, identical to transposase [Escherichia coli plasmid p O·157 IS629]
- 7160 gi | 7443862 | pir | | T00240 SEQ ID NO: 1195: -0.379918, 245, a transposase, identical to hypothetical protein [Escherichia coli plasmid p O-157

- IS629] gi | 7444868 | pir | | T00241; similar to hypothetical protein, insertion sequences for example ,[Shigella flexneri]
- 7165 gi | 5532454 | gb | aaD44738.1 | AF141323#9 (96% identity in 108 amino acids)
  - SEQ ID NO: 1196: -0.045181, 167, novel, GTG start
  - SEQ ID NO: 1197: -0.081233, 374, novel, similar to hypothetical proteins for example ,L0014 [Escherichia coli
- 7170 O-157:H7 strain EDL933] gi|3414882|gb|aaC31493.1| (99% identity in 115 amino acids)
  - SEQ ID NO: 1198: 1.038462, 79, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli O·157:H7 strain EDL933] gi|3414883|gb|aaC31494.1|(100%)
- 7175 identity in 411 amino acids)
  - SEQ ID NO: 1199: 0.805162, 151, novel, similar to a part of hypothetical proteins for example ,L0013 [Escherichia coli O-157:H7 strain EDL933] gi|3414881|gb|aaC31492.1| (55% identity in 28 amino acids), GTG start, probably disrupted
- 7180 SEQ ID NO: 1200: 0.976744, 87, novel, similar to hypothetical proteins for example ,ORF50 [Escherichia coli plasmid pB171] gi | 6009426 | dbj | Baa84885.1 | (70% identity in 106 amino acids)
- SEQ ID NO: 1201: 0.748416, 222, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli O-157:H7 strain EDL933] gi|3414883|gb|aaC31494.1|(63% identity in 464 amino acids)
  - SEQ ID NO: 1202: -0.236585, 329, novel, similar to a part of transposases for example ,TnpA [Shigella flexneri]
- 7190 gi | 5532449 | gb | aaD44733.1 | AF141323#4 (93% identity in 49 amino acids)
  - SEQ ID NO: 1203: -1.506341, 206, novel, similar to hypothetical proteins for example ,L0004 [Escherichia coli O-157:H7 strain EDL933] gi | 3414872 | gb | aaC31483.1 | (98%)
- 7195 identity in 91 amino acids); putative transposase [Vibrio cholerae] gi | 7960026 | gb | aaF71186.1 | AF179596#6 (59%

- identity in 91 amino acids); hypothetical protein [Escherichia coli plasmid p O-157 insertion sequence IS911] gi | 7465897 | pir | | T00224 (52% identity in 91 amino acids)
- 7200 SEQ ID NO: 1204: -0.892208, 78, a putative transcription regulatory element, similar to regulatory elements (RpiR family) for example ,[Bacillus subtilis] gi|8248807|emb|CAB93068.1| (25% identity in 236 amino acids)
- 7205 SEQ ID NO: 1205 : 1.002703, 112, a putative ferrichrome-binding protein, similar to ferrichrome-binding proteins for example ,[Bacillus subtilis] gi|585132|sp|P37580|FHUD#BACSU (27% identity in 220 amino acids)
- 7210 SEQ ID NO: 1206: -0.212558, 440, a putative ferrichrome ABC transporter (permease), similar to ferrichrome ABC transporters (permease) for example ,[Bacillus subtilis] gi|1706797|sp|P49937|FHUG#BACSU (33% identity in 319 amino acids)
- 7215 SEQ ID NO: 1207: 0.465452, 687, a putative ferrichrome ABC transporter (permease), similar to ferrichrome ABC transporters (permease) for example ,[Synechocystis sp.] gi | 7442493 | pir | | S74438 (43% identity in 315 amino acids); [Bacillus subtilis] gi | 1706795 | sp | P49936 | FHUB#BACSU (39%
- 7220 identity in 319 amino acids)

  SEQ ID NO: 1208: -0.209449, 382, a putative ABC-type iron-siderophore transport system ATP-binding protein, similar to ABC-type iron-siderophore transport system ATP-binding proteins for example ,[Synechocystis sp.]
- 7225 gi | 7442509 | pir | | S74440 (52% identity in 248 amino acids)

  SEQ ID NO: 1209: -0.149383, 568, a putative ferrichrome-iron receptor precursor, similar to ferrichrome-ironreceptor precursors for example ,gi | 7448497 | pir | | S74457 (30% identity in 688 amino acids)
- 7230 SEQ ID NO: 1210: 0.036546, 250, novel, TTG start

- SEQ ID NO: 1211: 1.166101, 60, a PTSdependent N-acetyl-galactosamine-IID component (AgaE), similar to PTSdependent N-acetyl-galactosamine-IID component, AgaE [Escherichia coli strain C]
- 7235 gi | 8895749 | gb | aaF81085.1 | AF228498#5 (96% identity in 292 amino acids)
  - SEQ ID NO: -: -0.257895, 77, a PTS dependent N-acetyl-galactosamine-and galactosamine IIA component (AfaF), similar to ts dependent N-acetyl-galactosamine-and
- 7240 galactosamine IIA component, AgaF [Escherichia coli strain C] gi|8895750|gb|aaF81086.1|AF228498#6 (99% identity in 144 amino acids)
  - SEQ ID NO: 1527: 0.06993, 144, a transposase (insertion sequence IS629), identical to hypothetical protein
- 7245 gi|7444868|pir||T00241
  - SEQ ID NO: 1528: 1.167709, 193, identical to transposase (insertion sequence IS629),gi | 7443862 | pir | | T00240
  - SEQ ID NO: 1529: 0.38766, 236, novel
  - SEQ ID NO: 1530: -0.008, 226, a leader peptidase, similar to
- leader peptidases for example ,HopD (strain ECOR30)
  [Escherichia coli] gi | 7674073 | sp | O68932 (92% identity in 155 amino acids); (LT2) [Salmonella typhimurium]
  gi | 7674072 | sp | O68927 (68% identity in 148 amino acids)
- SEQ ID NO: 1531: -0.168, 226, novel, similar to hypothetical 7255 protein [Xylellafastidiosa]
  - gi|9112262|gb|aaF85593.1|AE003851#24 (50% identity in 86 amino acids)
    - SEQ ID NO: -: -0.265401, 238, a putative invasin, similar to putative membrane protein b1978 [Escherichia coli K-12]
- 7260 gi | 1736642 | dbj | Baa15799.1 | (45% identity in 1391 amino acids); vasin [Yersinia pseudotuberculosis] gi | 79202 | pir | | A29646 (35% identity in 1211 amino acids) [0023]
  - 6) Proteins relating to fimbriae

- 7265 Sequence number: hydrophobicity, The number of amino acids,

  Character such as function
  - SEQ ID NO: 1674: -0.352675, 244, similar to replication protein O, for example, protein O [Enterobacteria phage HK022] gi | 407289 | gb | aaB60272.1 | (98% identity in 299 amino
- 7270 acids)

7290

amino acids)

- SEQ ID NO: 1129: -0.391449, 422, a replication protein P (putative replication DNAhelicase), similar to P proteins for example ,[Enterobacteria phage HK022] gi | 6863143 | gb | aaF30384.1 | AF069308#32 (99% identity in 478
- 7275 amino acids); replication DNA helicases for example ,DnaB [Escherichia coli] gi | 118713 | sp | P03005 | DNAB#ECOLI (39% identity in 436 amino acids)
  - SEQ ID NO: 1130: -0.275728, 207, novel, identical to hypothetical protein [Bacteriophage VT2-Sa]
- 7280 gi | 5881620 | dbj | Baa84311.1 | (100% identity in 89 amino acids)
  SEQ ID NO: 1131: -0.090099, 102, novel, identical to hypothetical protein [Bacteriophage 933W]
  gi | 4499788 | emb | CAB39287.1 | (100% identity in 92 amino acids)
- 7285 SEQ ID NO: 1132: -0.513839, 225, a type III secretion protein, similar to PrgH protein [Salmonella typhimurium] gi|1172612|sp|P41783|PRGH#SALTY (28% identity in 266 amino acids); MxiG [Shigella flexneri] gi|2498603|sp|Q57332|MXIG#SHIFL (23% identity in 243
- SEQ ID NO: 1133: -0.08, 116, a putative transcription regulatory element, similar to transcription activator NtrC[Herbaspirillum seropedicae] gi | 57313501 | gb | aaC32391.21 (25% identity in 107 amino acids)
- 7295 SEQ ID NO: 1134: -0.503734, 483, a type III secretion protein, similar to type IIIsecretion proteins for example ,SpaS protein [Salmonella typhimurium] gi | 730801 | sp | P40702 | SPAS#SALTY (54% identity in 348 amino acids)

- SEQ ID NO: 1135: -0.293631, 315, novel,
- 7300 SEQ ID NO: 1136: -0.452748, 183, ABC transporter (binding protein), similar to binding proteins for example ,phosphate-binding protein PstS homolog [Methanobacterium thermoautotrophicum (strain Delta H)] gi | 7442891 | pir | | A69098 (32% identity in 187 amino acids)
- 7305 SEQ ID NO: 1137: 0.39434, 54, its N-terminal part (amino acids at the position 1.77/505) is similar to YZGL#ECOLIgi | 1789834 (83% identity in 77 amino acids); its C-terminal part (amino acids at the position 325-519/525) is similar to binding proteins for example ,phosphate-binding
- 7310 protein PstS homolog [Methanobacterium thermoautotrophicum strain Delta H] gi | 7442891 | pir | | A69098 (31% identity in 175 amino acids)
  - SEQ ID NO: 1138: 0.390909, 67, a putative DNA processing chain A, similar to many DNA processing chain As (Smf
- 7315 protein), for example ,[Neisseria meningitidis] gi|7378929|emb|CAB83472.1| (30% identity in 265 amino acids)
  - SEQ ID NO: 1139: -0.774999, 297, a putative ATP-dependent DNA helicase (partial), similar to C-terminal part of
- 7320 ATP-dependent DNA helicase [Streptomyces coelicolor] gi | 7480492 | pir | | T35189(64% identity in 37 amino acids), GTG start
  - SEQ ID NO: 1140: -0.122667, 76, a putative ATP-dependent DNA helicase (partial), similar to a part of ATP-dependent
- 7325 DNA helicase [Streptomyces coelicolor] gi | 7480492 | pir | | T35189 (31% identity in 269 amino acids), GTG start
  - SEQ ID NO: 1141: -0.286338, 550, a putative ATP-dependent DNA helicase (partial), similar to a part of putative
- 7330 ATP-dependent DNA helicase [Streptomyces coelicolor]
  gi | 7480492 | pir | | T35189 (48% identity in 175 amino acids)
  SEQ ID NO: 1142: -0.02069, 59, a putative ATP-dependent

- DNA helicase (interrupted), similar to N-terminal part of putative ATP-dependent DNA helicases for
- 7335 example ,[Streptomyces coelicolor] gi | 7428315 | pir | | T35189 (60% identity in 176 amino acids); [Bacillus subtilis] gi | 7436435 | pir | | F69901 (42% identity in 169 amino acids) SEQ ID NO: 1143: -0.395745, 330, novel
  - SEQ ID NO: 1144: -0.477678, 225, novel (hypothetical
- 7340 membrane protein)
  - SEQ ID NO: 1145: -0.43168, 263, novel (hypothetical membrane protein)
  - SEQ ID NO: 1146: -0.74642, 434, novel, similar to hypothetical protein ORF79[Escherichia coli plasmid
- 7345 pB171] gi | 6009455 | dbj | Baa84914.1 (62% identity in 175 amino acids)
  - SEQ ID NO: 1147: -0.610909, 276, novel, similar to hypothetical protein ORF80[Escherichia coli plasmid pB171] (70% identity in 86 amino acids)
- 7350 SEQ ID NO: 1148: -0.397973, 297, novel (hypothetical lipoprotein)
  - SEQ ID NO: 1149: -0.965741, 109, a putative O-methyltransferase, similar to a part of O-methyltransferases for example ,acetylserotonin N-methyltransferase (EC 2.1.1.4) -
- 7355 chicken gi | 2498445 | sp | Q92056 | HIOM#CHICK (28% identity in 157 amino acids)
  - SEQ ID NO: 1150: -0.836842, 39, novel
  - SEQ ID NO: 1151: 0.029565, 116, a putative acyltransferase, similar to acyltransferases for example, [Neisseria meningitidis
- 7360 MC58 gi | 7226953 | gb | aaF42046.1 | (33% identity in 246 amino acids)
  - SEQ ID NO: 1152: -0.409503, 464, a putative acyl carrier protein, similar to acyl carrier proteins for example ,[Neisseria meningitidis MC58]
- 7365 gi | 7226952 | gb | aaF42045.1 | (51% identity in 85 amino acids)
  SEQ ID NO: 1153: -0.178846, 53, a putative acyl carrier

- protein, similar to acyl carrier proteins for example ,[Neisseria meningitidis MC58] gi | 7226951 | gb | aaF42044.1 | (51% identity in 79 amino acids)
- 7370 SEQ ID NO: 1154: -0.063793, 117, novel (hypothetical membrane protein), similar to putative integral membrane protein [Neisseria meningitidis] gi|7380586|emb|CAB85174.1| (51% identity in 126 amino acids)
- SEQ ID NO: 1155: -0.55546, 468, novel, similar to peptide

  7375 synthetase [sic, synthase] [Xylella fastidiosa]
  gi|9105980|gb|aaF83848.1|AE003941#2 (26% identity in 420
  amino acids);p-coumaryl-CoA ligase [Rhodobacter sphaeroides]
  gi|2764724|emb|Caa05380.1| a part of (27% identity in 268
  amino acids); a part of surfactin synthetase component I
- 7380 [Bacillus subtilis] gi|2127235|pir||I40485 (20% identity in 410 amino acids)
  - SEQ ID NO: 1156: -0.569643, 57, a putative (3R)-hydroxymyristoyl-[acyl carrier protein] dehydratase, similar to(at low level) a part of (3R)-hydroxymyristoyl-[acyl
- 7385 carrier protein dehydratases for example ,[Salmonella typhimurium] gi | 140182 | sp | P21773 | FABZ#SALTY (29% identity in 67 amino acids)
  - SEQ ID NO: -: -0.908772, 115, novel, its N-terminal part is similar to dolichyl-phosphate mannose synthase related
- 7390 proteins for example ,[Pyrococcus abyssi (strain Orsay)]
  gi|7445533|pir||A75176 (30% identity in 206 amino acids); its
  N-terminal part is similar to HmsR [Yersinia pestis]
  gi|1185391|gb|aaB66590.1| (34% identity in 128 amino acids);
  its C-terminal part is similar to hypothetical protein [Xylella
- 7395 fastidiosal gi|9105669|gb|aaF83585.1|AE003918#7 (30% identity in 310 amino acids)
  - SEQ ID NO: 1402: 0.001017, 296, novel, similar to hypothetical proteins for example ,.[Deinococcus radiodurans] gi|7471367|pir||B75463 (31% identity in 111
- 7400 amino acids), GTG start

- SEQ ID NO: 1403: -0.013016, 316, novel

  SEQ ID NO: 1404: 1.044986, 350, novel, similar to membrane protein [Xylella fastidiosa]gi|9105671|gb|aaF83587.1|AE003918#9 (24% identity in 502 amino acids)
- 7405 identity in 502 amino acids)

  SEQ ID NO: 1405: 1.132416, 328, novel

  SEQ ID NO: 1406: -0.004833, 270, putative
  3-oxoacyl-(acyl-carrier- protein) synthase II, similar to
  3-oxoacyl-(acyl-carrier- protein) synthase IIs for
- 7410 example ,[Streptomyces coelicolor A3(2)]
  gi|7479090|pir||T34912 (31% identity in 381 amino acids)
  SEQ ID NO: 1407 : -0.402244, 714, a putative
  beta-hydroxydecanoyl-ACP dehydrase, similar to hypothetical
  protein [Neisseria meningitidis MC58]
- 7415 gi | 7226956 | gb | aaF42049.1 | (32% identity in 116 amino acids); beta-hydroxydecanoyl-ACP dehydrase [Pseudomonas aeruginosa] gi | 2384563 | gb | aaC45619.1 | (29% identity in 123 amino acids)
- SEQNO: - : TT) -0.405385, 131. putative 3-oxoacvl-(acyl-carrier-protein) reductase. 7420 similar to 3-oxoacyl-(acyl-carrierfor protein) reductases .[Neisseria meningitidis MC581 example gi | 7226957 | gb | aaF42050.1 | (57% identity in 242 amino acids) SEQ ID NO: 1585: 0.50548, 293, similar to putative
- 7425 3-oxoacyl-(acyl-carrier- protein)synthase IIs for example ,gi|7226958|gb|aaF42051.1| (48% identity in 404 amino acids)
  - SEQ ID NO: 1586: 0.152083, 145, a putative transcription regulatory element, similar to transcription regulatory
- 7430 elements for example ,[Escherichia coli] gi|129347|sp|P13669|FARR#ECOLI (28% identity in 235 amino acids)
  - SEQ ID NO: 1656: -0.965741, 109, a putative PTS (phosphotransferase system) system enzyme IIA, similar to PTS

- 7435 system enzyme IIA components for example ,[Escherichia coli K-12] gi|2507274|sp|P37187|PTKA#ECOLI (23% identity in 122 amino acids); PTSsystem frucrose-specific enzyme IIBC component [Bacillus halodurans] gi|4512375|dbj|Baa75339.1| (33% identity in 151 amino acids)
- 7440 SEQ ID NO: 1657: -0.397973, 297, a putative PTS system enzyme IIB, similar to PTS system, galactitol-specific IIB component [Escherichia coli K-12] gi|2507273|sp|P37188|PTKB#ECOLI (35% identity in 92 amino acids)
- 7445 SEQ ID NO: -: 0.072131, 62, a putative PTS system enzyme IIC, similar to PTS system galactitol-specific enzyme IICs for example ,[Bacillus halodurans] gi|4512376|dbj|Baa75340.1| (45% identity in 411 amino acids)
- 7450 similar to sugar kinases for example ,xylulokinase (EC 2.7.1.17) [Lactobacillus pentosus] gi | 139850 | sp | P21939 | XYLB#LACPE (23% identity in 496 amino acids)

SEQ ID NO: 1695: 0.74129, 156, a putative sugar kinase,

- SEQ ID NO: 1678: -0.385107, 95, a putative PTS system HPr
  7455 enzyme, similar to phosphotransferase system HPr enzymes
  for example ,[Xylella fastidiosal
  gi|9106413|gb|aaF84212.1|AE003971#11 (39% identity in 87
  amino acids)
- SEQ ID NO: 1679: 0.150932, 162, a putative aldolase, similar
  to aldolases for example ,[Vibriofurnissii]
  gi|1732204|gb|aaC44684.1| (38% identity in 272 amino acids)
  SEQ ID NO: -: 0.763317, 200, novel, similar to HicB-related
  protein [Xylella fastidiosa]
  gi|9106728|gb|aaF84477.1|AE003992#13 (35% identity in 110
- 7465 amino acids); HicB [Haemophilus influenzae]
  gi|3603326|gb|aaC35810.1| (26% identity in 93 amino acids)
  SEQ ID NO: 1548: -0.459394, 331, novel, similar to HicA
  [Haemophilus influenzae] gi|3603325|gb|aaC35809.1| (30%

identity in 60 amino acids)

- 7470 [0024]
  - 7) Proteins relating to transportation of substance
    Sequence number: hydrophobicity, The number of amino acids,
    Character such as function
- SEQ ID NO: -: 0.123763, 506, a type III secretion protein,
  range similar to C-terminal part of type III secretion proteins for example ,SpaR protein [Salmonella typhimurium]
  gi | 730799 | sp | P40701 | SPAR#SALTY(56% identity in 65 amino acids), may be partial (disrupted by frameshift)
- SEQ ID NO: 1521: -0.08725, 401, novel, similar to
  7480 hypothetical protein [Xylella fastidiosa]
  gi|9112263|gb|aaF85594.1|AE003851#25 (48% identity in 158
  amino acids)
  - SEQ ID NO: 1522: 0.754902, 52, novel
  - SEQ ID NO: 1523: -0.310185, 325, heme utilization/transporter
- 7485 protein, identical to ChuA [Escherichia coli O-157:H7 EDL933] gi | 1763009 | gb | aaC44857.1 |
  - SEQ ID NO: 1524: 0.080682, 177, novel, TTG start
  - SEQ ID NO: 1525: -0.081683, 203, a putative hemin-binding protein, similar to hypothetical protein huT [Shigella
- dysenteriae haem transport locus] gi | 2967538 | gb | aaC27815.1 |

  (97% identity in 304 amino acids); hemin-binding proteins for example ,[Yersinia pestis]

  gi | 6226635 | sp | Q56991 | HMUT#YERPE (34% identity in 253 amino acids)
- 7495 SEQ ID NO: 1613: -0.262046, 304, a putative coproporphyrinogen oxidase, similar to coproporphyrinogen oxidases for example ,PhuW [Vibrio parahaemolyticus gi|5106980|gb|aaD39908.1|AF119047#1 (35% identity in 371 amino acids)
- 7500 SEQ ID NO: 1614: 0.671015, 139, novel, similar to hypothetical proteinhuX [Shigella dysenteriae haem transport locus] gi|2967537|gb|aaC27814.1| (98% identity in 164 amino

- acids); hypothetical protein X [Yersinia pestis] gi | 7467368 | pir | | T12066 (60% identity in 153 amino acids)
- 7505 SEQ ID NO: 1659: -0.222178, 249, novel, similar to hypothetical proteinhuY [Shigella dysenteriae haem transport locus] gi|2967536|gb|aaC27813.1| (97% identity in 207 amino acids); hypothetical protein Y [Yersinia pestis] gi|7467369|pir||T12067 (55% identity in 204 amino acids)
- SEQ ID NO: -: -0.069143, 176, a putative hemin permease, similar to hypothetical proteinhuU[Shigella dysenteriae haem transport locus] gi|2967535|gb|aaC27812.1| (99% identity in 318 amino acids); hemin permeases for example ,HmuU [Yersinia pestis] gi|6226636|sp|Q56992|HMUU#YERPE (66%
- 7515 identity in 318 amino acids)

  SEQ ID NO: 1671: -0.626137, 89, a putative hemin transport system ATP-binding protein, similar to hypothetical proteinhuV [Shigella dysenteriae haem transport locus] gi|2967534|gb|aaC27811.1| (98% identity in 256 amino acids);
- 7520 hemin transport systemATP-binding proteins for example ,HmuV [Yersinia pestis] gi|2492539|sp|Q56993|HMUV#YERPE(58% identity in 264 amino acids)
- SEQ ID NO: 1241: -0.4456, 126, a putative fimbrial protein
  7525 precursor, similar to fimbrial proteins for example ,long polar
  fimbrial minor protein precursor [Salmonellatyphimurium]
  gi | 1170819 | sp | P43664 | LPFE#SALTY (50% identity in 165
  amino acids)
- SEQ ID NO: 1242: 0.022946, 354, a putative fimbrial protein precursor, similar to fimbrial proteins for example ,long polar fimbrial protein LpfD [Salmonella typhimurium] gi | 1170818 | sp | P43663 | LPFD#SALTY (39% identity in 350 amino acids)
- SEQ ID NO: 1243: -0.201546, 195, a putative outer 7535 membrane usher proteinLpfC precursor (partial), similar to C -terminal-half part of outer membrane usher proteins for

- example ,LpfC precursor [Salmonella typhimurium] gi | 1170817 | sp | P43662 | LPFC#SALTY(67% identity in 485 amino acids), GTG start
- 7540 SEQ ID NO: 1244: 0.154275, 270, a putative outer membrane usher protein, similar to N-terminal-half part of outer membrane usher proteins for example ,LpfC [Salmonella typhimurium] gi | 1170817 | sp | P43662 | LPFC#SALTY (69% identity in 357 amino acids), interrupted TAG stop codon
- 7545 SEQ ID NO: 1245: 0.251765, 86, a putative fimbrial chaperone protein, similar to chaperones for example ,LpfB [Salmonella typhimurium] gi | 1170816 | sp | P43661 | LPFB#SALTY (67% identity in 229 amino acids)
- 7550 SEQ ID NO: 1246: -0.375904, 84, a putative fimbrial major protein precursor, similar to long polar fimbria protein Aprecursor, LpfA, of S. typhimurium, gi | 1170815 | sp | P43660 | LPFA#SALTY (73% identity in 178 amino acids)
- 7555 SEQ ID NO: 1247: 0.721244, 194, a putative transcription regulatory element, similar to(at low level)hypothetical transcription regulator yisR [Bacillus subtilis] gi|3123306|sp|P40331 (24% identity in 276 amino acids) SEQ ID NO: 1248: -0.13819, 454, a putative permease,
- 7560 similar to hypothetical protein [Salmonella typhimurium] gi|7442781|pir||C65167 (37% identity in 444 amino acids); transporter proteins (putative symporters) for example, YicJ [Escherichia coli (K-12)] gi|2851421|sp|P31435|YICJ#ECOLI (32% identity in 340 amino acids)
- 7565 SEQ ID NO: 1249: -0.388034, 118, novel, similar to hypothetical protein [Thermotoga maritima] gi | 7452109 | pir | | F72395 (37% identity in 635 amino acids) SEQ ID NO: 1250: -0.070968, 559, novel, similar to hypothetical protein [Neisseria meningitidis MC58]
- 7570 gi | 7227012 | gb | aaF42100.1 (39% identity in 398 amino acids)

- SEQ ID NO: 1251: -0.387143, 141, novel, TTG start
- SEQ ID NO: 1252: -0.435323, 202, novel, TTG start
- SEQ ID NO: 1253: 0.383311, 750, novel, similar to surface proteins, for example ,.[Xylella fastidiosa]
- 7575 gi | 9106565 | gb | aaF84338.1 | AE003982#11 (24% identity in 1514 amino acids)
  - SEQ ID NO: 1254: -0.125258, 195, identical to lipid A-core:surface polymer ligase (WaaL), WaaL [Escherichia coli strain F653] gi | 3821825 | gb | aaC69661.1 | (100% identity in 402
- 7580 amino acids)
  - SEQ ID NO: 1255: -0.00874, 390, similar to lipopolysaccharide 1,2-N acetylglucosaminetransferase (WaaD), WaaD [Escherichia coli strain F653] gi|3821826|gb|aaC69662.1| (99% identity in 380 amino acids)
- 7585 SEQIDNO: 1256 :0.065584,155, a putative LPSUDP-glucose:(galactosyl) alpha1. similar to 2-glucosyltransferase (WaaJ), UDP-glucose:(galactosyl) LPS alpha1,2-glucosyltransferase WaaJ [Escherichia coli strain F653] gi | 3821827 | gb | aaC69663.1 | (98% identity in 184 amino
- 7590 acids), TTG start

  SEQ ID NO: 1257: 0.147325, 244, a lipopolysaccharide core biosynthesis, identical to WaaY [Escherichia coli strain F653] gi|3821828|gb|aaC69664.1| (100% identity in 235 amino acids) SEQ ID NO: : -0.156479, 410,
- 7595 UDP-D-galactose:(glucosyl)lipopolysaccharidealpha-1,3-D-galactosyltransferase, similar to WaaI (strain F653 R3 core type)[Escherichia coli] gi|3821829|gb|aaC69665.1 (99% identity in 335 amino acids)
  - SEQ ID NO: 1427: -0.248606, 252, novel
- 7600 SEQ ID NO: 1428: 0.024841, 158, a putative integrase, identical to CP4-like integrase [Escherichia coli EDL933] gi|3414871|gb|aaC31482.1|; similar to integrases for example ,[Shigella flexneri] gi|5532446|gb|aaD44730.1|AF141323#1 (95% identity in 390

- 7605 amino acids)
  - SEQ ID NO: 1429: 0.37957, 94, novel, identical to L0004 [Escherichia coli strain EDL933] gi|3414872|gb|aaC31483.1|; similar to hypothetical proteins for example ,[Escherichia coli plasmid p O-157 insertion sequence IS911
- 7610 gi|7465897|pir||T00224 (56% identity in 116 amino acids), GTG start
  - SEQ ID NO: 1430: 0.897123, 453, novel, identical to L0005 [Escherichia coli strain EDL933] gi|3414873|gb|aaC31484.1|, GTG start
- 7615 SEQ ID NO: 1431: -0.065339, 503, novel, identical to L0006 [Escherichia coli strain EDL933] gi|3414874|gb|aaC31485.1|; similar to hypothetical proteins for example ,[Vibrio cholerae] gi|7960027|gb|aaF71187.1|AF179596#7 (60% identity in 300 amino acids)
- 7620 SEQ ID NO: 1432: -0.496629, 90, novel, similar to C-terminal part of hypothetical proteins for example ,b2004 (YeeU) [Escherichia coli] gi | 3025157 | sp | P76364 | YEEU#ECOLI(84% identity in 53 amino acids)

SEQ ID NO: 1433: -0.054196, 287, novel, identical to L0007

- [Escherichia coli EDL933]gi|3414875|gb|aaC31486.1|; similar to hypothetical proteins for example ,b2005(yeeV) [Escherichia coli] gi|3025158|sp|P76365|YEEV#ECOLI (88% identity in 124 amino acids)
- SEQ ID NO: 1434: -0.327731, 120, novel, identical to L0008

  [Escherichia coli EDL933]gi|3414876|gb|aaC31487.1|; similar to hypothetical protein [Escherichiacoli D1114, O25:K10:H16] gi|4887094|gb|aaD32187.1| (90% identity in 114 amino acids); similar to b2006 (YeeW) [Escherichia coli] gi|3025160|sp|P76366|YEEW#ECOLI (70% identity in 55
- 7635 amino acids)

  SEQ ID NO: 1435: -0.472528, 92, novel, identical to L0009

  [Escherichia coli strain EDL933] gi|3414877|gb|aaC31488.1|;

  similar to hypothetical protein [Escherichia coli D1114,

- O25:K10:H16] gi | 4887094 | gb | aaD32187.1 | (84% identity in 59 amino acids); hypothetical protein [Salmonella typhi] gi | 7800330 | gb | aaF69926.1 | AF250878#87 (46% identity in 49 amino acids)
  - SEQ ID NO: 1339: -0.276608, 343, novel, identical to L0010 [Escherichia coli strain EDL933] gi|3414878|gb|aaC31489.1|;
- 7645 similar to PH01 [Escherichia coli D1114, O25:K10:H16] gi|4887092|gb|aaD32185.1|AF127177#3 (62% identity in 78 amino acids)
  - SEQ ID NO: 1340: -0.474091, 661, novel, similar to(at low level) a part of hypothetical protein ydiA[ plasmid Collb-P9]
- gi | 4512489 | dbj | Baa75138.1 | (42% identity in 35 amino acids)

  SEQ ID NO: 1341: -0.667647, 69, novel, identical to L0012

  [Escherichia coli EDL933] gi | 3414880 | gb | aaC31491.1 |; similar to a part of putative ATP-binding proteinugR

  [Salmonellatyphimurium] gi | 4324607 | gb | aaD16951.1 | (45%)
- 7655 identity in 66 amino acids)
  - SEQ ID NO: 1342: 0.113158, 305, novel, identical to L0013 [Escherichia coli EDL933] gi|3414881|gb|aaC31492.1|; similar to hypothetical proteins for example ,Hp3 [Escherichia coli CFT073] gi|3661484|gb|aaC61715.1| (100% identity in 74
- 7660 amino acids)
  - SEQ ID NO: 1343: -0.308539, 446, novel, identical to L0014 [Escherichia coli] gi|3414882|gb|aaC31493.1|; similar to hypothetical proteins for example ,orf50 [Escherichia coli plasmid pB171] gi|6009426|dbj|Baa84885.1| (76% identity in
- 7665 107 amino acids)
  - SEQ ID NO: 1344: -0.137195, 165, novel, similar to L0015 [Escherichia coli EDL933]gi|3414883|gb|aaC31494.1| (99% identity in 512 amino acids); hypothetical proteins for example ,[Escherichia coli plasmid pEAF]
- 7670 gi | 4808945 | gb | aaD30027.1 | AF119170#2 (91% identity in 447 amino acids)
  - SEQ ID NO: 1345: 0.057488, 208, novel, similar to a part of

- IS630 insertion element hypothetical protein gi | 1143207 | gb | aaA84873.1 | (72% identity in 25 amino acids)
- 7675 SEQ ID NO: 1346: 0.933648, 319, novel, similar to a part of hypothetical proteins for example [insertion sequence IS91] gi | 7466597 | pir | | T00311 (75% identity in 49 amino acids) SEQ ID NO: 1347: -0.269531, 257, a secreted effector protein, identical to L0016 [Escherichia coli EDL933]
- 7680 gi | 3414884 | gb | aaC31495.1 |; similar to EspF [Escherichia coli E2348/69] gi | 2865308 | gb | aaC38400.1 | (87% identity in 205 amino acids)
  - SEQ ID NO: 1461: -0.092614, 177, novel, identical to L0017 [Escherichia coli EDL933]gi|3414885|gb|aaC31496.1|; similar
- 7685 to hypothetical proteins for example ,[Escherichia coli] gi|2809428|gb|aaC28566.1| (97% identity in 92 amino acids) SEQ ID NO: 1462: -0.045584, 352, novel, identical to EscF [Escherichia coli] gi|2865306|gb|aaC38398.1|; L0018 [Escherichia coli EDL933] gi|3414886|gb|aaC31497.1|
- 7690 SEQ ID NO: 1463: -0.460825, 486, novel, identical to L0019 [Escherichia coli EDL933]gi|3414887|gb|aaC31498.1|; similar to hypothetical proteins for example ,Orf27[Escherichia coli E2348/69] gi|2865305|gb|aaC38397.1| (99% identity in 135 amino acids)
- 7695 SEQ ID NO: 1464: -0.264578, 368, an EspB protein (secreted protein), similar to EspB proteins for example, EspB(L0020) [Escherichia coli EDL933] gi|1657263|emb|Caa65654.1| (99% identity in 312 amino acids)
- SEQ ID NO: 1465: -0.234061, 230, an EspD secreted protein,
  7700 identical to L0021 [Escherichia coli EDL933]
  gi|3414889|gb|aaC31500.1|; similar to EspD proteins for
  example ,gi|3688279|emb|Caa76909.1| (85% identity in 374
  amino acids)
- SEQ ID NO: 1466: 0.12809, 179, an EspA secreted protein, 7705 identical to EspA protein (L0022) [Escherichia coli] gi|3115184|emb|Caa73506.1|; similar to EspA proteins for

- example ,gi|2388623|gb|aaB71083.1| (85% identity in 192 amino acids)
- SEQ ID NO: -: -0.31476, 272, a type III secretion system SepL protein, identical to SepL (L0023) [Escherichia coli EDL933] gi|3115183|emb|Caa73505.1|; similar to SepL proteins for example ,gi|2865301|gb|aaC38393.1| (94% identity in 351 amino acids)
- SEQ ID NO: 1507: 0.694205, 467, a type III secretion system
  7715 EscD protein, identical to Pas (L0024) [Escherichia coli
  EDL933] gi|3115182|emb|Caa73504.1|; similar to EscD
  proteins for example ,gi|3341420|emb|Caa74170.1| (97%
  identity in 6 amino acids)
- SEQ ID NO: -: -0.414177, 657, a Gamma intimin, identical to
  7720 Gamma intimin (L0025) [Escherichia coli strain EDL933]
  gi|3414893|gb|aaC31504.1|
  - SEQ ID NO: -: -0.310441, 432, a chaperon of Tir, identical to CesT [Escherichia coli O-157:H7 strain HA1] gi|975876|gb|aaB00110.1|; similar to CesT protein
- 7725 [Escherichia coli] gi | 140611 | sp | P21244 | YEAE#ECOLI (96% identity in 156 amino acids)

  SEQ ID NO: -: -0.190991, 112, a translocated intimin receptor
  - Tir, identical to translocated intimin receptor Tir (L0027)

    [Escherichia coli O-157:H7 strain EDL933]
- 7730 gi|3414895|gb|aaC31506.1| [0025]
  - 8) Proteins relating to synthesis of lipopolysaccharide

    Sequence number: hydrophobicity, The number of amino acids,

    Character such as function
- 7735 SEQ ID NO: 1333: -0.537097, 249, novel

  SEQ ID NO: 1334: -0.248718, 352, novel, similar to hypothetical protein b2760[Escherichia coli strain K-12] gi | 7451979 | pir | | D65057 (24% identity in 303 amino acids)

  SEQ ID NO: 1335: -0.612921, 179, novel, similar to
- 7740 hypothetical protein YgcB[Escherichia coli strain K-12]

7760

amino acids)

gi|2506493|sp|P38036|YGCB#ECOLI (28% identity in 778 amino acids), GTG start

SEQ ID NO: 1336: -0.429615, 521, similar to YBDY#ECOLI gi|3025009|sp|P77091 (78% identity in 50 amino acids);

- 7745 similar to SrnB [ plasmid F] dad | AP001918-5 | Baa97875.1 (42% identity in 49 amino acids)
  - SEQ ID NO: 1337: -0.257627, 886, novel, similar to hypothetical proteins for example ,Tp70 [Treponema pallidum] gi|7521576|pir||A71309 (35% identity in 124 amino
- 7750 acids)

  SEQ ID NO: -: 0.81, 51, novel, similar to N-terminal part of hypothetical proteins for example ,YgcG [Escherichia coli] gi | 1723817 | sp | P55140 | YGCG#ECOLI(43% identity in 186 amino acids)
- SEQ ID NO: 1512: -0.608397, 132, novel

  SEQ ID NO: 1513: 0.301786, 225, novel, its N-terminal part is similar to N-terminal part of hypothetical proteins for example ,YgcG [Escherichia colil gi|1723817|sp|P55140|YGCG#ECOLI(31% identity in 147
- SEQ ID NO: 1514: 0.238, 51, similar to YGCG#ECOLI gi | 1789140 (40% identity in 275 amino acids); similar to hypothetical protein [Pseudomonas aeruginosa] dad | AE004490-5 | aaG03925.1 (43% identity in 273 amino acids),
- 7765 GTG start

  SEQ ID NO: 1515: 0.225393, 383, a lipoprotein precursor (type III secretion system), similar to type III secretion system lipoprotein precursors for example ,PrgK protein [Salmonella typhimurium] gi | 1172615 | sp | P41786 | PRGK#SALTY (53%)
- 7770 identity in 231 amino acids)

  SEQ ID NO: -: 0.151648, 274, a type III secretion protein, similar to MxiI [Shigella flexneri] gi | 547954 | sp | Q06080 | MXII#SHIFL (32% identity in 93 amino acids); PrgJ protein [Salmonella typhimurium]

- 7775 gi | 1172614 | sp | P41785 | PRGJ#SALT Y (31% identity in 87 amino acids)
  - SEQ ID NO: 1192: 0.037705, 245, a type III secretion protein, similar to putative typeIII secretion proteins for example ,PrgI protein [Salmonella
- 7780 typhimurium]gi|1172613|sp|P41784|PRGI#SALTY (64% identity in 76 amino acids)
  - SEQ ID NO: 1193: -0.282727, 111, a putative adherence factor, similar to a part of adherence factors for example ,Efa1 [Escherichia coli O111:H- strain E45035]
- 7785 gi | 6013469 | gb | aaD49229.2 | AF159462#1(amino acids at the position 433-711/3223) (100% identity in 279 amino acids), probably disrupted by frameshift
  - SEQ ID NO: 1194: -0.588608, 80, a transposase, identical to transposase [Escherichia coli plasmid p O-157 IS629]
- 7790 gi | 7443862 | pir | | T00240
  - SEQ ID NO: 1195: -0.379918, 245, a transposase, identical to hypothetical protein [Escherichia coli plasmid p O-157 IS629] gi|7444868|pir||T00241; similar to hypothetical protein, insertion sequences for example ,[Shigella flexneri]
- 7795 gi | 5532454 | gb | aaD44738.1 | AF141323#9 (96% identity in 108 amino acids)
  - SEQ ID NO: 1196: -0.045181, 167, novel, GTG start
  - SEQ ID NO: 1197: -0.081233, 374, novel, similar to hypothetical proteins for example ,L0014 [Escherichia coli
- 7800 O-157:H7 strain EDL933] gi|3414882|gb|aaC31493.1| (99% identity in 115 amino acids)
  - SEQ ID NO: 1198: 1.038462, 79, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli O-157:H7 strain EDL933] gi|3414883|gb|aaC31494.1|(100%)
- 7805 identity in 411 amino acids)
  - SEQ ID NO: 1199: 0.805162, 151, novel, similar to a part of hypothetical proteins for example ,L0013 [Escherichia coli O·157:H7 strain EDL933] gi|3414881|gb|aaC31492.1| (55%)

- identity in 28 amino acids), GTG start, probably disrupted
- 7810 SEQ ID NO: 1200: 0.976744, 87, novel, similar to hypothetical proteins for example ,ORF50 [Escherichia coli plasmid pB171] gi | 6009426 | dbj | Baa84885.1 | (70% identity in 106 amino acids)
- SEQ ID NO: 1201: 0.748416, 222, novel, similar to hypothetical proteins for example ,L0015 [Escherichia coli O-157:H7 strain EDL933] gi|3414883|gb|aaC31494.1|(63% identity in 464 amino acids)
  - SEQ ID NO: 1202: -0.236585, 329, novel, similar to a part of transposases for example ,TnpA [Shigella flexneri]
- 7820 gi | 5532449 | gb | aaD44733.1 | AF141323#4 (93% identity in 49 amino acids)
  - SEQ ID NO: 1203: -1.506341, 206, novel, similar to hypothetical proteins for example ,L0004 [Escherichia coli O-157:H7 strain EDL933] gi|3414872|gb|aaC31483.1| (98%)
- 7825 identity in 91 amino acids); putative transposase [Vibrio cholerae] gi | 7960026 | gb | aaF71186.1 | AF179596#6 (59% identity in 91 amino acids); hypothetical protein [Escherichia coli plasmid p O·157 insertion sequence IS911] gi | 7465897 | pir | | T00224 (52% identity in 91 amino acids)
- 7830 SEQ ID NO: 1204: -0.892208, 78, a putative transcription regulatory element, similar to regulatory elements (RpiR family) for example ,[Bacillus subtilis] gi|8248807|emb|CAB93068.1| (25% identity in 236 amino acids)
- 7835 SEQ ID NO: 1205 : -1.002703, 112, a putative ferrichrome-binding protein, similar to ferrichrome-binding proteins for example ,[Bacillus subtilis] gi|585132|sp|P37580|FHUD#BACSU (27% identity in 220 amino acids)
- 7840 SEQ ID NO: 1206: -0.212558, 440, a putative ferrichrome ABC transporter (permease), similar to ferrichrome ABC transporters (permease) for example ,[Bacillus subtilis]

- gi | 1706797 | sp | P49937 | FHUG#BACSU (33% identity in 319 amino acids)
- 7845 SEQ ID NO: 1207: 0.465452, 687, a putative ferrichrome ABC transporter (permease), similar to ferrichrome ABC transporters (permease) for example ,[Synechocystis sp.] gi | 7442493 | pir | | S74438 (43% identity in 315 amino acids); [Bacillus subtilis] gi | 1706795 | sp | P49936 | FHUB#BACSU (39%
- 7850 identity in 319 amino acids)

  SEQ ID NO: 1208: -0.209449, 382, a putative ABC-type iron-siderophore transport system ATP-binding protein, similar to ABC-type iron-siderophore transport system ATP-binding proteins for example ,[Synechocystis sp.]
- gi | 7442509 | pir | | S74440 (52% identity in 248 amino acids)

  SEQ ID NO: 1209: -0.149383, 568, a putative ferrichrome-iron receptor precursor, similar to ferrichrome-ironreceptor precursors for example ,gi | 7448497 | pir | | S74457 (30% identity in 688 amino acids)
- SEQ ID NO: 1210: 0.036546, 250, novel, TTG start

  SEQ ID NO: 1211: 1.166101, 60, a PTSdependent

  N-acetyl-galactosamine-IID component (AgaE), similar to

  PTSdependent N-acetyl-galactosamine-IID component, AgaE

  [Escherichia coli strain C]
- 7865 gi|8895749|gb|aaF81085.1|AF228498#5 (96% identity in 292 amino acids)
  - SEQ ID NO: -: -0.257895, 77, a PTS dependent N-acetyl-galactosamine-and galactosamine IIA component (AfaF), similar to ts dependent N-acetyl-galactosamine-and
- 7870 galactosamine IIA component, AgaF [Escherichia coli strain C] gi|8895750|gb|aaF81086.1|AF228498#6 (99% identity in 144 amino acids)
  - SEQ ID NO: 1527: 0.06993, 144, a transposase (insertion sequence IS629), identical to hypothetical protein
- 7875 gi | 7444868 | pir | | T00241 SEQ ID NO: 1528: 1.167709, 193, identical to transposase

- (insertion sequence IS629),gi | 7443862 | pir | | T00240
- SEQ ID NO: 1529: 0.38766, 236, novel
- SEQ ID NO: 1530: -0.008, 226, a leader peptidase, similar to
- 7880 leader peptidases for example ,HopD (strain ECOR30)
  [Escherichia coli] gi | 7674073 | sp | O68932 (92% identity in 155 amino acids); (LT2) [Salmonella typhimurium]
  gi | 7674072 | sp | O68927 (68% identity in 148 amino acids)
  - SEQ ID NO: 1531: -0.168, 226, novel, similar to hypothetical
- 7885 protein [Xylellafastidiosa] gi|9112262|gb|aaF85593.1|AE003851#24 (50% identity in 86 amino acids)
  - SEQ ID NO: -: -0.265401, 238, a putative invasin, similar to putative membrane protein b1978 [Escherichia coli K-12]
- 7890 gi | 1736642 | dbj | Baa15799.1 | (45% identity in 1391 amino acids); vasin [Yersinia pseudotuberculosis] gi | 79202 | pir | | A29646 (35% identity in 1211 amino acids) [0026]
  - 9) Proteins relating to metabolism
- 7895 Sequence number: hydrophobicity, The number of amino acids, Character such as function

  SEQ ID NO: 826: -0.36383, 48, novel, similar to hypothetical protein[Bacteriophage 933W] gi|4499789|emb|CAB39288.1|

  (97% identity in 71 amino acids)
- 7900 SEQ ID NO: 827: -0.877049, 62, a putative fimbrial chaperone, similar to fimbrial chaperones for example ,[Salmonella typhimurium] gi | 1170816 | sp | P43661 | LPFB#SALTY (40% identity in 104 amino acids)
- SEQ ID NO: 828: -0.388722, 134, a putative type 1 fimbrial 7905 protein, similar to type 1 fimbrial proteins for example ,[Salmonella enteritidis] gi|913907|gb|aaB33536.1| (31% identity in 198 amino acids)
  - SEQ ID NO: 829: 0.010435, 116, novel, similar to conserved hypothetical proteins for example ,HP0709 [Helicobacter
- 7910 pylori 26695| gi|7463979|pir||E64608 (88% identity in 300

SEQ ID NO: 830 : -0.455859, 513, novel, similar to hypothetical protein [Xylella fastidiosa] gi|9104946|gb|aaF82968.1|AE003869#5 (33% identity in 270

7915 amino acids)

SEQ ID NO: 831: -0.335065, 78, novel (hypothetical membrane protein)

SEQ ID NO: 832: -1.205882, 52, novel, similar to (at low level) membrane protein [Staphylococcus aureus]

7920 gi | 3676428 | gb | aaC61946.1 (26% identity in 236 amino acids)

SEQ ID NO: 833: -0.434677, 249, novel

SEQ ID NO: 834: 0.071739, 93, novel, GTG start

SEQ ID NO: 835: -0.190411, 74, novel, GTG start

SEQ ID NO: 836: -0.322222, 136, a raffinose metabolism

- 7925 (putativ for example ,lyco protein), similar to RafY [Escherichia coli plasmid pRSD2] gi | 1773072 | gb | aaB71432.1 (78% identity in 464 amino acids)
  - SEQ ID NO: 837: -0.195833, 313, novel

SEQ ID NO: 838: -0.038235, 375, novel (hypothetical

- 7930 membrane protein)
  - SEQ ID NO: 839: ·0.158854, 193, a Rhs protein, similar to Rhs proteins for example ,RhsF[Escherichia coli] gi|2920637|gb|aaC32473.1| (97% identity in 1394 amino acids), [RhsH core protein with extension]
- SEQ ID NO: 840: -0.174074, 352, novel

  SEQ ID NO: 841: -0.092611, 407, a putative amino acid amidohydrolase, similar to amino acid amidohydrolases for example ,benzoylglycine amidohydrolase (Hippuricase)

  [Campylobacter jejuni] gi|1170277|spP45493|HIPO#CAMJE
- 7940 (46% identity in 383 amino acids)
  - SEQ ID NO: 842 : -0.384796, 935, a putative membranetransporter protein, similar to membranetransporter proteins for example ,citrate-proton symporter [Klebsiella pneumoniae]

- 7945 gi | 116482 | sp | P16482 | CIT1#KLEPN (30% identity in 429 amino acids)
  - SEQ ID NO: 843: -0.174359, 157, novel, similar to hypothetical protein b3122[Escherichia coli (strain K-12)] gi | 7466507 | pir | | G65101 (62% identity in 35 amino acids)
- 7950 SEQ ID NO: 844: ~0.563799, 559, a putative L-sorbose 1~phosphate dehydrogenase, similar to L-sorbose 1~phosphate dehydrogenases, for example ,[Klebsiella pneumoniae] gi|586014|sp|P37084|SORE#KLEPN (85% identity in 407 amino acids)
- 7955 SEQ ID NO: 845: -0.552709, 204, a putative sorbose-permease IID component (PTS system), similar to many sorbose-permease IID components for example ,gi|548634|sp|P37083|PTRD#KLEPN (95% identity in 215 amino acids), probably disrupted (N-terminal part (amino
- 7960 acids at the position 1-60) is deleted)

  SEQ ID NO: 846: -0.058268, 128, a putative regulatory element (repressor), its N-terminal-half part is similar tohypothetical protein HI1476 [Haemophilus influenzae]gi|1175815|sp|P44207|YE76#HAEIN (35% identity
- 7965 in 70 amino acids); its C -terminal-half part is similar to putative repressor protein [Bacteriophage D108] gi|133345|sp|P07040|RPC1#BPD10(26% identity in 79 amino acids)
- SEQ ID NO: 847: -0.457738, 169, a putative DNA-binding protein, similar to Ner-likeDNA-binding proteins for example ,gi|6900348|emb|CAB71960.1| (44% identity in 70 amino acids)
  - SEQ ID NO: 848: -0.023279, 306, a putative phage transposase, similar to transposases for example ,[Neisseria
- 7975 meningitidis | gi | 7379960 | emb | CAB84536.1 | (40% identity in 639 amino acids)
  - SEQ ID NO: 849: -0.484058, 139, a transposition protein, similar to DNA transposition proteinB [Bacteriophage Mu]

gi | 139318 | sp | P03763 | VPB#BPMU (48% identity in 298 amino 7980 acids) SEQ ID NO: 850: -0.9296, 126, novel, similar to(at low level) phosphoserine phosphatase [Neisseria meningitidis MC58] gi | 7226221 | gb | aaF41385.1 | (38% identity in 49 amino acids) SEQ ID NO: 851: 0.013677, 447, novel 7985 SEQ ID NO: 852: 0.371556, 676, novel, GTG start SEQ ID NO: 853: 0.247863, 118, novel, GTG start SEQ ID NO: 854: 0.445454, 100, novel SEQ ID NO: 855: -0.008451, 143, putative host-nuclease inhibitor, similar to host-nuclease inhibitor protein (Gam) 7990 example ,[Bacteriophage Mul gi | 138127 | sp | P06023 | VGAM#BPMU (56% identity in 174amino acids) SEQ ID NO: 856: -0.096842, 191, novel SEQ ID NO: 857: -0.295364, 152, novel, similar to Gp11 7995 [Bacteriophage Mu] gi | 6010385 | gb | aaF01088.1 | AF083977#7 (67% identity in 177 amino acids) SEQ ID NO: 858: -0.149414, 513, novel, similar to gp12 [Bacteriophage Mu] gi|215568|gb|aaA32400.1| (52% identity in 168 amino acids) SEQ ID NO: 859: -0.454967, 152, novel, similar to gp9 8000 [Bacteriophage Mu] gi | 6010430 | gb | aaF01133.1 | AF083977#54 (30% identity in 82 amino acids) SEQ ID NO: 860: -0.538686, 138, novel SEQ ID NO: 861: -0.001626, 124, novel, similar to (at low 8005 level) zinc finger proteins for example ,[Rattus norvegicus] gi | 141712 | sp | P18745 | ZO22#XENLA (33% identity in 48 amino acids) SEQ ID NO: 862: -0.207895, 153, novel SEQ ID NO: 863: 0.275652, 346, novel, similar to 8010 hypothetical proteins for example ,gp16 [Bacteriophage Mu] gi | 6010390 | gb | aaF01093.1 | AF083977#12 (43% identity in 162

- SEQ ID NO: 864: 1.013566, 259, putative positive regulator of late transcription, similar to transcription regulatory elements for example, positive regulator of late transcription ( protein C) [Bacteriophage Mu] gi | 139320 | sp | P06022 | VPC#BPMU (39% identity in 126 amino acids)
  - SEQ ID NO: 865: 1.206742, 90, an endolysin (host cell lysis),
- similar to endolysins for example ,Lys [Bacteriophage Mu] | 126600|sp|P27359|LYCV#BPP21 (37% identity in 156 amino acids)
  - SEQ ID NO: 866: 0.813365, 218, novel, similar to P14
    [Bacteriophage APSE-1]
- 8025 gi|6118009|gb|aaF03957.1|AF157835#14 (27% identity in 82 amino acids), GTG start
  - SEQ ID NO: 867: -0.361905, 232, novel, similar to P16 [Bacteriophage APSE-1]
  - gi|6118011|gb|aaF03959.1|AF157835#16 (46% identity in 81
- 8030 amino acids)
  - SEQ ID NO: 868: -0.288945, 200, novel, similar to traR family, for example ,Orf82 [Bacteriophage P2] gi | 732223 | sp | Q06424 | YO82#BPP2 (52% identity in 34 amino acids)
- 8035 SEQ ID NO: 869: -0.829907, 108, novel, similar to gp25 [Bacteriophage Mu] gi|6010400|gb|aaF01103.1|AF083977#22 (35% identity in 91 amino acids)
  - SEQ ID NO: 870: -0.475, 73, novel, similar to hypothetical proteins for example ,gp26[Bacteriophage Mu]
- 8040 gi | 6010401 | gb | aaF01104.1 | AF083977#23 (62% identity in 95 amino acids)
  - SEQ ID NO: 871: -0.715504, 130, novel, similar to hypothetical proteins for example ,gp27 [Bacteriophage Mu] gi |6010402| gb |aaF01105.1| AF083977#24 (56% identity in 193
- 8045 amino acids)
  - SEQ ID NO: 872: 0.351219, 42, a putative portal protein,

- similar to hypothetical proteins for example ,gp28 (possible portal protein H) [Bacteriophage Mulgi|6010403|gb|aaF01106.1|AF083977#25 (73% identity in 537
- 8050 amino acids)

  SEQ ID NO: 873: -0.262814, 399, novel, similar to hypothetical proteins for example ,gp29 [Bacteriophage Mu]

gi | 6010404 | gb | aaF01107.1 | AF083977#26 (57% identity in 529 amino acids)

amino acids)

8065

- 8055 SEQ ID NO: 874: -0.127574, 273, novel, similar to hypothetical proteins for example ,gp30 [Bacteriophage Mu] gi | 6010405 | gb | aaF01108.1 | AF083977#27 (60% identity in 437 amino acids)
- SEQ ID NO: 875: -0.857143, 78, a virion morphogenesis, 8060 similar to G protein [Bacteriophage Mu]
- gi | 267389 | sp | Q01261 | VPG#BPMU (53% identity in 151 amino acids)
  - SEQ ID NO: : -0.821875, 65, a potential protease protein, similar to gpI [Bacteriophage Mu] gi|7226336|gb|aaF41489.1|
- SEQ ID NO: 1686: -0.40171, 118, a putative major head subunit, similar to proteinT [Bacteriophage Mu] gi | 6010409 | gb | aaF01112.1 | AF083977#31 (66% identity in 311 amino acids); hypothetical proteins for example ,[Neisseria

(31% identity in 369 amino acids),

- 8070 meningitidis] gi|6900377|emb|CAB71989.1|(50% identity in 311 amino acids)
  - SEQ ID NO: 1687: -0.015888, 108, novel, similar to gp35 [Bacteriophage Mu] gi|6010410|gb|aaF01113.1|AF083977#32 (40% identity in 62 amino acids)
- 8075 SEQ ID NO: 1533: -0.455151, 331, novel, similar to hypothetical proteins for example ,gp36 [Bacteriophage Mu] gi | 6010411 | gb | aaF01114.1 | AF083977#33 (46% identity in 139 amino acids)
- SEQ ID NO: 1534: -0.761539, 105, novel, similar to 8080 hypothetical proteins for example ,gp37 [Bacteriophage Mu]

gi | 1175870 | sp | P44231 | YF09#HAEIN (33% identity in 187 amino acids)

SEQ ID NO: 1535: -0.293125, 161, novel, similar to hypothetical proteins for example ,gp38 [Bacteriophage Mu] gi | 6010413 | gb | aaF01116.1 | AF083977#35 (54% identity in 52 amino acids)

SEQ ID NO: 1536: -0.370046, 218, a major tail subunit (sheath protein), similar to sheath protein GpL [Bacteriophage Mu] gi|1834291|dbj|Baa19195.1| (51% identity in 499 amino acids); hypothetical proteins for example ,[Haemophilus influenzae Rd] gi|1175872|sp|P44233|YF11#HAEIN (40% identity in 499 amino acids)

SEQ ID NO: 1564: -0.396053, 77, novel, similar to hypothetical proteins for example ,GpM [Bacteriophage Mu] gi|1834292|dbj|Baa19196.1| (49% identity in 120 amino acids) SEQ ID NO: 1565: -0.199849, 663, novel, similar to hypothetical proteins for example ,ORF3 [Bacteriophage Mu] gi|1834293|dbj|Baa19197.1| (49% identity in 122 amino acids)

8100 [0027]

8085

8090

10) Proteins processing DNA/RNA

Sequence number: hydrophobicity, The number of amino acids, Character such as function

SEQ ID NO: 1395: -0.645885, 803, a type III secretion protein

(surfacepresentation of antigens), similar to N-terminal part of putative type III secretion proteins for example ,SpaR protein (surface presentation of antigens) [Salmonella typhimurium] gi|730799|sp|P40701|SPAR#SALTY(44% identity in 144 amino acids), probably interrupted

8110 SEQ ID NO: 1396: -0.414798, 224, a type III secretion protein, similar to type III secretion proteins for example ,SpaQ [Salmonella enterica] gi|975756|gb|aaC43847.1| (68% identity in 86 amino acids)

SEQ ID NO: 1397: -0.230128, 157, type III secretion protein,

- 8115 similar to type IIIsecretion proteins for example ,SpaP [Salmonella enterica] gi|975755|gb|aaC43846.1| (69% identity in 218 amino acids)
  - SEQ ID NO: 1398: 0.60339, 60, type III secretion protein, similar to type III secretion proteins for example ,SpaO
- 8120 [Salmonella enterica] gi | 973277 | gb | aaC43944.1 | (32% identity in 292 amino acids)
  - SEQ ID NO: 1399: -0.623677, 795, type III secretion protein, similar to C-terminal part of type IIIsecretion proteins for example ,SpaN [Salmonella enterica]
- 8125 gi | 1155289 | gb | aaC44993.1 | (38% identity in 82 amino acids), TTG start
  - SEQ ID NO: 1400: 0.241304, 47, novel
  - SEQ ID NO: -: -0.288136, 60, a type III secretion protein, similar to type III secretion proteins for example ,SpaM
- 8130 [Salmonella enterica] gi|1155297|gb|aaC44998.1| (29% identity in 146 amino acids)
  - SEQ ID NO: 1412: -0.074167, 361, a putative tape measure protein, similar to hypothetical proteins for example ,Gp42 (putative tape measure protein) [Bacteriophage Mu]
- 8135 gi | 6010417 | gb | aaF01120.1 | AF083977#39 (36% identity in 686 amino acids)
  - SEQ ID NO: 1413: ~0.064607, 357, a putative DNA circulation protein, similar to DNA circulation proteins for example, protein N [Bacteriophage Mu]
- 8140 gi | 6010418 | gb | aaF01121.1 | AF083977#40 (33% identity in 441 amino acids)
  - SEQ ID NO: 1414: -0.374289, 845, a putative tail protein, similar to tail protein fors example ,P protein [Bacteriophage Mul gi|139353|sp|P08558|VPP#BPMU (47%
- seq ID NO: 1415: 0.2, 54, novel, similar to hypothetical proteins for example ,gp45 [Bacteriophage Mu] gi | 6010420 | gb | aaF01123.1 | AF083977#42 (51% identity in 195

- amino acids), may be involved in base plate assembly
- 8150 SEQ ID NO: 1416: -0.05748, 128, novel, similar to hypothetical proteins for example ,Gp46 [Bacteriophage Mu] gi | 6010421 | gb | aaF01124.1 | AF083977#43 (53% identity in 144 amino acids)
- SEQ ID NO: 1417: -0.1945, 201, novel, similar to hypothetical proteins for example ,Gp47 [Bacteriophage Mu] gi | 6010422 | gb | aaF01125.1 | AF083977#44 (53% identity in 360 amino acids)
  - SEQ ID NO: 1661: -0.169, 301, novel, similar to hypothetical proteins for example ,Gp48 [Bacteriophage Mu]
- 8160 gi|6010423|gb|aaF01126.1|AF083977#45 (48% identity in 183 amino acids)
  - SEQ ID NO: 1556: 0.241844, 283, a putative tail fiber, similar to S protein [Bacteriophage Mu] gi | 6010424 | gb | aaF01127.1 | AF083977#46 (46% identity in 198
- 8165 amino acids); hypothetical proteins for example ,Bcv [Shigella boydii] gi|96900|pir||A42463 (56% identity in 78 amino acids)
  - SEQ ID NO: 1557: 0.691919, 100, a putative tail fiber assembly protein, similar to unnamed protein product
- Bacteriophage 186] gi | 3522882 | gb | aaC34165.1 | (39% identity in 173 amino acids); tail fiber assembly proteins for example ,U protein[Bacteriophage Mu] gi | 6010425 | gb | aaF01128.1 | AF083977#47 (28% identity in 176 amino acids)
- 8175 SEQ ID NO: 1667: 1.052233, 292, similar to a C-terminal part of tail fiber protein (partial), C-terminal part of tail fiber proteins for example ,S [Bacteriophage Mulgi|6010424|gb|aaF01127.1|AF083977#46 (38% identity in 65 amino acids)
- 8180 SEQ ID NO: -: -0.43064, 298, a putative invertase, similar to site-specific recombinases for example ,DNA-invertas for example ,in [Bacteriophage Mu]

- gi | 6010426 | gb | aaF01129.1 | AF083977#50 (75% identity in 181 amino acids)
- 8185 SEQ ID NO: 1600 -0.069079, 305, novel, similar to hypothetical proteins for example ,L0105 [Bacteriophage 933W] gi | 4585419 | gb | aaD25447.1 | AF125520#42 (73% identity in 614 amino acids)
- SEQ ID NO: : -0.338889, 73, novel, similar to orf25 8190 [Bacteriophage 933W] gi|4499806|emb|CAB39305.1| (52%
- 8190 [Bacteriophage 933W] gi | 4499806 | emb | CAB39305.1 | (52% identity in 57 amino acids)
  - SEQ ID NO: 1616: -0.524138, 465, novel, similar to hypothetical proteins for example ,L0106 [Bacteriophage 933W] gi|4585420|gb|aaD25448.1|AF125520#43 (41% identity
- 8195 in 79 amino acids)

  SEQ ID NO: 1630: -0.041597, 239, novel
  [0028]
  - 11) Proteins relating pathogenicity

Sequence number: hydrophobicity, The number of amino acids,

- 8200 Character such as function
  - SEQ ID NO: 1631: 0.342857, 225, a type III secretion protein (ATP synthetase), similar to putative type III secretion proteins (ATP synthetase) for example ,invC [Salmonella typhimurium] gi | 730791 | sp | P39444 | SPAL#SALTY (63%)
- sEQ ID NO: 1472: -0.763847, 1395, a type III secretion protein, similar to type III secretion proteins for example ,InvA [Salmonella typhimurium] gi|476819|pir||A42888 (64% identity in 686 amino acids)
- 8210 SEQ ID NO: -: 0.352577, 98, a type III secretion protein, similar to type III secretion proteins for example ,invasion protein [Salmonella enterica] gi|1236845|gb|aaC45041.1| (37% identity in 355 amino acids)
- SEQ ID NO: 1552: -0.029639, 389, a type III secretion protein, similar to type III secretion proteins for example, InvG

[Salmonella typhimurium]

- gi | 1170574 | sp | P35672 | INVG#SALTY (53% identity in 558 amino acids)
- SEQ ID NO: -, 0.760046, 439, a transcriptional regulator of type III secretion system, similar to transcriptional regulators for example ,invF [Salmonella typhimurium] gi | 729852 | sp | P39437 | INVF#SALTY (40% identity in 200 amino acids)
  - SEQ ID NO: 690: -0.029412, 52, novel, GTG start
- SEQ ID NO: 691: -0.113448, 410, novel, GTG start
  SEQ ID NO: 692: 0.817973, 218, novel, similar to hypothetical proteins for example ,[Methanobacterium thermoautotrophicum] gi | 7482365 | pir | | D69031 (32% identity in 100 amino acids)
- 8230 SEQ ID NO: 693: -0.541477, 177, a putative transporter, similar to hypothetical protein [ plasmid pNZ4000] gi|5123516|gb|aaD40355.1| (31% identity in 185 amino acids); similar to (at low level) putative low-affinity inorganic phosphate transporter [Mycobacterium tuberculosis]
- 8235 gi | 7387993 | sp | O06411 | PIT#MYCTU (26% identity in 212 amino acids)
  - SEQ ID NO: 694: -0.540244, 83, a hypothetical lipoprotein, similar to hypothetical proteins for example ,[ plasmid pNZ4000] gi|5123517|gb|aaD40356.1|(25% identity in 209
- 8240 amino acids)

  SEQ ID NO: 695: -0.645115, 697, a putative ABC transporter

  ATP-bindingsubunit, similar to ABC transporter ATP-binding
  subunits for example ,cation ABC transporter (ATP-binding
  protein) homolog vkoD [Bacillus subtilis]
- gi | 7445788 | pir | | H69858 (32% identity in 201 amino acids)

  SEQ ID NO: 696: -0.096774, 311, a putative ABC-transporter

  ATP-bindingsubunit, similar to ABC-transporter ATP-binding subunits for example ,PotA homolog [Agrobacterium rhizogenes plasmid pRi1724] gi | 8918682 | dbj | Baa97747.1 |
- 8250 (35% identity in 223 amino acids); [ plasmid pNZ4000]

- gi | 5123519 | gb | aaD40358.1 | (30% identity in 211 amino acids) SEQ ID NO: 697: 0.076712, 74, novel, similar to YGGC#ECOLI gi | 1789296 (83% identity in 233 amino acids), but comprising different C-terminal part.
- 8255 ; similar to kinaselike protein FrcK [Sinorhizobium meliloti] dad | AF196574-5 | aaG28501.1 (38% identity in 190 amino acids), GTG start
  - SEQ ID NO: 698: -0.44881, 85, novel (hypothetical lipoprotein)
- 8260 SEQ ID NO: 699: -0.246237, 94, a integrase, similar to integrases for example ,[prophage P4] gi | 6179516 | emb | CAB59974.1 | (55% identity in 414 amino acids)
- SEQ ID NO: 700: -0.042222, 91, novel, similar to C-terminal part of hypothetical proteins for example ,L0015 [Escherichia coli O-157:H7 strainEDL933]] gi | 4808945 | gb | aaD30027.1 | AF119170#2(88% identity in 206 amino acids), GTG start, probably disrupted
- SEQ ID NO: 701: -0.378351, 98, novel, similar to a part of hypothetical proteins for example ,L0013 [Escherichia coli O-157:H7 strain EDL933] gi|3414881|gb|aaC31492.1| (100% identity in 44 amino acids), GTG start, probably disrupted SEQ ID NO: 702: -0.572727, 177, novel, similar to hypothetical proteins for example ,ORF29 [Escherichia coli
- 8275 plasmid pB171] gi | 6009405 | dbj | Baa84864.1 | (39% identity in 204 amino acids)
  - SEQ ID NO: 703: -0.159444, 181, novel, similar to hypothetical proteins for example ,ORF30 [Escherichia coli plasmid pB171] gi | 6009406 | dbj | Baa84865.1 | (80% identity in
- 8280 115 amino acids)

  SEQ ID NO: 704: 0.131638, 178, novel, similar to hypothetical proteins for example ,ORF31 [Escherichia coli plasmid pB171] gi | 6009427 | dbj | Baa84886.1 | (63% identity in 468 amino acids)

- 8285 SEQ ID NO: 705: -0.321053, 172, novel, similar to hypothetical protein [Salmonella choleraesuis] gi | 7467227 | pir | | T28668 (43% identity in 261 amino acids) SEQ ID NO: 706: -0.725, 97, a putative virulence-related
- membrane protein, similar to virulence-related membrane 8290 proteins for example ,pagC [Salmonella typhimurium] gi|129558|sp|P23988|PAGC#SALTY (45% identity in 171

SEQ ID NO: 707: -0.170161, 125, novel

SEQ ID NO: 708: -1.030769, 66, novel, similar to(at low level)

- 8295 hypothetical proteins for example ,FhaB [Neisseria meningitidis] gi | 6900333 | emb | CAB71945.1 | (37% identity in 48 amino acids), GTG start
  - SEQ ID NO: 709: 0.1, 99, novel, identical to L0028 [Escherichia coli O-157:H7 strain EDL933]
- 8300 gi|3414896|gb|aaC31507.1|; similar to hypothetical proteins for example ,[Escherichia coli] gi|3249026|gb|aaC69313.1| (99% identity in 203 amino acids)
  - SEQ ID NO: 710: -0.514201, 170, novel, identical to L0029 [Escherichia coli O-157:H7 strain EDL933]
- 8305 gi | 3414897 | gb | aaC31508.1 |; similar to rOrf10 [Escherichia coli]gi | 2865295 | gb | aaC38388.1 | (78% identity in 119 amino acids)
  - SEQ ID NO: 711: -0.516312, 142, novel, identical to L0030 [Escherichia coli O-157:H7 strain EDL933]
- 8310 gi | 3414898 | gb | aaC31509.1 |; similar to Orf18 [Escherichia coli]gi | 2865294 | gb | aaC38387.1 | (74% identity in 159 amino acids)
  - SEQ ID NO: 712: -0.221687, 167, a type III secretion system SepQ protein, identical to L0031 [Escherichia coli O-157:H7
- 8315 strain EDL933]; gi | 3414899 | gb | aaC31510.1 |; similar to SepQ [Escherichia coli strain E2348/69] gi | 2865293 | gb | aaC38386.1 | (93% identity in 305 amino acids)
  - SEQ ID NO: 713: -0.647059, 86, novel, similar to Orf16

- [Escherichia coli strain E2348/69] gi|2865292|gb|aaC38385.1|
- 8320 (97% identity in 138 amino acids); L0032 [Escherichia coli O-157:H7 strain EDL933] gi|3414900|gb|aaC31511.1| (100% identity in 91 amino acids)
  SEQ ID NO: 714: -0.245946, 149, novel, identical to L0033
  - [Escherichia coli O-157:H7 strain EDL933]
- 8325 gi | 3414901 | gb | aaC31512.1 |

  SEQ ID NO: 715: -0.574667, 76, a type III secretion system protein EscN, identical to EscN (L00349 [Escherichia coli O-157:H7 strain EDL933] gi | 3414902 | gb | aaC31513.1 |
  - SEQ ID NO: 716: -0.092157, 103, a type III secretion system
- 8330 EscV protein, identical to EscV (L0035) [Escherichia coli O·157:H7 strain EDL933] gi|3414903|gb|aaC31514.1|

  SEQ ID NO: 717: -0.296875, 97, novel, identical to Orf12 [Escherichia coli strain E2348/69] gi|2865288|gb|aaC38381.1|;

  L0036 [Escherichia coli O·157:H7 strainEDL933]
- 8335 gi | 3414904 | gb | aaC31515.1 |

  SEQ ID NO: 718: -0.570466, 194, identical to type III secretion system SepZ protein, SepZ proteins for example , Escherichia coli O-157:H7 strain

EDL933]gi | 3414905 | gb | aaC31516.1 |

- 8340 SEQ ID NO: 719: -0.367148, 555, novel, identical to L0038 [Escherichia coli O-157:H7 strain EDL933] gi|3414906|gb|aaC31517.1|; similar to rOrf8 [Escherichia coli E2348/69] gi|2865287|gb|aaC38380.1| (92% identity in 142 amino acids)
- 8345 SEQ ID NO: 720: -0.356102, 509, a type III secretion system EscJ protein, identical to EscJ [Escherichia coli strain E2348/69] gi|2865286|gb|aaC38379.1|; L0039 (EscJ) [Escherichia coli O-157:H7 strain EDL933] gi|3414907|gb|aaC31518.1|
- 8350 SEQ ID NO: 721: -0.399319, 442, a type III secretion system proteinepD, identical to SepD (L0040) [Escherichia coli O-157:H7 strain EDL933] gi|3414908|gb|aaC31519.1|; similar

```
for example ,[Escherichia coli strain
      to SepD proteins
      E2348/69] gi | 886476 | emb | Caa90273.1 | (98% identity in 151
      amino acids)
8355
      SEQ ID NO: 722: -0.538854, 158, a type III secretion system
      EscC protein, identical to EscC (L0041) [Escherichia coli
      O-157:H7 strain EDL933] gi | 3414909 | gb | aaC31520.1 |
      SEQ ID NO: 723: \cdot 0.272994, 375, a type III secretion system
      CesD protein, identical to CesD (L0042) [Escherichia coli
8360
      O-157:H7 strain EDL933] gi | 3414910 | gb | aaC31521.1 |
      SEQ ID NO: 724: -0.223492, 316, novel, identical to L0043
                                    O-157:H7
      [Escherichia
                       coli
                                                 strain
                                                            EDL933]
      gi|3414911|gb|aaC31522.1|; similar to Orf11 [Escherichia coli
8365
      strain E2348/69] gi|2865282|gb|aaC38375.1| (98% identity in
      137 amino acids)
      SEQ ID NO: 725: -0.455469, 129, novel, identical to L0044
                                                            EDL933
      Escherichia
                       coli
                                    O-157:H7
                                                 strain
      gi | 3414912 | gb | aaC31523.1 |; similar to Orf10 [Escherichia coli
      strain E2348/69] gi | 2865281 | gb | aaC38374.1 | (98% identity in
8370
      123 amino acids)
      SEQ ID NO: 726: -0.330216, 140, novel, identical to L0045
                                    O-157:H7
                                                 strain
      Escherichia
                       coli
                                                            EDL9331
      gi | 3414913 | gb | aaC31524.1 | ; similar to rOrf3 [Escherichia coli
8375
      strain E2348/69 gi | 2865280 | gb | aaC38373.1 | (98% identity in
      152 amino acids)
      SEQ ID NO: 727: -0.154301, 187, a type III secretion system
      EscU protein, identical to EscU (L0046) [Escherichia coli
      O-157:H7 strain EDL933] gi | 3414914 | gb | aaC31525.1 |
8380
      SEQ ID NO: 728: -0.764198, 82, a type III secretion system
              protein, identical to EscT (L0047) [Escherichia coli
      O-157:H7 strain EDL933] gi | 3414915 | gb | aaC31526.1 |
      SEQ ID NO: 729: -0.1374, 501, a type III secretion system EscS
      protein, identical to EscS (L0048) [Escherichia coli O-157:H7
8385
      strain EDL933] gi | 3414916 | gb | aaC31527.1 |
```

SEQ ID NO: 730: -0.500827, 122, a type III secretion system

- EscR protein, identical to EscR (L0049) [Escherichia coli O-157:H7 strain EDL933] gi|3414917|gb|aaC31528.1|
- SEQ ID NO: 731: -0.213291, 159, novel, identical to L0050 8390 [Escherichia coli O-157:H7 strain EDL933] gi|3414918|gb|aaC31529.1|; similar to Orf5 [Escherichia coli strain E2348/69] gi|2865275|gb|aaC38368.1| (98% identity in
  - strain E2348/69] gi|2865275|gb|aaC38368.1| (98% identity in 231 amino acids)
- SEQ ID NO: 732: -0.205065, 692, novel, identical to L0051
  8395 [Escherichia coli O-157:H7 strain EDL933]
  gi|3414919|gb|aaC31530.1|; similar to Orf4 [Escherichia coli
  strain E2348/69] gi|2865274|gb|aaC38367.1| (99% identity in
  199 amino acids)
- SEQ ID NO: 733: -0.131141, 457, novel, identical to Orf3
  8400 [Escherichia coli E2348/69]gi|2865273|gb|aaC38366.1|; L0052
  [Escherichia coli O-157:H7 strain EDL933]
  gi|3414920|gb|aaC31531.1|
  - SEQ ID NO: 734: -0.277807, 375, novel, similar to Orf2 [Escherichia coli strain E2348/69] gi|2865272|gb|aaC38365.1|
- 8405 (98% identity in 72 amino acids); L0053 [Escherichia coli O·157:H7 strain EDL933] gi|3414921|gb|aaC31532.1| (98% identity in 72 amino acids)
  - SEQ ID NO: 735: -0.335784, 205, a transcription regulatory element, identical to L0054 [Escherichia coli O-157:H7 strain
- 8410 EDL933] gi | 3414922 | gb | aaC31533.1 | ; similar to Orf1 Ler [Escherichia coli strain E2348/69] gi | 2865271 | gb | aa C38364.1 | (99% identity in 129 amino acids)
  - SEQ ID NO: 736: -0.142069, 146, novel
  - SEQ ID NO: 737: -0.199169, 362, a secreted effector protein,
- identical to L0055 [Escherichia coli O-157:H7 strain EDL933] gi|3414923|gb|aaC31534.1|; similar to rOrf2 EspG [Escherichia coli strain E2348/69] gi|2865270|gb|aaC38363.1| (97% identity in 398 amino acids)
- SEQ ID NO: 738: -0.374731, 187, novel, identical to L0056
- 8420 [Escherichia coli O-157:H7 strain EDL933]

- gi | 3414924 | gb | aaC31535.1 | ; similar to rOrf1 [Escherichia colistrain E2348/69] gi | 2865269 | gb | aaC38362.1 | (99% identity in 272 amino acids)
- SEQ ID NO: 739: -0.368977, 304, novel, TTG start
- 8425 SEQ ID NO: 740: -0.53815, 174, novel

  SEQ ID NO: 741: -0.097015, 68, novel, similar to hypothetical proteins for example ,NMA0565 [Neisseria meningitidis] gi | 7379302 | emb | CAB83857.1 (35% identity in 118 amino acids) SEQ ID NO: 742: -0.458602, 187, novel
- 8430 SEQ ID NO: 743: -0.278645, 680, a putative transcriptional[sic, translational] regulator, similar to transcriptional[sic, translational] regulators for example, Com protein (transcriptional[sic, translational] regulator of Mom) [Bacteriophage Mul gi | 7388376 | sp | Q53979 | VCOM#SHIDY(46%
- 8435 identity in 57 amino acids) SEQ ID NO: 744: 0.096667, 61, a putative DNA modification protein, similar to DNA modification proteins for [Bacteriophage Mul example .Mom protein gi | 138782 | sp | P06018 | VMOM#BPMU (76% identity in 245
- amino acids), GTG start

  SEQ ID NO: 745: -0.679012, 82, a sorbose-permease IID component(PTS system), similar to sorbose-permease IID components for example ,[Klebsiella pneumoniae] gi|548634|sp|P37083|PTRD#KLEPN (92% identity in 64 amino
- 8445 acids), interrupted byphage-insertion

  SEQ ID NO: 746: -0.529126, 104, a sorbose-permease IIC component (PTS system), similar to sorbose-permease IIC components for example ,[Klebsiella pneumoniae] gi|548633|sp|P37082|PTRC#KLEPN (92% identity in 265
- 8450 amino acids)

  SEQ ID NO: 747: ·0.937879, 67, a sorbose permease IIB component (PTS system), similar to sorbose permease IIB components for example ,[Klebsiella pneumoniae] gi | 1142714 | gb | aaB04152.1 | (46% identity in 162 amino acids)

- SEQ ID NO: 748: -0.563673, 246, a putative sorbose-permease IIA component (PTS system), similar to sorbose-permease IIA components, for example ,[Klebsiella pneumoniae] gi|548631|sp|P37080|PTRA#KLEPN (71% identity in 135 amino acids)
- 8460 SEQ ID NO: 749: -0.055385, 66, a sorbitol-6-phosphate 2-dehydrogenase, similar to sorbitol-6-phosphate 2-dehydrogenases for example ,[Klebsiella pneumoniae] gi|548951|sp|P37079|SORD#KLEPN (86% identity in 268 amino acids)
- 8465 SEQ ID NO: 750: 0.997359, 266, a putative sorbitol operon regulatory element (activator), similar to sorbitol operon regulatory element (SorC family) for example ,[Klebsiella pneumoniae] gi|548950|sp|P37078|SORC#KLEPN (86% identity in 315 amino acids)
- SEQ ID NO: 751: -0.115244, 165, a putative regulatory protein, similar to regulatory proteins for example ,aerobic respiration control protein [Zymomonas mobilis] gi | 4511977 | gb | aaD21537.1 | (39% identity in 230 amino acids) SEQ ID NO: 752: 0.19037, 136, a putative sugar kinase,
- 8475 similar to sugar kinases for example ,fructo kinase homolog ydjE [Bacillus subtilis] gi|3915420|sp|O34768|YDJE#BACSU (24% identity in 326 amino acids)
  - SEQ ID NO: 753: -0.159702, 269, a putative aldolase, similar to aldolases for example ,fructose-bisphosphate aldolase (EC
- 8480 4.1.2.13) Fbaa [Bacillus subtilis] gi | 543796 | sp | P13243 | ALF1#BACSU (41% identity in 286 amino acids)
  - SEQ ID NO: 754: -0.218413, 316, novel, similar to (at low level) a part of hypothetical protein ydaE [Bacillus subtilis]
- 8485 gi | 7474928 | pir | | E69768 (35% identity in 51 amino acids)

  SEQ ID NO: 1322: 0.197872, 236, a putative carbohydratebinding protein, similar to C-terminal part of carbohydratebinding proteins for example, bifunctional

8505

amino acids)

- carbohydrate binding and transporter protein [Streptomyces 8490 coelicolor A3(2)] gi | 6714794 | emb | CAB66286.1 | (35% identity in 304 amino acids); ribose ABC transporter (ribose-binding protein) rbsB [Bacillus subtilis] gi | 6174949 | sp | P36949 | RBSB#BACSU(36% identity in 261 amino acids)
- 8495 SEQ ID NO: 1323: -0.163964, 334, a putative carbohydrate ABC transporter (permease), similar to carbohydrate ABC transporters (permease) for example ,ribose ABC transporter (permease) rbsC [Bacillus subtilis] gi|7446897|pir||B69690 (43% identity in 317 amino acids)
- 8500 SEQ ID NO: 1324: 0.066434, 287, a putative sugar ABC transporter, ATP-binding protein, similar to sugar ABC transporter, ATP-binding proteins for example ,riboseABC transporter (ATP-binding protein) rbsA [Bacillus subtilis] gi|7404442|sp|P36947|RBSA#BACSU (45% identity in 489
  - SEQ ID NO: 1325: -0.440969, 228, a putative histidine protein kinase, similar to histidine proteinkinase for example ,histidine protein kinase-response regulator hybrid protein CvgSY [Pseudomonas syringae pv. syringae]
- 8510 gi|5019771|gb|aaD37857.1|AF133263#2 (43% identity in 364 amino acids)
  - SEQ ID NO: 1326: -0.003195, 314, a putative transposase, similar to transposase homologA [Helicobacter pylori] gi | 2114470 | gb | aaD11513.1 (60% identity in 137 amino acids)
- 8515 SEQ ID NO: 1327: 1.026235, 325, a putative transposase, similar to B1432#ECOLI gi | 1787702 (96% identity in 402 amino acids); transposases for example ,ORFB [Xylella fastidiosa] gi | 9105393 | gb | aaF83346.1 | AE003901#9 (38% identity in 321 amino acids)
- 8520 SEQ ID NO: 1328: -0.04664, 507, a putative integrase, similar to(at low level) integrases for example ,integrase [Bacteriophage TPW22]

- gi | 6465906 | gb | aaF12706.1 | AF066865#4 (23% identity in 342 amino acids)
- 8525 SEQ ID NO: : -0.010053, 757, identical to transposase (insertion sequence IS629),gi | 7444868 | pir | | T00241 SEQ ID NO: 1620: -0.25035, 144, identical to transposase (insertion sequence IS629),[Escherichia coli plasmid p O-157] gi | 7443862 | pir | | T00240
- 8530 SEQ ID NO: 1621: -0.587696, 383, novel

  SEQ ID NO: 1310: -0.455932, 650, novel, TTG start

  SEQ ID NO: 1311: -0.965741, 109, novel, TTG start

  SEQ ID NO: 1312: -0.397973, 297, novel, similar to(at low level) hypothetical proteins [Staphylococcus aureus] for
- 8535 example ,gi|7594765|dbj|Baa94663.1| (30% identity in 143 amino acids); hypothetical protein [Neisseria meningitidis] gi|5051461|emb|CAB44981.1| (28% identity in 140 amino acids)
- SEQ ID NO: 1313: -0.511702, 95, a putative resolvase, similar to resolvases for example ,resolvase [Escherichia coli transposon Tn2501] gi|135944|sp|P05823|TNP0#ECOLI(45% identity in 179 amino acids)
  [0029]
  - 12) Other proteins
- 8545 Sequence number: hydrophobicity, The number of amino acids, Character such as function

  SEQ ID NO: 1314:0.037273, 111, putative transposase, similar to C-terminal part of transposases, for example, [Escherichia coli Tn5] gi | 622948 | gb | aaB60064.1 |, may be disrupted
- 8550 SEQ ID NO: 1315: -0.213793, 59, novel, similar to a part of KfaE protein [Escherichia coli] gi|628752|pir||S45104 (55% identity in 52 amino acids)
  - SEQ ID NO: 1316: -0.256129, 156, a putative enterotoxin, similar to ShET2 enterotoxin [Shigella flexneri]
- 8555 gi | 1109754 | emb | Caa90938.1 | (38% identity in 539 amino acids); similar to a part of hypothetical protein, for example,

- ankyri-like regulatory protein [Escherichia coli] gi | 418526 | sp | P23325 | ARP#ECOLI (28% identity in 172 amino acids) (at low level)
- 8560 SEQ ID NO: 1317: -0.050262, 192, novel, similar to sB protein, for example, [insertion element iso-IS1N] gi|124919|sp|P03832|ISBN#SHIDY (69% identity in 49 amino acids), TTG start
- SEQ ID NO: 1318: -0.438356, 439, novel, similar to a 8565 hypothetical protein [Salmonella typhimurium] gi | 6960367 | gb | aaF33527.1 | (63% identity in 306 amino acids) SEQ ID NO: 1319: -0.524125, 258, novel
  - SEQ ID NO: 1320: -0.435714, 155, novel, similar to a hypothetical protein in insertion elements, for example, [IS630]
- 8570 gi | 140943 | sp | P16943 | YIS5#SHISO (88% identity in 282 amino acids)
  - SEQ ID NO: 1014: -0.510181, 276, a putative adherence factor, similar to N-terminal part of adherence factors (amino acids at the position 1-433/3223), for example, Efa1 [Escherichia coli
- 8575 O111:H- strain E45035]
  gi | 6013469 | gb | aaD49229.2 | AF159462#1 (99% identity in 433
  amino acids), probably interrupted by frameshift
  - SEQ ID NO: 1015: -0.496819, 284, a putative DNA-binding protein, similar to putative DNA-binding protein [Neisseria
- 8580 meningitidis gi | 7379301 | emb | CAB83856.1 (47% identity in 101 amino acids)
  - SEQ ID NO: 1016: -0.412037, 109, novel
  - SEQ ID NO: 1017: -0.505722, 368, a putative transcription regulatory element, its N-terminal part is similar to
- transcription regulatory elements, for example ,BamH I control element [Bacillus amyloliquefaciens] gi | 116073 | sp | P23939 | CEBA#BACAM (47% identity in 68 amino acids)
- SEQ ID NO: 1018: -0.409362, 236, an integrase, similar to 8590 integrase, for example, [prophage P4]

- gi | 732036 | sp | P39347 | INTB#ECOLI (74% identity in 236 amino acids)
- SEQ ID NO: 1019: -0.205818, 551, novel
- SEQ ID NO: 1020: -0.198657, 1118, novel, similar to a part of hypothetical proteins, for example, YjH [Escherichia coli] gi|7404491|sp|P39371|YJHT#ECOLI (95% identity in 82 amino acids), TTG start
  - SEQ ID NO: 1021: -0.398339, 2105, novel
- SEQ ID NO: 1022: -0.508378, 944, novel, similar to putative 8600 periplasmic protein [Campylobacterjejuni] gi | 6968066 | emb | CAB75235.1 | (26% identity in 173 amino acids) (at low level)
  - SEQ ID NO: 1023: -0.482301, 1645, novel (putative membrane protein), similar to a part of myosin heavychains, for example,
- 8605 [Cyprinus carpio] gi|2351223|dbj|Baa22069.1| (19% identity in 292 amino acids) (at low level)
  - SEQ ID NO: 1024: -0.359727, 2114, novel, similar to a part of YjiT [Escherichia coli] gi|732099|sp|P39391|YJIT#ECOLI (27% identity in 239amino acids) (at low level), GTG start
- 8610 SEQ ID NO: 1025: -0.345738, 705, novel, its N-terminal part is similar to N-terminal part of putative RNA helicase [Deinococcus radiodurans (strain R1)] gi|7473663|pir||B75633 (29% identity in 291 amino acids);and its central part is similar to hypothetical YjiV protein [Escherichia coli]
- 8615 gi|2851665|sp|P39393|YJIV#ECOLI (28% identity in 491 amino acids); a part of McrD protein [Escherichia coli] gi|2851619|sp|P27301|MCRD#ECOLI (39% identity in 131 amino acids)
  - SEQ ID NO: 1026: 0.04, 61, a putative ATP-dependent helicase,
- similar to putative ATP-dependent helicases, for example, [Halobacterium sp. (strain NRC-1) plasmid pNRC100] gi | 7484100 | pir | | T08316 (26% identity in 597 amino acids) SEQ ID NO: 1027: -0.514474, 77, novel, similar to hypothetical
  - SEQ ID NO: 1027: -0.514474, 77, novel, similar to hypothetical proteins, for example, H1130 [Halobacterium sp. (strain NRC-1)

- plasmid pNRC100] gi | 7484076 | pir | | T08313 (25% identity in 508 amino acids); and possible restriction /modificationenzyme [Campylobacter jejuni] gi | 6968147 | emb | CAB72964.1 | (24% identity in 414 amino acids)
- SEQ ID NO: 1028: -0.40375, 81, a putative RNA helicase, similar to putative RNA helicases, for example, [Deinococcus radiodurans (strain R1)] gi | 7473663 | pir | | B75633 (amino acids at the position 78-396) (31% identity in 318 amino acids); and (amino acids at the position 994-1708) (23% identity in 714 amino acids)
- 8635 SEQ ID NO: 1468: -0.351742, 1580, a putative DNA helicase, similar to DNA helicases, for example, putative DNA helicase H91#ORF529 [Mycoplasma pneumoniae] gi|2495150|sp|P75438|YH91#MYCPN (24% identity in 455 amino acids); and helicase IV [Escherichia coli]
- gi|146328|gb|aaA23952.1| (23% identity in 513 amino acids)

  SEQ ID NO: 1469: 0.14127, 64, novel, TTG start

  SEQ ID NO: 1470: -0.245455, 67, novel, similar to N-terminal part of putative membrane protein b1978 [Escherichia coli K-12] gi|1736642|dbj|Baa15799.1| (58% identity in 46 amino
- 8645 acids)
  - SEQ ID NO: 1546: ~0.622994, 736, novel
  - SEQ ID NO: : -0.059091, 89, novel
  - SEQ ID NO: 1592: -0.298976, 294, novel, similar to N-terminal part of hypothetical proteins, for example, jhp0462
- [Helicobacter pylori (strain J99)] gi | 7464730 | pir | | C71929 (48% identity in 269 amino acids); and jhp0572 [Helicobacter pylori (strainJ99)] gi | 7464757 | pir | | H71914 (31% identity in 282 amino acids)
- SEQ ID NO: 1593: -0.494832, 388, novel, similar to C-terminal part of hypothetical proteins, for example, jhp0462 [Helicobacter pylori (strain J99)] gi | 7464730 | pir | | C71929 (42% identity in 423 amino acids); and HP051 3 [Helicobacter pylori (strain26695)] gi | 7464291 | pir | | A64584 (44% identity in

- 8660 SEQ ID NO: 1381: -0.367123, 585, a type I restriction modification enzymeS subunit, similar to type I restriction-modification enzyme S subunits, for example, [Citrobacter freundii] pir | S06097 | (54% identity in 584 amino acids)
- 8665 SEQ ID NO: 1382: -0.413184, 494, a type I restriction modification enzymeM subunit, similar to type I restriction modification enzyme M subunits, for example, [EcoA system] gi | 421016 | pir | | A47200 (98% identity in 489 amino acids)
- SEQ ID NO: 1383: -0.505062, 811, a type I restriction-modification enzymeR subunit, similar to type I restriction-modification enzyme R subunits, for example, [EcoAlgi|2121113|pir||I41291 (99% identity in 810 amino acids)
  SEQ ID NO: 1384: -0.614894, 95, novel, similar to N-terminal

part of hypothetical proteins, for example, [Helicobacter pylori]

- 8675 gi | 7464531 | pir | | E64694 (36% identity in 87 amino acids)

  SEQ ID NO: 1385: -0.442477, 453, novel, similar to hypothetical proteins, for example, [Streptomyces coelicolor A3(2)] gi | 7479715 | pir | | T35601 (22% identity in 379 amino acids) (at low level), TTG start
- 8680 SEQ ID NO: 1689: -0.487222, 181, novel [0030]

## 1) Proteins having unknown function

These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 163, SEQ 8685 ID NO: 164, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 170, SEQ ID NO: 171, SEQ ID NO: 172, SEQ ID NO: 173, SEQ ID NO: 174, SEQ ID NO: 175, SEQ ID NO: 176, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 179, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 183, SEQ ID NO: 184, SEQ ID NO: 185, SEQ ID NO: 186, SEQ ID NO: 187, SEQ ID NO: 188,

SEQ ID NO: 189, SEQ ID NO: 190, SEQ ID NO: 191, SEQ ID

NO: 192, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO: 195. SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 198, SEQ ID 8695 NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 203, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO: 209, SEQ ID NO: 210, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214, SEQ ID NO: 215, SEQ ID NO: 216, SEQ ID NO: 217, SEQ ID NO: 218, SEQ ID NO: 219, SEQ ID 8700 NO: 220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID 8705 NO: 234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 243, SEQ ID NO: 485, SEQ ID NO: 486, SEQ ID NO: 487, SEQ ID NO: 488, SEQ ID NO: 489, SEQ ID NO: 490, SEQ ID NO: 491, SEQ ID NO: 492, 8710 SEQ ID NO: 493, SEQ ID NO: 494, SEQ ID NO: 495, SEQ ID NO: 496, SEQ ID NO: 497, SEQ ID NO: 498, SEQ ID NO: 499, SEQ ID NO: 500, SEQ ID NO: 501, SEQ ID NO: 502, SEQ ID NO: 503, SEQ ID NO: 504, SEQ ID NO: 505, SEQ ID NO: 506, SEQ ID NO: 507, SEQ ID NO: 508, SEQ ID NO: 509, SEQ ID NO: 510, SEQ ID NO: 511, SEQ ID NO: 512, SEQ ID NO: 513, 8715 SEQ ID NO: 514, SEQ ID NO: 515, SEQ ID NO: 516, SEQ ID NO: 517, SEQ ID NO: 518, SEQ ID NO: 519, SEQ ID NO: 520, SEQ ID NO: 521, SEQ ID NO: 522, SEQ ID NO: 523, SEQ ID NO: 524, SEQ ID NO: 525, SEQ ID NO: 526, SEQ ID NO: 527, SEQ ID NO: 528, SEQ ID NO: 529, SEQ ID NO: 530, SEQ ID 8720 NO: 531. SEQ ID NO: 532, SEQ ID NO: 533, SEQ ID NO: 534. SEQ ID NO: 535, SEQ ID NO: 536, SEQ ID NO: 537, SEQ ID NO: 538, SEQ ID NO: 539, SEQ ID NO: 540, SEQ ID NO: 541, SEQ ID NO: 542, SEQ ID NO: 543, SEQ ID NO: 544, SEQ ID 8725 NO: 545, SEQ ID NO: 546, SEQ ID NO: 547, SEQ ID NO: 548, SEQ ID NO: 549, SEQ ID NO: 550, SEQ ID NO: 551, SEQ ID

NO: 552, SEQ ID NO: 553, SEQ ID NO: 631, SEQ ID NO: 632, SEQ ID NO: 633, SEQ ID NO: 634, SEQ ID NO: 635, SEQ ID NO: 636, SEQ ID NO: 637, SEQ ID NO: 638, SEQ ID NO: 639, SEQ ID NO: 640, SEQ ID NO: 641, SEQ ID NO: 642, SEQ ID 8730 NO: 643, SEQ ID NO: 644, SEQ ID NO: 928, SEQ ID NO: 929, SEQ ID NO: 930, SEQ ID NO: 931, SEQ ID NO: 932, SEQ ID NO: 933, SEQ ID NO: 934, SEQ ID NO: 935, SEQ ID NO: 936, SEQ ID NO: 937, SEQ ID NO: 938, SEQ ID NO: 939, SEQ ID NO: 940, SEQ ID NO: 941, SEQ ID NO: 942, SEQ ID NO: 943, 8735 SEQ ID NO: 944, SEQ ID NO: 945, SEQ ID NO: 946, SEQ ID NO: 979, SEQ ID NO: 980, SEQ ID NO: 981, SEQ ID NO: 982, SEQ ID NO: 983, SEQ ID NO: 984, SEQ ID NO: 985, SEQ ID NO: 986, SEQ ID NO: 987, SEQ ID NO: 988, SEQ ID NO: 989, 8740 SEQ ID NO: 990, SEQ ID NO: 991, SEQ ID NO: 992, SEQ ID NO: 993, SEQ ID NO: 994, SEQ ID NO: 995, SEQ ID NO: 996, SEQ ID NO: 997, SEQ ID NO: 998, SEQ ID NO: 999, SEQ ID NO: 1000, SEQ ID NO: 1001, SEQ ID NO: 1002, SEQ ID NO: 1003, SEQ ID NO: 1004, SEQ ID NO: 1005, SEQ ID NO: 1006, SEQ ID NO: 1008, SEQ ID NO: 1009, SEQ ID NO: 1010, SEQ ID 8745 NO: 1011, SEQ ID NO: 1012, SEQ ID NO: 1056, SEQ ID NO: 1057, SEQ ID NO: 1058, SEQ ID NO: 1059, SEQ ID NO: 1094, SEQ ID NO: 1095, SEQ ID NO: 1096, SEQ ID NO: 1097, SEQ ID NO: 1098, SEQ ID NO: 1099, SEQ ID NO: 1100, SEQ ID NO: 1101, SEQ ID NO: 1102, SEQ ID NO: 1103, SEQ ID NO: 1104, 8750 SEQ ID NO: 1105, SEQID NO: 1106, SEQ ID NO: 1107, SEQ ID NO: 1108, SEQ ID NO: 1109, SEQ ID NO: 1110, SEQ ID NO: 1111, SEQ ID NO: 1112, SEQ ID NO: 1113, SEQ ID NO: 1114, SEQ ID NO: 1115, SEQ ID NO: 1116, SEQ ID NO: 1117, SEQ ID NO: 1118, SEQ ID NO: 1119, SEQ ID NO: 1120, SEQ ID NO: 8755 1121, SEQ ID NO: 1122, SEQ ID NO: 1123, SEQ ID NO: 1124, SEQ ID NO: 1125, SEQ ID NO: 1126, SEQ ID NO: 1127, SEQ ID NO: 1213, SEQ ID NO: 1214, SEQ ID NO: 1215, SEQ ID NO: 1216, SEQ ID NO: 1217, SEQ ID NO: 1218, SEQ ID NO: 1219, SEQ ID NO: 1220, SEQ ID NO: 1221, SEQ ID NO: 1222, SEQ ID 8760

NO: 1223, SEQ ID NO: 1224, SEQID NO: 1225, SEQ ID NO: 1226, SEQ ID NO: 1227, SEQ ID NO: 1228, SEQ IDNO: 1229, SEQ ID NO: 1230, SEQ ID NO: 1231, SEQ ID NO: 1232, SEQ ID NO:1233, SEQ ID NO: 1234, SEQ ID NO: 1235, SEQ ID NO: 1236, SEQ ID NO: 1237, SEQ ID NO: 1238, SEQ ID NO: 1239, 8765 SEQ ID NO: 1275, SEQ ID NO: 1276, SEQ ID NO: 1277, SEQ ID NO: 1278, SEQ ID NO: 1279, SEQ ID NO: 1280, SEQ IDNO: 1281, SEQ ID NO: 1282, SEQ ID NO: 1284, SEQ ID NO: 1285, SEQ ID NO:1286, SEQ ID NO: 1287, SEQ ID NO: 1303, SEQ ID NO: 1304, SEQ ID NO: 1305, SEQ ID NO: 1306, SEQ ID NO: 8770 1307, SEQ ID NO: 1308, SEQ ID NO: 1360, SEQ ID NO: 1361, SEQ ID NO: 1362, SEQ ID NO: 1363, SEQ ID NO: 1364, SEQ ID NO: 1365, SEQ ID NO: 1387, SEQ ID NO: 1388, SEQ ID NO: 1389, SEQ ID NO: 1390, SEQ ID NO: 1391, SEQ ID NO: 1392, 8775 SEQ ID NO: 1393, SEQ ID NO: 1437, SEQ ID NO: 1438, SEQ ID NO: 1439, SEQ ID NO: 1440, SEQ ID NO: 1441, SEQ ID NO: 1442, SEQ ID NO: 1451, SEQ ID NO: 1452, SEQ ID NO: 1453, SEQ ID NO: 1454, SEQ ID NO: 1455, SEQ ID NO: 1456, SEQ ID NO: 1474, SEQ ID NO: 1475, SEQ ID NO: 1476, SEQ ID NO: 1479, SEQ ID NO: 1480, SEQ ID NO: 1481, SEQ ID NO: 1482, 8780 SEQ ID NO: 1483, SEQ ID NO: 1484, SEQ ID NO: 1485, SEQ ID NO: 1486, SEQ ID NO: 1495, SEQ ID NO: 1496, SEQ ID NO: 1497. SEQID NO: 1498, SEQ ID NO: 1500, SEQ ID NO: 1502. SEQ ID NO: 1503, SEQ IDNO: 1504, SEQ ID NO: 1505, SEQ ID NO: 1559, SEQ ID NO: 1560, SEQ ID NO:1561, SEQ ID NO: 8785 1562, SEQ ID NO: 1577, SEQ ID NO: 1578, SEQ ID NO: 1579, SEQ ID NO: 1602, SEQ ID NO: 1606, SEQ ID NO: 1625, SEQ ID NO: 1663, SEQ ID NO: 1697, SEQ ID NO: 1698, SEQ ID NO: 1702 and SEQ ID NO: 1703. These proteins or polypeptides 8790 are psecific to O-157:H7. Whereas no significant homology to all data registered in gene data bank is found from information of determined amino acid sequence, and their functions and the like are not known. However, as shown in table 1, a protein predicted to be a cell surface protein (membrane protein,

- especially, outer membrane protein (OMP), lipoprotein) in them or its gene (or nucleic-acid molecule) may be useful for production of an antibody, vaccine composition, diagnosis of O·157 infection and the like. Furthermore, there is a possibility that they include a protein which has an important function in O·157, for example, transportation and metabolism of a substance, processing of nucleic acids, and relates to a regulatory element and pathogenicity. They are to be useful for diagnosis and therapy of O·157 infection.

  [0031]
- 8805 2) Proteins which have unknown function, but have significant homology to that of other bacteria:

These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 02, SEQ ID NO: 03, SEQ ID NO: 04, SEQ ID NO: 05, SEQ ID NO: 06, SEQ ID 8810 NO: 07, SEQ ID NO: 08, SEQ ID NO: 09, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15, SEQ IDNO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 20, SEQID NO: 21, SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 26, SEQ ID NO: 27, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 30, 8815 SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 245, SEQ ID NO: 246. SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 251, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 254, SEQ ID NO: 255, SEQ ID NO: 256, SEQ ID 8820 NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 260, SEQ ID NO: 261, SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 264, SEQ IDNO: 265, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 271, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 338, SEQ IDNO: 339, SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 8825 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO: 347, SEQ IDNO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO:

354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ IDNO: 357, SEQ ID NO: 358, SEQ ID NO: 359, SEQ ID NO: 360, SEQ ID NO: 8830 361, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 8835 379, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO: 384, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 389, SEQ ID NO: 390, SEQ ID NO: 391, SEQ ID NO: 392, SEQ IDNO: 393, SEQ ID NO: 394, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, 8840 SEQ ID NO: 398, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ IDNO: 402, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 412, 8845 SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 418, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 425, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, SEQ ID NO: 431, SEQ ID NO: 432, SEQ ID NO: 433, SEQ ID NO: 434, 8850 SEQ ID NO: 435, SEQ ID NO: 436, SEQ ID NO: 437, SEQ ID NO: 438, SEQ ID NO: 439, SEQ ID NO: 440, SEQ ID NO: 441, SEQ ID NO: 442, SEQ ID NO: 443, SEQ ID NO: 444, SEQ ID NO: 445, SEQ ID NO: 446, SEQ ID NO: 447, SEQ ID NO: 448, SEQ ID NO: 449, SEQ ID NO: 450, SEQ ID NO: 451, SEQ ID 8855 NO: 452, SEQ ID NO: 453, SEQ ID NO: 454, SEQ ID NO: 455, SEQ ID NO: 456, SEQ ID NO: 457, SEQ ID NO: 458, SEQ ID NO: 459, SEQ ID NO: 460, SEQ ID NO: 461, SEQ ID NO: 462. SEQ ID NO: 463, SEQ ID NO: 464, SEQ ID NO: 465, SEQ ID 8860 NO: 466, SEQ ID NO: 467, SEQ ID NO: 468, SEQ ID NO: 469, SEQ ID NO: 470, SEQ ID NO: 471, SEQ ID NO: 472, SEQ ID NO: 473, SEQ ID NO: 474, SEQ ID NO: 475, SEQ ID NO: 476,

SEQ ID NO: 477, SEQ ID NO: 478, SEQ ID NO: 479, SEQ ID NO: 480, SEQ ID NO: 481, SEQ ID NO: 482, SEQ ID NO: 483, SEQ ID NO: 645, SEQ ID NO: 646, SEQ ID NO: 647, SEQ ID 8865 NO: 648, SEQ ID NO: 649, SEQ ID NO: 650, SEQ ID NO: 651, SEQ ID NO: 652, SEQ ID NO: 653, SEQ ID NO: 654, SEQ ID NO: 655, SEQ ID NO: 656, SEQ ID NO: 657, SEQ ID NO: 658, SEQ ID NO: 659, SEQ ID NO: 660, SEQ ID NO: 661, SEQ ID NO: 662, SEQ ID NO: 663, SEQ ID NO: 664, SEQ ID NO: 665, 8870 SEQ ID NO: 666, SEQ ID NO: 667, SEQ ID NO: 668, SEQ ID NO: 669, SEQ ID NO: 670, SEQ ID NO: 671, SEQ ID NO: 672, SEQ ID NO: 673, SEQ ID NO: 674, SEQ ID NO: 675, SEQ ID NO: 676, SEQ ID NO: 677, SEQ ID NO: 678, SEQ ID NO: 679, 8875 SEQ ID NO: 680, SEQ ID NO: 681, SEQ ID NO: 682, SEQ ID NO: 683, SEQ ID NO: 684, SEQ ID NO: 685, SEQ ID NO: 686, SEQ ID NO: 687, SEQ ID NO: 688, SEQ ID NO: 877, SEQ ID NO: 878, SEQ ID NO: 879, SEQ ID NO: 880, SEQ ID NO: 881. SEQ ID NO: 882, SEQ ID NO: 883, SEQ ID NO: 884, SEQ ID NO: 885, SEQ ID NO: 886, SEQ ID NO: 887, SEQ ID NO: 888, 8880 SEQ ID NO: 889, SEQ ID NO: 890, SEQ ID NO: 891, SEQ ID NO: 892, SEQ ID NO: 893, SEQ ID NO: 894, SEQ ID NO: 895, SEQ ID NO: 896, SEQ ID NO: 897, SEQ ID NO: 898, SEQ ID NO: 899, SEQ ID NO: 900, SEQ ID NO: 901, SEQ ID NO: 902, SEQ ID NO: 903, SEQ ID NO: 904, SEQ ID NO: 905, SEQ ID 8885 NO: 906, SEQ ID NO: 907, SEQ ID NO: 908, SEQ ID NO: 909, SEQ ID NO: 910, SEQ ID NO: 911, SEQ ID NO: 912, SEQ ID NO: 913, SEQ ID NO: 914, SEQ ID NO: 915, SEQ ID NO: 916, SEQ ID NO: 917, SEQ ID NO: 918, SEQ ID NO: 919, SEQ ID 8890 NO: 920, SEQ ID NO: 921, SEQ ID NO: 922, SEQ ID NO: 923, SEQ ID NO: 924, SEQ ID NO: 925, SEQ ID NO: 926, SEQ ID NO: 947, SEQ ID NO: 947, SEQ ID NO: 949, SEQ ID NO: 950. SEQ ID NO: 951, SEQ ID NO: 952, SEQ ID NO: 953, SEQ ID NO: 954, SEQ ID NO: 955, SEQ ID NO: 956, SEQ ID NO: 957, 8895 SEQ ID NO: 958, SEQ ID NO: 959, SEQ ID NO: 960, SEQ ID NO: 961, SEQ ID NO: 962, SEQ ID NO: 963, SEQ ID NO: 964,

SEQ ID NO: 965, SEQ ID NO: 966, SEQ ID NO: 967, SEQ ID NO: 968, SEQ ID NO: 968, SEQ ID NO: 969, SEQ ID NO: 970, SEQ ID NO: 971, SEQ ID NO: 972, SEQ ID NO: 973, SEQ ID NO: 1026, SEQ ID NO: 1027, SEQ ID NO: 1028, SEQ ID NO: 8900 1375, SEQ ID NO: 1376, SEQ ID NO: 1377, SEQ ID NO: 1378, SEQ ID NO: 1379, SEQ ID NO: 1410, SEQ ID NO: 1419, SEQ ID NO: 1420, SEQ ID NO: 1421, SEQ ID NO: 1422, SEQ ID NO:1423, SEQ ID NO: 1424, SEQ ID NO: 1425, SEQ ID NO: 8905 1488, SEQ ID NO: 1517, SEQ ID NO: 1516, SEQ ID NO: 1517, SEQ ID NO: 1538, SEQ ID NO: 1539, SEQ ID NO: 1550, SEQ ID NO: 1567, SEQ ID NO: 1568, SEQ ID NO: 1608, SEQ ID NO: 1609, SEQ ID NO: 1610, SEQ ID NO: 1611, SEQ ID NO: 1628, SEQ ID NO: 1633, SEQ ID NO: 1634, SEQ ID NO: 1641, SEQ ID 8910 NO: 1642, SEQ ID NO: 1644, SEQ ID NO: 1645, SEQ ID NO: 1665, SEQ ID NO: 1676, and SEQ ID NO:1681. These proteins or polypeptides are specific to O-157:H7, and significant homology to all data registered in gene data bank is found from determined information of amino acid sequence. Whereas, 8915 their functions and the like are not known. However, as shown in table 1, a protein predicted to be a cell surface protein (membrane protein, especially, OMP, lipoprotein) in them or its gene (or nucleic-acid molecule) may be useful for production of an antibody, vaccine composition, diagnosis of O-157 infection and the like. Furthermore, there is a possibility that they 8920 include a protein which has an important function in O-157, for example, transportation and metabolism of a substance, processing of nucleic acids, and relates to a regulatory element and pathogenicity. They are to be useful for diagnosis and 8925 therapy of O-157 infection. [0032]

# 3) Proteins comprising Insertion Sequence (IS)

8930

These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 137,

SEQ ID NO: 138, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 144, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 147, SEQ ID NO: 148, SEQ ID NO: 149, SEQ ID NO: 150, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 154, SEQ ID 8935 NO: 155, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161, SEQ ID NO: 162, SEQ ID NO: 279, SEQ ID NO: 280, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 287, SEQ ID NO: 288, 8940 SEQ ID NO: 289, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 296, SEQ ID NO: 297, SEQ ID NO: 298, SEQ ID NO: 299, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 302, 8945 SEQ ID NO: 303, SEQ ID NO: 304, SEQ ID NO: 305, SEQ ID NO: 306, SEQ ID NO: 307, SEQ ID NO: 308, SEQ ID NO: 309. SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 319, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, 8950 SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 331, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID NO: 1030, SEQ ID NO: 1031, SEQ ID NO: 1032, SEQ ID NO: 1033, SEQ ID 8955 NO: 1034, SEQ ID NO: 1035, SEQ ID NO: 1036, SEQ ID NO: 1037, SEQ ID NO: 1038, SEQ ID NO: 1039, SEQ ID NO: 1040, SEQ ID NO: 1041, SEQ ID NO: 1042, SEQ ID NO: 1043, SEQ ID NO:1044, SEQ ID NO: 1045, SEQ ID NO: 1046, SEQ ID NO: 8960 1047. SEQ ID NO: 1048, SEQ ID NO: 1049, SEQ ID NO: 1050, SEQ ID NO: 1051, SEQ ID NO: 1052, SEQ ID NO: 1053, SEQ ID NO: 1054, and SEQ ID NO: 1570. These proteins and their genes (or nucleic-acid molecules) are useful for detection and diagnosis of O-157 infection.

### 8965 [0033]

# 4) Proteins derived from phage:

These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 33, SEQ ID NO: 34, SEQ ID NO: 35, SEQ ID NO: 36, SEQ ID NO: 37, SEQ ID NO: 38, SEQ ID NO: 39, SEQ ID NO: 40, SEQ ID NO: 41, 8970 SEQ ID NO: 42, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 46, SEQ ID NO: 47, SEQ ID NO: 48, SEQ ID NO: 49, SEQ ID NO: 50, SEQ ID NO: 51, SEQID NO: 52, SEQ ID NO: 53, SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 59, SEQ ID NO: 60, SEQ ID NO: 61, 8975 SEQ ID NO: 62, SEQ ID NO: 63, SEQ ID NO: 64, SEQ ID NO: 65, SEQ ID NO: 66, SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ IDNO: 71, SEQ ID NO: 72, SEQ ID NO: 73, SEQ ID NO: 74, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 78, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 81, 8980 SEQ ID NO: 82, SEQ ID NO: 83, SEQ ID NO: 84, SEQ ID NO: 85, SEQ ID NO: 86, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 89, SEQ ID NO: 90, SEQ ID NO: 91, SEQ ID NO: 92, SEQ ID NO: 93, SEQ ID NO: 94, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 97, SEQ ID NO: 98, SEQ ID NO: 99, SEQ ID NO: 100, SEQ ID NO: 8985 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 104, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 109, SEQ ID NO: 110, SEQ ID NO: 111, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 114, SEQ ID NO: 115, 8990 SEQ ID NO: 116, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119. SEQ ID NO: 120. SEQ ID NO: 121, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 124, SEQ ID NO: 125, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID NO: 131, SEQ ID NO: 555, SEQ ID 8995 NO: 556, SEQ ID NO: 557, SEQ ID NO: 558, SEQ ID NO: 559, SEQ ID NO: 560, SEQ ID NO: 561, SEQ ID NO: 562, SEQ ID NO: 563, SEQ ID NO: 564, SEQ ID NO: 565, SEQ ID NO: 566, SEQ ID NO: 567, SEQ ID NO: 568, SEQ ID NO: 569, SEQ ID

NO: 570, SEQ ID NO: 571, SEQ ID NO: 572, SEQ ID NO: 573. SEQ ID NO: 574, SEQ ID NO: 575, SEQ ID NO: 576, SEQ ID 9000 NO: 577, SEQ ID NO: 578, SEQ ID NO: 579, SEQ ID NO: 580, SEQ ID NO: 581, SEQ ID NO: 582, SEQ ID NO: 583, SEQ ID NO: 584, SEQ ID NO: 585, SEQ ID NO: 586, SEQ ID NO: 587, SEQ ID NO: 588, SEQ ID NO: 589, SEQ ID NO: 590, SEQ ID 9005 NO: 591, SEQ ID NO: 592, SEQ ID NO: 593, SEQ ID NO: 594. SEQ ID NO: 595, SEQ ID NO: 596, SEQ ID NO: 597, SEQ ID NO: 598, SEQ ID NO: 599, SEQ ID NO: 600, SEQ ID NO: 601, SEQ ID NO: 602, SEQ ID NO: 603, SEQ ID NO: 604, SEQ ID NO: 605, SEQ ID NO: 606, SEQ ID NO: 607, SEQ ID NO: 608, 9010 SEQ ID NO: 609, SEQ ID NO: 610, SEQ ID NO: 611, SEQ ID NO: 612, SEQ ID NO: 613, SEQ ID NO: 614, SEQ ID NO: 615, SEQ ID NO: 616, SEQ ID NO: 617, SEQ ID NO: 618, SEQ ID NO: 619, SEQ ID NO: 620, SEQ ID NO: 621, SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624, SEQ ID NO: 625, SEQ ID NO: 626, SEQ ID NO: 627, SEQ ID NO: 628, SEQ ID NO: 629, 9015 SEQ ID NO: 756, SEQ ID NO: 757, SEQ ID NO: 758, SEQ ID NO: 759, SEQ ID NO: 760, SEQ ID NO: 761, SEQ ID NO: 762, SEQ ID NO: 763, SEQ ID NO: 764, SEQ ID NO: 765, SEQ ID NO: 766, SEQ ID NO: 767, SEQ ID NO: 768, SEQ ID NO: 769, SEQ ID NO: 770, SEQ ID NO: 771, SEQ ID NO: 772, SEQ ID 9020 NO: 773, SEQ ID NO: 774, SEQ ID NO: 775, SEQ ID NO: 776, SEQ ID NO: 777, SEQ ID NO: 778, SEQ ID NO: 779, SEQ ID NO: 780, SEQ ID NO: 781, SEQ ID NO: 782, SEQ ID NO: 783, SEQ ID NO: 784, SEQ ID NO: 785, SEQ ID NO: 786, SEQ ID NO: 787, SEQ ID NO: 788, SEQ ID NO: 789, SEQ ID NO: 790, 9025 SEQ ID NO: 791, SEQ ID NO: 792, SEQ ID NO: 793, SEQ ID NO: 794, SEQ ID NO: 795, SEQ ID NO: 796, SEQ ID NO: 797, SEQ ID NO: 798, SEQ ID NO: 799, SEQ ID NO: 800, SEQ ID NO: 801, SEQ ID NO: 802, SEQ ID NO: 803, SEQ ID NO: 804, 9030 SEQ ID NO: 805, SEQ ID NO: 806, SEQ ID NO: 807, SEQ ID NO: 808, SEQ ID NO: 809, SEQ ID NO: 810, SEQ ID NO: 811, SEQ ID NO: 812, SEQ ID NO: 813, SEQ ID NO: 814, SEQ ID

NO:815, SEQ ID NO: 1061, SEQ ID NO: 1062, SEQ ID NO: 1063, SEQ ID NO: 1064, SEQ ID NO: 1065, SEQ ID NO: 1066, SEQ ID 9035 NO: 1067, SEQ ID NO: 1068, SEQ ID NO: 1069, SEQ ID NO: 1070, SEQ ID NO: 1071, SEQ ID NO: 1072, SEQ ID NO: 1073, SEQ ID NO: 1074, SEQ ID NO: 1075, SEQ ID NO: 1076, SEQ ID NO:1077, SEQ ID NO: 1078, SEQ ID NO: 1079, SEQ ID NO: 1080, SEQ ID NO: 1081, SEQ ID NO: 1082, SEQ ID NO: 1083, SEQ ID NO: 1084, SEQ ID NO: 1085, SEQ ID NO: 1086, SEQ ID 9040 NO: 1087, SEQ ID NO: 1088, SEQ ID NO: 1089, SEQ ID NO: 1090, SEQ ID NO: 1091, SEQ ID NO: 1092, SEQ ID NO: 1158, SEQ ID NO: 1159, SEQ ID NO: 1160, SEQ ID NO: 1161, SEQ ID NO: 1162, SEQ ID NO: 1163, SEQ ID NO: 1164, SEQ ID NO: 9045 1165, SEQ ID NO: 1166, SEQ ID NO: 1167, SEQ ID NO: 1168, SEQ ID NO: 1169, SEQ ID NO: 1170, SEQ ID NO: 1171, SEQ ID NO: 1172, SEQ ID NO: 1173, SEQ ID NO: 1174, SEQ ID NO: 1175, SEQ ID NO: 1176, SEQ ID NO: 1177, SEQ ID NO: 1178, SEQ ID NO: 1179, SEQ ID NO: 1180, SEQ ID NO: 1181, SEQ ID NO: 1182, SEQ ID NO: 1183, SEQ ID NO: 1184, SEQ 9050 ID NO: 1185, SEQ ID NO: 1186, SEQ ID NO: 1187, SEQ ID NO: 1188. SEQID NO: 1189. SEQ ID NO: 1190. SEQ ID NO: 1259, SEQ ID NO: 1260, SEQ ID NO: 1261, SEQ ID NO: 1262, SEQ ID NO: 1263, SEQ ID NO: 1264, SEQ ID NO: 1265, SEQ ID NO: 1266, SEQ ID NO: 1267, SEQ ID NO: 1268, SEQ ID NO: 9055 1269, SEQ ID NO: 1270, SEQ ID NO: 1271, SEQ ID NO: 1272, SEQ ID NO: 1273, SEQ ID NO: 1289, SEQ ID NO: 1290, SEQ ID NO: 1291, SEQ ID NO: 1292, SEQ ID NO: 1293, SEQ ID NO: 1294, SEQ ID NO: 1295, SEQ ID NO: 1296, SEQ ID NO:1297, SEQ ID NO: 1298, SEQ ID NO: 1299, SEQ ID NO: 1300, SEQ ID 9060 NO: 1301, SEQ ID NO: 1330, SEQ ID NO: 1331, SEQ ID NO: 1332. SEQ ID NO: 1333, SEQ ID NO: 1334, SEQ ID NO: 1349, SEQ ID NO: 1350, SEQ ID NO: 1351, SEQ ID NO: 1352, SEQ ID NO: 1353, SEQ ID NO: 1354, SEQ ID NO: 1355, SEQ ID NO: 9065 1356, SEQ ID NO: 1357, SEQ ID NO: 1358, SEQ ID NO: 1445, SEQ ID NO: 1446, SEQ ID NO: 1446, SEQ ID NO: 1447, 1448,

SEQ ID NO: 1449, SEQ ID NO:1490, SEQ ID NO: 1491, SEQ ID NO: 1492, SEQ ID NO: 1493, SEQ ID NO: 1509, SEQ ID NO: 1541, SEQ ID NO: 1542, SEQ ID NO: 1543, SEQ ID NO: 1544, 9070 SEQ ID NO: 1554, SEQ ID NO: 1572, SEQ ID NO: 1573, SEQ ID NO: 1574, SEQ IDNO: 1575, SEQ ID NO: 1581, SEQ ID NO: 1582, SEQ ID NO: 1583, SEQ ID NO: 1588, SEQ ID NO: 1589, SEQ ID NO: 1590, SEQ ID NO: 1597, SEQ ID NO: 1598, SEQ ID NO: 1623, SEQ ID NO: 1647, SEQ ID NO: 1648, SEQ ID NO: 1650, SEQ ID NO: 1651, SEQ ID NO: 1653, 1654, SEQ ID NO: 1692, and SEQ ID NO:1693. These proteins and polypeptides are specific to O-157:H7 derived from phage. These proteins and their genes (or nucleic acid molecule) are useful for detection and diagnosis of O-157 infection.

# 9080 [0034]

# 5) regulatory element:

These proteins or polypeptides are selected from the group comprising the following sequence list: SEQ ID NO: 1147, SEQ ID NO: 1148, SEQ ID NO: 1149, SEQ ID NO: 1150, SEQID NO: 1151, SEQ ID NO: 1152, SEQ ID NO: 1153, SEQ ID NO: 9085 1154, SEQ ID NO: 1155, SEQ ID NO: 1156, SEQ ID NO: 1192., SEQ ID NO: 1193, SEQ ID NO:1194, SEQ ID NO: 1335, SEQ ID NO: 1336, SEQ ID NO: 1337, SEQ ID NO: 1402, SEQ ID NO: 1403. SEQ ID NO: 1404, SEQ ID NO: 1405, SEQ ID NO: 1406. 9090 SEQ ID NO: 1407, SEQ ID NO: 1468, SEQ ID NO: 1512, SEQ ID NO: 1513, SEQ IDNO: 1514, SEQ ID NO: 1515, SEQ ID NO: 1585, SEQ ID NO: 1586, SEQ ID NO:1656, SEQ ID NO: 1657, SEQ ID NO: 1678, and SEQ ID NO: 1695. These proteins or polypeptides are O-157:H7 specific regulatory element and 9095 usable for development of a substance inhibiting expression of their genes. Such substance is useful for prevention and infection, and therapy of O-157 as a food additive. Furthermore, the protein and its gene (or nucleic acid molecule) per se are useful for diagnosis and therapy of O-157 infection.

9100 [0035]

# 6) Proteins relating to fimbriae:

These proteins or polypeptides are selected from the group comprising the following sequence list: SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID 9105 NO: 1195, SEQ ID NO: 1196, SEQ ID NO: 1197, SEQ ID NO: 1241, SEQ ID NO: 1242, SEQ ID NO: 1243, SEQ ID NO: 1244, SEQ ID NO: 1245, SEQ ID NO: 1246, SEQ ID NO: 1247, SEQ ID NO: 1248, SEQ ID NO: 1249, SEQ ID NO: 1250, SEQ ID NO: 1251, SEQ ID NO: 1252, SEQ ID NO: 1253, SEQ ID NO: 1254, SEQ IDNO: 1255, SEQ ID NO: 1256, SEQ ID NO: 1257, SEQ ID 9110 NO: 1427, SEQ ID NO: 1428, SEQ ID NO: 1429, SEQ ID NO: 1430, SEQ ID NO: 1431, SEQ ID NO: 1432, SEQ ID NO: 1433, SEQ ID NO: 1434, SEQ ID NO: 1435, SEQ ID NO: 1521, SEQ ID NO: 1522, SEQ ID NO: 1523, SEQ ID NO: 1524, SEQ ID NO: 9115 1525, SEQ IDNO: 1548, SEQ ID NO: 1613, SEQ ID NO: 1614, SEQ ID NO: 1659, and SEQ ID NO: 1671. These proteins and their genes (or nucleic-acid molecules) are useful for production of antibody, vaccine composition, diagnosis of O-157 infection and the like. These proteins or polypeptides are available for 9120 development of a substance inhibiting expression of O-157:H7 Such substance is useful for prevention and specific gene. therapy of O-157 infection, and as a food Furthermore, the protein and its gene (or nucleic-acid molecule) per se are useful for diagnosis and therapy of O-157 infection.

# 9125 [0036]

# 7) Proteins relating to transportation of substance:

These proteins or polypeptides are selected from the group comprising the following sequence list: SEQ ID NO: 817, SEQ ID NO: 818, SEQ ID NO: 819, SEQ ID NO: 820, SEQ ID NO: 821, SEQ ID NO: 822, SEQ ID NO: 823, SEQ ID NO: 824, SEQ ID NO: 825, SEQ ID NO: 826, SEQ ID NO: 827, SEQ ID NO: 828, SEQ ID NO: 829, SEQ ID NO: 830, SEQ ID NO: 831, SEQ ID NO: 832, SEQ ID NO: 833, SEQ ID NO: 834, SEQ ID NO: 835, SEQ ID NO: 836, SEQ ID NO: 837, SEQ ID NO: 838,

therapy of O-157 infection.

[0037]

- 9135 SEQ ID NO: 839, SEQ ID NO: 840, SEQ ID NO: 841, SEQ ID NO: 842, SEQ ID NO: 843, SEQ ID NO: 844, SEQ ID NO: 1198, SEQ ID NO: 1339, SEQ ID NO: 1340, SEQ ID NO: 1341, SEQ ID NO: 1342, SEQ ID NO: 1343, SEQ ID NO: 1344, SEQ ID NO: 1345, SEQ ID NO: 1346, SEQ ID NO: 1347, SEQ ID NO: 1368, 9140 SEQ ID NO: 1369, SEQ ID NO: 1370, SEQ ID NO: 1371, SEQ ID NO: 1458, SEQ ID NO: 1459, SEQ ID NO: 1461, SEQ ID NO: 14 62, SEQ ID NO: 1463, SEQ ID NO: 1464, SEQ ID NO: 1465, SEQ ID NO: 1466, SEQ ID NO: 1507, and SEQ ID NO: 1679. proteins or polypeptides are regulatory elements specific to These [proteins or polypeptides] are useful for 9145 O-157:H7. development of selection medium specific to O-157, or development of a pharmaceutical agent selective to 0.157, and a strain comprising disruption in their genes may be useful as a live attenuated vaccine. Furthermore, the protein and its gene (or nucleic-acid molecule) per se are useful for diagnosis and 9150
  - 8) Proteins relating to synthesis of lipopolysaccharide:

These proteins or polypeptides are selected from the 9155 group comprising the following sequence list: EQ ID NO: 1533, SEQ ID NO: 1534, SEQ ID NO: 1535, SEQ ID NO: 1536, SEQ ID NO: 1395, SEQ ID NO: 1396, SEQ ID NO: 1397, SEQ ID NO: 1398, SEQ ID NO: 1399, SEQ ID NO: 1400, SEQ ID NO: 1412, SEQ ID NO: 1413, SEQ ID NO: 1414, SEQ ID NO: 1415, SEQ ID 9160 NO: 1564, and SEQ ID NO: 1565. These proteins and their gene (or nucleic-acid molecule) are especially useful for production of antibody, vaccine composition, diagnosis of O-157 infection and the like. Furthermore, the protein and its gene (or nucleic-acid molecule) per se are useful for diagnosis and 9165 therapy of O-157 infection. [0038]

### 9) Proteins relating to metabolism:

These proteins or polypeptides are selected from the

group comprising the following sequence list: SEQ ID NO: 278, 9170 SEQ ID NO: 690, SEQ ID NO: 691, SEQ ID NO: 692, SEQ ID NO: 693, SEQ ID NO: 694, SEQ ID NO: 695, SEQ ID NO: 696, SEQ ID NO: 697, SEQ ID NO: 698, SEQ ID NO: 699, SEQ ID NO: 700, SEQ ID NO: 701, SEQ ID NO: 702, SEQ ID NO: 703, SEQ ID NO: 704, SEQ ID NO: 705, SEQ ID NO: 706, SEQ ID NO: 707, SEQ ID NO: 708, SEQ ID NO: 709, SEQ ID NO: 710, 9175 SEQ ID NO: 711, SEQ ID NO: 712, SEQ ID NO: 713, SEQ ID NO: 714, SEQ ID NO: 715, SEQ ID NO: 716, SEQ ID NO: 717, SEQ ID NO: 718, SEQ ID NO: 719, SEQ ID NO: 720, SEQ ID NO: 721, SEQ ID NO: 722, SEQ ID NO: 723, SEQ ID NO: 724, SEQ ID NO: 725, SEQ ID NO: 726, SEQ ID NO: 727, SEQ ID 9180 NO: 728, SEQ ID NO: 729, SEQ ID NO: 730, SEQ ID NO: 731, SEQ ID NO: 1416, SEQ ID NO: 1417, SEQ ID NO: 1472, SEQ ID NO: 1552, SEQ ID NO: 1556, SEQ ID NO: 1557, SEQ ID NO: 1616, SEQ ID NO: 1630, SEQ ID NO: 1631, SEQ ID NO: 1660, SEQ IDNO: 1661, and SEQ ID NO: 1667. These proteins or 9185 relate to O-157:H7 specific polypeptides metabolism. Therefore, these [proteins or polypeptides] are useful for development of selection medium specific to O-157, or development of a pharmaceutical agent selective to O·157, and a strain comprising disruption in their genes may be useful as a 9190 live attenuated vaccine. Moreover the protein or its gene (or nucleic-acid molecule) per se are useful for diagnosis and therapy of O-157 infection. [0039]

# 9195 <u>10) Proteins relating DNA/RNA processing:</u>

9200

These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 732, SEQ ID NO: 733, SEQ ID NO: 734, SEQ ID NO: 735, SEQ ID NO: 736, SEQ ID NO: 737, SEQ ID NO: 738, SEQ ID NO: 739, SEQ ID NO: 740, SEQ ID NO: 741, SEQ ID NO: 742, SEQ ID NO: 743, SEQ ID NO: 744, SEQ ID NO: 745, SEQ ID NO: 1199, SEQ ID NO: 1200, SEQ ID NO: 1201, SEQ ID NO: 1202, SEQ ID NO:

1203, SEQ ID NO: 1204, SEQ ID NO: 1205, and SEQ ID NO:1318. These [proteins or polypeptides] are useful for development of a pharmaceutical agent selective to O-157. Furthermore, the protein and its gene (or nucleic-acid molecule) per se are useful for diagnosis and therapy of O-157 infection.

[0040]

# 11) Proteins relating pathogenicity:

These proteins or polypeptides are selected from a group 9210 comprising the following sequence list: SEQ ID NO: 746, SEQ ID NO: 747, SEQ ID NO: 748, SEQ ID NO: 749, SEQ ID NO: 750, SEQ ID NO: 751, SEQ ID NO: 752, SEQ ID NO: 753, SEQ ID NO: 754, SEQ ID NO: 845, SEQ ID NO: 846, SEQ ID NO: 847, 9215 SEQ ID NO: 848, SEQ ID NO: 849, SEQ ID NO: 850, SEQ ID NO: 851, SEQ ID NO: 852, SEQ ID NO: 853, SEQ ID NO: 854, SEQ ID NO: 855, SEQ ID NO: 856, SEQ ID NO: 857, SEQ ID NO: 858, SEQ ID NO: 859, SEQ ID NO: 860, SEQ ID NO: 861. SEQ ID NO: 862, SEQ ID NO: 863, SEQ ID NO: 864, SEQ ID NO: 865, SEQ ID NO: 866, SEQ ID NO: 867, SEQ ID NO: 868, 9220 SEQ ID NO: 869, SEQ ID NO: 870, SEQ ID NO: 871, SEQ ID NO: 872, SEQ ID NO: 873, SEQ ID NO: 874, SEQ ID NO: 875, SEQ ID NO: 1129, SEQ ID NO: 1130, SEQ ID NO: 1131, SEQ ID NO: 1132, SEQ ID NO: 1133, SEQ ID NO: 1134, SEQ ID NO: 1135, SEQ ID NO: 1136, SEQ ID NO: 1137, SEQ ID NO: 1138, 9225 SEQ ID NO: 1206, SEQ ID NO: 1207, SEQ ID NO: 1208, SEQ ID NO: 1209, SEQ ID NO: 1210, SEQ ID NO: 1211, SEQ ID NO: 1310, SEQ ID NO: 1311, SEQ ID NO: 1312, SEQ ID NO: 1313, SEQ ID NO: 1314, SEQ ID NO:1315, SEQ ID NO: 1316, SEQ ID NO: 1317, SEQ ID NO: 1321, SEQ ID NO: 1322, SEQ ID NO: 9230 1323, SEQ ID NO: 1324, SEQ ID NO: 1325, SEQ ID NO: 1326, SEQ ID NO: 1327, SEQ ID NO: 1328, SEQ ID NO: 1527, SEQ ID NO: 1528, SEQ IDNO: 1529, SEQ ID NO: 1530, SEQ ID NO: 1531, SEQ ID NO: 1620, SEQ ID NO:1621, SEQ ID NO: 1674, 9235 and SEQ ID NO: 1686. These proteins or polypeptides are relating to pathogenicity of O-157. Therefore, these [proteins

or polypeptides are useful for development of a pharmaceutical agent selective to O-157 and the like. Furthermore, a strain comprising disruption in their genes may be useful as a live attenuated vaccine. Moreover, the protein or its gene (or nucleic-acid molecule) per se are useful for diagnosis and therapy of O-157 infection.

[0041]

[0042]

9240

# 12) Other proteins:

- 9245 These proteins or polypeptides are selected from a group comprising the following sequence list: SEQ ID NO: 1014, SEQ ID NO: 1015, SEQ ID NO: 1016, SEQ ID NO: 1017, SEQ ID NO: 1018, SEQ ID NO: 1019, SEQ ID NO: 1020, SEQ ID NO: 1021, SEQ ID NO: 1022, SEQ ID NO: 1023, SEQ ID NO: 1024, SEQ ID 9250 NO: 1025, SEQ ID NO: 1139, SEQ ID NO: 1140, SEQ ID NO: 1141, SEQ ID NO: 1142, SEQ ID NO: 1143, SEQ ID NO: 1144, SEQ ID NO: 1145, SEQ ID NO: 1146, SEQ ID NO: 1319, SEQ ID NO: 1320, SEQ ID NO: 1381, SEQ ID NO: 1382, SEQ ID NO: 1383, SEQ ID NO: 1384, SEQ ID NO: 1385, SEQ ID NO: 1469, SEQ ID NO: 1470, SEQ ID NO: 1546, SEQ ID NO: 1592, SEQ ID 9255 NO: 1593, SEQ ID NO: 1687, and SEQ ID NO: 1689. These proteins and their genes (or nucleic-acid molecules) are useful for detection and diagnosis of O-157 infection.
- According to a standard technique in the art, the polypeptide of the present invention or a fragment thereof may be produced by inserting the nucleic-acid molecule of the present invention which encodes [the polypeptide or fragment] into a suitable expression vector, introducing the obtained recombinant vector to suitable host cells, culturing the host cells, and subsequently, extracting a desired polypeptide or a fragment thereof from the cultured host cells. Therefore, the present invention also relates to a method of producing O-157:H7 specific polypeptide comprising a recombinant expression vector containing the nucleic-acid molecule of the

present invention as an inserted substance, host cells transformed with the vector, and cultivation of the host cells.

[0043]

In order to produce O-157 specific polypeptide of the 9275 present invention or a fragment thereof by using a technique for recombination, any expression system, for example, eukaryotic cells such as mammalian cells comprising human insect cells, fungal cells, yeast cells and the like, as well as, prokaryotic cells, for example, such as E. coli cells and the like 9280 may be used. The procaryotic cells are any known bacterial cells in the art. The cells include, for example, species of E. coli, salmonella, Norcardia, Corynebacterium, Campylobacter, Streptomyces (for example ,Sambrook, Fritsch & Maniatis, Molecular Cloning; Laboratory Manual 2nd Ed., 1989). 9285 Examples of mammalian cells include COS7 cells or CHO cells. In case of [using] these cells, useful conventional promoters may be used for expression in mammalian cells. It is preferable that, for example, immediate early promoter of Human cytomegalo-virus (HCMV) is used. In addition, as a promoter for gene expression in mammalian cells which can be 9290 used in the present invention, virus promoters such as Retrovirus, polyomavirus, adenovirus, simian virus 40(SV40) and the like, or promoters derived from mammalian cells such as Human peptide chain elongation factor 1α (HEF-1α) and the 9295 like may be used. As a replication origin (ori), an ori derived from SV40, polyomavirus, adenovirus, Bovine papillomavirus may be used. In addition, the expression vector may include a gene of phsphotransferase APH(3') II or I (neo) and the like as a selection marker.

#### 9300 [0044]

It is preferable that the recombinant expression vectors of the present invention includes DNA sequences encoding various antibiotic resistance genes or other marker genes as selection marker genes. Example of the marker genes include

- 9305 anti-spectinomycin gene, ampicillin resistance gene, streptomycin resistance gene (streptomycin phosphotransferase (SPT) gene ), neomycin phosphotransferase (NPTII) gene of resistance to kanamycin geneticin, orhygromycin phosphotransferase (HTP) gene of hygromycin resistance, 9310 thymidine kinase (TK) gene, E. coli xanthine guanine phosphoribosyltransferase (Ecogpt) gene, dihvdrofolate reductase (DHFR) gene, β-glucuronidase gene, luciferase gene, β-galactosidase gene, peroxidase gene and the like. [0045]
- 9315 In order to detect O-157, Oligonucleotide primers for PCR can be constructed by using O-157 specific sequence in the nucleic-acid molecule or the gene of the present invention to perform rapid diagnosis of O-157. Basically, all of the O-157 specific sequences may be useful for a method for the rapid diagnosis by PCR. Therefore, the present invention relates to 9320 a method for detection or diagnosis of O-157 infection using the above mentioned oligonucleotide primer. Furthermore, the oligonucleotide may be used as a hybridization probe. length of oligonucleotide of the present invention is at least 8 9325 nucleotides, preferably, 15 or more nucleotides, but may be determined, as necessary, by reference of a standard technique in genetic engineering. [0046]

In addition to a nucleic-acid molecule having O-157 specific nucleic acid sequence, the present invention also relates to a nucleic acid sequence comprising O-157 specific mutation which is also present in other E. coli (for example, strain of K-12) and a method of using it. Such nucleic acid sequences include, for example, a nucleic acid sequence comprising a mutation in genes relating to decrease of availability of sorbitol and lack of β-glucuronidase activity.

[0047]

O-157 specific nucleic-acid molecule of the present

invention, a gene included in it, peptide and nucleic-acid sequence encoded by the gene are useful for diagnosis and/or therapy of O-157 infection and prevention of symptom occurred by the infection. They can also be used for detection of the presence of O-157 in a sample and classification of its strain. Furthermore, they can also be used for screening of useful compounds for prevention and/or therapy of O-157 infection and symptom occurred by the infection.

[0048]

The present invention also relates to an oligonucleotide useful as a primer or a probe for detecting O-157 infection.

9350 Furthermore, the scope of the present invention includes a vaccine composition including genes and/or polynucleotides of the present invention, and a method for prevention and/or therapy of O-157 infection and symptom occurred by the infection.

#### 9355 [0049]

9360

9365

Accordingly, the present invention relates an oligonucleotide or polynucleotide comprising a nucleotide sequence constituted of at least 8 nucleotides in O-157 specific nucleotide sequence set forth in the sequence lists, [a nucleotide sequence] comprising O-157 specific mutation, or a complementary nucleic-acid sequence to the nucleic-acid The present invention also relates to use of the sequences. oligonucleotide or polynucleotide of the present invention used as a hybridization probe or a PCR primer. The oligonucleotide used as a primer is comprised of at least 8 nucleotides, preferably 15 nucleotides, more preferably at least 20 or more nucleotides. The probe is comprised of at least 20 to 30 nucleotides. Nucleic acids used as a probe may be labeled by using standard technique in the art.

# 9370 [0050]

Using the oligonucleotide or polynucleotide of the present invention as a PCR primer, rapid diagnostic of O-157 may be

performed. Basically, all O-157 specific sequences may be useful for a method for rapid diagnosis by PCR. Therefore, the present invention relates to a method for detection or diagnosis of O-157 infection using the oligonucleotide primer.

[0051]

The present invention relates to a peptide vaccine formulation for prevention or therapy of O-157 infection comprising effective amount of, at least one kind of, O-157 specific polypeptides having amino acid sequence set forth in the sequence lists or fragments thereof. The vaccine formulation preferably includes a pharmaceutically acceptable carrier, for example, a known adjuvant in the art.

9385 [0052]

9380

The present invention also relates to a DNA vaccine formulation for prevention or therapy of O-157 infection comprising at least one of above mentioned O-157 specific polypeptides or polynucleotides encoding fragments thereof. 9390 The vaccine formulation preferably contains a pharmaceutically and/or a acceptable carrier, for example, an adjuvant transfection reagent and the like which are known in the art. The ransfection reagent contains a liposome, a gold particle, and a cationic polymer suitable for transfecting a living cell with DNA vaccine. Use of the DNA vaccine against pathogenic 9395 bacteria is disclosed in, for example, an example of research of DNA vaccine, Han T. K. et al., DNA Cell Biol. 20(9), pp. 595-601, 2001; Miyaji E. N. et al., Vaccine 20(5-6), pp. 805-12, 2001, which is incorporated herein in its entirety by reference 9400 thereto.

[0053]

9405

The present invention relates to a method of reducing the risk of O·157 infection in patients or a method for therapy [of the infection]. This method comprises administration of the vaccine formulation of the present invention to a patient so as to reduce the risk of O·157 infection or provide therapy of

infection.

9410

9415

In other embodiment, the present invention relates to a method of producing the vaccine formulation of the present invention. The method of producing the peptide vaccine formulation includes combining at least one kind of O·157 specific polypeptide having the amino acid sequences set forth in the sequence list and the fragments thereof with a pharmaceutically acceptable carrier.

[0055]

The method of producing the DNA vaccine formulation includes inserting polynucleotide encoding at least one kind of the polypeptides or the fragments thereof into the expression 9420 vector which can be expressed in a patient, and combining an effective amount ofthe expression vector pharmaceutically acceptable carrier. There is a possibility that frequency of use of a codon is different between mammal including human and E. coli. In this case, it is possible to improve the efficiency of translation of mRNA into desired 9425 polypeptide in a patient who should be treated or prevented from 0.157 infection by replacing codons of high frequency in O-157 with codons of high frequency in mammal using a standard technique in genetic engineering. A sequence such as 9430 intron A derived from cytomegalovirus may be included in the expression vector to enhance the expression of desired polypeptide. In the case where the DNA vaccine composition of the present invention is administered to a human, the recombinant expression vector is preferably [a vector] having a 9435 replication origin other than that of SV40. A sequence derived from SV40 is not preferable, since there is a possibility that it has carcinogenicity. The replication origins usable for this purpose include, but not restricted to replication origins derived from, for example, other virus, prokaryotic cells, 9440 eukaryotic cells such as yeast cells or animal cells.

[0056]

9445

9450

9455

9460

9465

9470

present invention also relates to an antibody selectively reacting with 0-157 specific polypeptide or the fragment thereof. Anti-protein/anti-peptide, anti-serum or monoclonal antibody can be prepared according to a standard protocol (see, for example, Antibodies: A Laboratory Manual, Harlow & Lane edd., Cold Spring Harbor Press, 1988). In the present invention, the means of the term "antibody molecule" includes whole antibody, antibody fragments obtained by fragmentation using conventional technique, for example, Fab' and F(ab')2 fragment, and single-chain Fv(scFv) obtained by a technique in genetic engineering. The antibody molecule of the present invention also includes an antibody fragment, a bispecific antibody comprising single-chain Fv or a chimera antibody. In this case, [the antibody molecule of the present invention comprises two different antibodies against the same O-157 specific polypeptide, two antibodies recognizing different O-157 polypeptides, or one antibody against the polypeptide and one antibody recognizing an epitope which does not relate to 0.157.

[0057]

A gene relating to O-157 specific metabolic function in O-157 specific genes is usable for development of novel medium for selection of O-157. Although, selection medium used at present is medium using comparatively specific property of O-157 such as decrease of availability of sorbitol, lack of  $\beta$ -glucuronidase activity, an ability of resistance to tellurite, there is a possibility that further specific [property] to O-157 is present in the genes of metabolic system found in the present invention. Such property is preferable for selection of O-157, preferably, is combined with decrease of availability of sorbitol, lack of  $\beta$ -glucuronidase activity and/or an ability of resistance to tellurite [0058]

9475 A polypeptide relating to pathogenicity of O-157, a bacterial surface protein, a regulatory protein, a protein relating to metabolic system and a nucleic-acid molecule encoding this [protein] is useful for development of a pharmaceutical agent which selectively inhibits expression of 9480 pathogenicity of 0-157. Therefore, the present invention includes a method of searching or screening of a pharmaceutical agent useful for prevention and/or therapy of symptom relating to 0-157. According to the method of the present invention, novel preventive agent and/or therapeutic agent for symptom 9485 relating to 0-157 may be provided. [0059]

In addition, it may be performed to produce a recombinant protein from a gene relating to pathogenicity shown by the present invention, especially novel toxin, to analyse a function of the toxin, and to search inhibitor of the toxin. Therefore, the present invention relates to a method of searching or screening of inhibitor against the novel toxin. Furthermore, it is possible to determine conformation on the basis of a purified protein and information of amino acid sequence thereof and to design and synthesise the inhibitory substances using computer. These inhibitory substances will be not only an therapeutic agent of completely different type from conventional antibiotics, but also be a food additive selectively inhibiting growth of O-157.

9500 [0060]

9490

9495

9505

In addition, the O·157 specific pathogenic gene, the gene of bacterial cell surface protein and the regulatory gene of the present invention may [be used for] developing a live attenuated vaccine by preparing a disruptant thereof. Furthermore, a live attenuated vaccine may also be produced by cloning dysfunctional gene corresponding to them into other vaccine strain.

[0061]

9520

On the other hand, a gene encoding an essential metabolic function for proliferation of O-157 in vivo or in vitro or a regulatory gene may be [used for] preparing a mutant which can proliferate under a specific condition in laboratory, but cannot proliferate in mammalian living body including human by preparing a strain comprising gene disruption in their genes. Such strain is useful as a live attenuated vaccine. [0062]

In an embodiment of the present invention, a DNA microarray or DNA chip includes a part or all of the nucleic acid sequence or gene of the present invention. Preferably, there is provided a DNA chip or a method for producing the DNA chip, wherein the DNA chip comprises

(a) a nucleotide sequence which is selected from a group comprising the follwing SEQ IDs or a partial sequence thereof: SEQ IDNO: 1, SEQ ID NO: 132, SEQ ID NO: 244, SEQ ID NO: 337, SEQ ID NO: 410, SEQ ID NO: 484, SEQ ID NO: 554, SEQ ID 9525 NO:630, SEQ ID NO:689, SEQ ID NO:755, SEQ ID NO:816, SEQ ID NO:876, SEQ ID NO:927, SEQ ID NO:978, SEQ ID NO: 1013, SEQ ID NO:1029, SEQ ID NO:1055, SEQ ID NO:1060, SEQID NO:1093, SEQ ID NO:1128, SEQ ID NO:1157, SEQ ID NO: 1191, SEQ ID NO: 1212, SEQ ID NO: 1240, SEQ ID NO: 1258, 9530 SEQ ID NO:1274, SEQ ID NO:1288, SEQ ID NO:1302, SEQ ID NO:1309, SEQ ID NO:1321, SEQ ID NO:1329, SEQ ID NO:1338, SEQ ID NO:1348, SEQ ID NO:1359, SEQ ID NO:1366, SEQID NO:1374, SEQ ID NO:1380, SEQ ID NO:1386, SEQ ID NO:1394, SEQ IDNO: 1401, SEQ ID NO: 1408, SEQ ID NO: 1411, SEQ ID 9535 NO:1418, SEQ ID NO:1426, SEQ ID NO:1436, SEQ ID NO:1443, SEQ ID NO:1450, SEQ ID NO:1457, SEQ ID NO:1460, SEQ ID NO:1467, SEQ ID NO:1471, SEQ ID NO:1473, SEQ ID NO:1478, SEQ ID NO:1487, SEQ ID NO:1489, SEQ ID NO:1494, SEQ 9540 IDNO:1499, SEQ, ID NO:1501, SEQ ID NO:1506, SEQ ID NO: 1508, SEQ ID NO:1510, SEQ ID NO:1511, SEQ ID NO:1516,

SEQ ID NO:1520, SEQ ID NO:1526, SEQ ID NO:1532, SEQ ID

NO: 1537, SEQ ID NO: 1540, SEQ ID NO: 1545, SEQ ID NO: 1547, SEQ ID NO: 1549, SEQ ID NO: 1551, SEQ ID NO: 1553, SEQID NO:1555, SEQ ID NO:1558, SEQ ID NO:1563, SEQ ID NO:1566, 9545 SEQ ID NO: 1569, SEQ ID NO: 1571, SEQ ID NO: 1576, SEQ ID NO:1580, SEQ ID NO:1584, SEQ ID NO:1587, SEQ ID NO:1591, SEQ ID NO: 1594, SEQ ID NO: 1596, SEQ ID NO: 1599, SEQ ID NO:1601, SEQ ID NO:1603, SEQ ID NO:1604, SEQID NO:1605, SEQ ID NO:1607, SEQ ID NO:1612, SEQ ID NO:1615, SEQ 9550 IDNO:1617, SEQ ID NO:1619, SEQ ID NO:1622, SEQ ID NO: 1624, SEQ ID NO:1626, SEQ ID NO:1627, SEQ ID NO:1629, SEQ ID NO:1632, SEQ ID NO:1635, SEQ ID NO:1636, SEQ ID NO:1637, SEQ ID NO:1639, SEQ ID NO:1640, SEQ ID NO:1643, 9555 SEQ ID NO:1646, SEQ ID NO:1649, SEQ ID NO:1652, SEQ IDNO:1655, SEQ ID NO:1658, SEQ ID NO:1660, SEQ ID NO: 1662, SEQ ID NO:1664, SEQ ID NO:1666, SEQ ID NO:1668, SEQ ID NO:1669, SEQ ID NO:1670, SEQ ID NO:1672, SEQ ID NO:1673, SEQ ID NO:1675, SEQ ID NO:1677, SEQ ID NO:1680, 9560 SEQ ID NO:1682, SEQ ID NO:1683, SEQ ID NO:1685, SEQID NO:1688, SEQ ID NO:1690, SEQ ID NO:1691, SEQ ID NO:1694, SEQ ID NO:1696, SEQ ID NO:1699, SEQ ID NO:1700, SEQ ID NO:1701, SEQ ID NO:1704, SEQ ID NO:1705, SEQ ID NO:1706, SEQ ID NO:1707, SEQ ID NO:1708, SEQ ID NO:1709, SEQ ID NO:1710, SEQ ID NO:1711, SEQ ID NO:1712, SEQID NO:1713, 9565 SEQ ID NO:1715, SEQ ID NO:1716, SEQ ID NO:1717, SEQ IDNO:1718, SEQ ID NO:1719, SEQ ID NO:1720, SEQ ID NO: 1721, SEQ ID NO:1722, SEQ ID NO:1723, SEQ ID NO:1724, SEQ ID NO:1725, SEQ ID NO:1726, SEQ ID NO:1727, SEQ ID 9570 NO:1728, SEQ ID NO:1729, SEQ ID NO:1730, SEQ ID NO:1731, SEQ ID NO:1732, SEQ ID NO:1733, SEQ ID NO:1734, SEQID NO:1735, SEQ ID NO:1736, SEQ ID NO:1737, SEQ ID NO:1738, SEQ ID NO:1739, SEQ ID NO:1740, SEQ ID NO:1741, SEQ ID NO:1742, SEQ ID NO:1743, SEQ ID NO:1744, SEQ ID NO:1745, 9575 SEQ ID NO:1746, SEQ ID NO:1747, SEQ ID NO:1748, SEQ ID NO:1749, SEQ ID NO:1750, SEQ ID NO:1751, SEQID NO:1752,

SEQ ID NO:1753, SEQ ID NO:1754, SEQ ID NO:1755, SEQ IDNO:1756. SEQ ID NO:1757. SEQ ID NO:1758. SEQ ID NO: 1759, SEQ ID NO:1760, SEQ ID NO:1761, SEQ ID NO:1762, SEQ ID NO:1763, SEQ ID NO:1764, SEQ ID NO:1765, SEQ ID 9580 NO:1766, SEQ ID NO:1767, SEQ ID NO:1768, SEQ ID NO:1769, SEQ ID NO:1770, SEQ ID NO:1771, SEQ ID NO:1772, SEQ IDNO:1773, SEQ ID NO:1774, SEQ ID NO:1775, SEQ ID NO: 1776, SEQ ID NO:1777, SEQ ID NO:1778, SEQ ID NO:1779, SEQ ID NO:1780, SEQ ID NO:1781, SEQ ID NO:1782, SEQ ID 9585 NO:1783, SEQ ID NO:1784, SEQ ID NO:1785, SEQ ID NO:1786, SEQ ID NO:1787, SEQ ID NO:1788, SEQ ID NO:1789, SEQID NO:1790, SEQ ID NO:1791, SEQ ID NO:1792, SEQ ID NO:1793, SEQ ID NO:1794, SEQ ID NO:1795, SEQ ID NO:1796, SEQ ID 9590 NO:1797, SEQ ID NO:1798, SEQ ID NO:1799, SEQ ID NO:1800, SEQ ID NO:1801, SEQ ID NO:1802, SEQ ID NO:1803, SEQ ID NO:1804, SEQ ID NO:1805, SEQ ID NO:1806, SEQID NO:1807, SEQ ID NO:1808, SEQ ID NO:1809, SEQ ID NO:1810, SEQ IDNO:1811, SEQ ID NO:1812, SEQ ID NO:1813, SEQ ID NO: 1814, SEQ ID NO:1815, SEQ ID NO:1816, SEQ ID NO:1817, 9595 SEQ ID NO:1818, SEQ ID NO:1819, SEQ ID NO:1820, SEQ ID NO:1821, SEQ ID NO:1822, SEQ ID NO:1823, SEQ ID NO:1824, SEQ ID NO:1825, SEQ ID NO:1826, SEQ ID NO:1827, SEQ IDNO:1828, SEQ ID NO:1829, SEQ ID NO:1830, SEQ ID NO: 9600 1831, SEQ ID NO:1832, SEQ ID NO:1833, SEQ ID NO:1834, SEQ ID NO:1835, SEQ ID NO:1836, SEQ ID NO:1837, SEQ ID NO:1838, SEQ ID NO:1839, SEQ ID NO:1840, SEQ ID NO:1841, SEQ ID NO:1842, SEQ ID NO:1843, SEQ ID NO:1844, SEQID NO:1845, SEQ ID NO:1846, SEQ ID NO:1847, SEQ ID NO:1848, 9605 SEQ ID NO:1849, SEQ ID NO:1850, SEQ ID NO:1851, SEQ ID NO:1852, SEQ ID NO:1853, SEQ ID NO:1854, SEQ ID NO:1855, SEQ ID NO:1856, SEQ ID NO:1857, SEQ ID NO:1858, SEQ ID NO:1859, SEQ ID NO:1860, SEQ ID NO:1861, SEQID NO:1862, SEQ ID NO:1863, SEQ ID NO:1864, SEQ ID NO:1865, および 9610 SEQ ID NO: 1866,

. and/or (b) an oligonucleotide or polynucleotide comprising complementary sequence to the sequences set forth in (a). Such DNA microarray or DNA chip may be produced using the nucleic acid sequence or gene of the present invention 9615 by a standard technique in the art (see, for example, "DNA Microarrays: A Practical Approach", Mark Schena, ed. Oxford: Oxford University Press. 1999. ISBN 0-19-963777-8; "Microarray Biochip Technology", MarkSchena, ed. Natick, MA: Eaton Publishing, 2000, ISBN 1-881299-37-6; "DNA Arrays: Methods and Protocols", Jang B. Rampal, ed. Totowa, NJ: 9620 HumanaPress, 2001, ISBN 0-89603-822-X). The DNA microarray or DNA chip is usable for analysis of a function of O-157 specific gene, classification of strain of O-157, search of the presence or absence of a gene which is similar to that of 9625 other strain of O-157 or other type of strain of large intestine. The classification of strain using DNA array is disclosed in, for example, Salama N. et al., Proc. Natl. Acad. Sci. U A. 97(26), pp. 14668-73, 2000. A technique for detecting a pathogenic bacterium by using the DNA array is disclosed in, for example, 9630 Call D. R. et al., IntJ Food Microbiol, 67(1-2), pp.71-80, 2001. A technique for analysing expression of a gene using DNA array is disclosed in, for example, Harrington C. A. et al., Curr. Opin. Microbiol. 3(3), pp.285-91, 2000. The entity of these documents is incorporated herein by reference.

# [0063] Definition

9635

9640

In the present invention, the terms "O·157 specific" and "specific to O·157:H7" means that [a substance is] absent from nonpathogenic E. coli K·12, but is present in O·157 (or O·157:H7). Therefore, there is a possibility that, sometimes, the same substance or the similar substance is present in other

type of E. coli or other strain of bacteria.
[0064]

In the present invention, the term "hybridize" means that

9645 hybridization is performed under a stringent condition, for example, in 0.5xSSC solution, at 65°C or equivalent condition.

[0065]

The term "(cell) surface protein" used herein means all proteins capable of approaching to the surface, such as inner membrane and outer membrane proteins, proteins which bind to cell wall, and secretory proteins.

[0066]

9650

9655

The term "open reading frame (ORF)" means a region in nucleic acids encoding a polypeptide or a part thereof. The ORF can be determined by [a region] from initiation codon to termination codon or from termination codon to termination codon.

[0067]

The term "coding sequence" used herein means nucleic acids which is transcribed into mRNAs and/or translated into polypeptides in case where the coding sequence is placed under regulation of a suitable regulatory sequence. The coding sequence includes, but not restricted to, mRNA, synthetic DNA, and recombinant nucleic acid sequence.

9665 [0068]

9670

In the present application, the terms "a part" or "fragment" of polypeptide means an oligopeptide or polypeptide comprising at least 10 amino acid residues, preferably at least 20 amino acid residues, more preferably at least 40 amino acid residues. Furthermore, the terms "a part" or "fragment" of nucleotide sequence also mean a nucleotide sequence comprising at least 20 or more nucleotides, preferably 50 or more nucleotides.

[0069]

In the present application, the term "expression regulatory element" or "expression regulatory sequence" means a sequence capable of inducing and/or regulating expression of a coding sequence or ORF linked thereto. The term "linked in

their action" means that above mentioned expression regulatory
9680 element or [expression regulatory] sequence is linked to a
coding sequence or ORF in the manner where the coding
sequence or ORF can be transcribed.
[0070]

In the present invention, metabolism of a substance means any aspects including, expression, function, action or regulation of a substance. The metabolism of a substance includes modification of a substance, for example, modifying the substance with a covalent bond or a noncovalent bond. The metabolism of a substance includes modification in other substances induced by the substance, for example, modifying the other substances with a covalent bond or a noncovalent bond. The metabolism of substance also includes alteration in distribution of the substance. The metabolism of a substance includes alteration in distribution of other substance induced by the substance.

In the present invention, transportation of a substance means transportation of a substance from extracellular space to intracellular space, transportation of a substance within a cell, and secretion and release of a substance to extracellular space.

[0072]

9700

9705

9710

[0071]

On carrying out the present invention, common techniques in the art may be applied unless particularly otherwise indication. Such techniques are disclosed in Sambrook, Fritsch & Maniatis, Molecular Cloning; Laboratory Manual 2nd Ed. (1989); DNA Cloning, Volume (D.N. Glover Ed. 1985); Oligonucleotide Synthesis (M.J. Gait Ed. 1984); Nucleic Acid Hybridization (B.D. Hames & S.J. Higgins Ed. 1984); Methods in Enzymology (Academic Press, Inc.), Vol. 154 & Vol. 155 (Wu& Grossman ed.) and PCR-A Practical Approach (McPherson, Quirke & Taylor, ed. 1991).

The nucleic-acid molecule of the present invention may be directly obtained from the DNA of above mentioned O157:H7

Sakai by using Polymerase Chain Reaction (PCR). Reliability of amplified product may be checked by a conventional method for determining sequence. A clone having a desired sequence set forth in the present invention may also be obtained by library screening using PCR or, by library screening using a synthetic oligonucleotide probe to library colonies or plaques lifted onto a filter, as known in the art (for example, Sambrook et al., Molecular Cloning, A Laboratory Manual 2nd edition, 1989, Cold Spring Harbor Press, NY). Nucleic acids encoding the polypeptides specific to O-157:H7 can also be obtained.

9725 [0074]

The nucleic acids of the present invention may also be chemically synthesized by using standard technique. Various methods for chemical synthesis of poly-deoxynucleotide are known (see, for example, Itakura et al., U.S. Patent No.4,598,049; Caruthers et al., U.S. Patent No.4,458,066; and Itakura et al., U.S. Patent No.4,401,796 and No.4,373,071, incorporated by reference herein).

The present invention is explained by, but not restricted 9735 to, the following examples.

[0076]

[Examples]

Example 1: Determination of genomic nucleotide sequence of enterohemorrhagic pathogenic-E. coli O-157:H7

Whole nucleotide sequences on the chromosome of enterohemorrhagic E.coli O157:H7 were determined to identify regions and nucleic-acid sequences which were specific to O157:H7, but absent from nonpathogenic E. coli K-12. The following strain was used in the Example: O157:H7 (RIMD 0509952) which was isolated from a patient suffered from typical hemorrhagic enteritis during outbreak of O157:H7

infection which was occurred in mainly Sakai, Osaka, 1996. The strain has been stored in Research Center for Emerging Infectious Diseases, Research Institute for Microbial Diseases, 9750 Osaka University, and procedure for registration to ATCC (American Type Culture Collection) is now proceeding. strain was cultured to prepare genomic DNA according to a conventional method. Random shotgun library comprising insertion of DNA fragment of 1-2 kbp in size was prepared to 9755 determining sequences of 50105 clones. With respect to 19969 clones among them, sequences at both end of the inserted fragment were determined (whole genome random shotgun sequencing). In addition, a library of lambda phage comprising inserted DNA fragments of about 20kbp was 9760 prepared to determine whole sequences of each of 86 clones individually. Assembly of the data of whole sequence which was obtained by using Phred/Phrap/consed was performed to obtain 111 contigs of 1 kbp or more. Finally, gap region between each of the contigs was amplified by using PCR and sequences of each PCR products were determined to determine 9765 the whole nucleotide sequences on chromosome of O157:H7. Then, the nucleotide sequence was analyzed by using a program such as Genome Gambler version 1.41, GLIMMER 2.01, BLAST and etc. to determine protein coding region. Furthermore. 9770 chromosomal sequence ofO157:H7 was compared chromosomal sequence of nonpathogenic E.coli K·12 (MG1655) using MUMmer Program to identify all regions of 20bp or more which is absent from K-12, but specifically present in O-157:H7. Determined chromosomal nucleotide sequences of O157:H7 has 9775 been registered in gene data bank DDBJ on 26 June, 2000 as Accession number: BA000007. [0077]

### Example 2: Detection of O-157 by PCR

On the basis of a nucleotide sequence of the Urease gene specifically present in O-157 Sakai, oligonucleotide primers

capable of amplifying Urease gene were synthesized. Detection of O-157 specific Urease gene by PCR was performed according to a conventional method using O-157 Sakai or various strains of E. coli as samples and the synthesized primers. As a result, the Urease gene was merely detected in enterohemorrhagic E. coli including O-157, whereas, not in other types of E.coli. In addition, it was found that the Urease gene was present in O-157 and closely related strains thereof, and it was shown that the primers were usable for rapid identification and diagnosis of O-157.

[0078]

### Example 3: Molecular epidemiology of O-157 by PCR

On the basis of the nucleotide sequence information of O-157 Sakai, oligonucleotide primers specific to O-157 were synthesized. Examining a number of other strains of O-157 by PCR using the primers, it was found that a specific band was detected in some strains, whereas not in others. This result indicates the presence or absence of a specific sequence depending on the strains and makes it possible to identify regions containing a lot of differences between the strains. It was made possible to classify the strains of O-157 by using the primers amplifying the regions.

# Example 4: Applying the nucleotide sequence to Diagnosis

The genetic information obtained in the Example 1 was analysed, resulting in suggestion of the presence of salicylic acid degradation gene specifically present in O-157. Accordingly, medium comprising salicylic acid as a carbon source was prepared by using a function of the salicylic acid degradation gene to perform a culture experiment. As a result, it is shown that O-157 could proliferate in the medium and there was a possibility that O-157 could be selectively isolated using the medium.

[0080]

9805

9810

# 9815 Example 5: Applying a nucleotide sequence to diagnosis

The genetic information obtained in the Example 1 was analyzed, resulting in finding the presence of mutations in coding sequence of  $\beta$  - glucuronidase gene (SEQ ID NO:1865) and coding sequence of gene of specific PTS enzyme IIB and IIC 9820 (SEQ ID NO:1866). The mutations included frame-shift Accordingly, an oligonucleotide primer against mutation. these mutations was synthesized to detect O-157 and other strain by PCR using the primer. As a result, absence of  $\beta$ -glucuronidase and decrease of availability of sorbitol could be confirmed without cultivation of the bacteria. A primer for 9825 detecting tellurite resistance gene was synthesized to perform PCR in the same way. As a result, a mutation in the tellurite resistance gene could be detected. Furthermore, by PCR using a combination of the three types of primers, higher accuracy results of diagnosis was obtained. According to Example 5, it 9830 was shown that these primers may be applied to rapid diagnosis of O-157

[0081]

# Example 6: Expression of a polypeptide

A gene of a bacterial surface protein which was specifically present in O-157 was cloned to construct a system for mass production of a recombinant protein. The recombinant protein was purified using this system to construct a system for determining an antibody in patient's serum. It was shown that, this system was usable for serodiagnosis of O-157.

[0082]

# Example 7: Application of a nucleotide sequence for diagnosis

Based on the information of nucleotide sequence 9845 determined in Example 1, a toxin gene found newly was cloned to construct a system for mass production of a recombinant protein. The recombinant protein may be purified using this system, analyzed for a function of the toxin and searched for an inhibitor thereof. Based on the information of the purified protein and an amino acid sequence thereof, it is possible to determine [their] conformation to design an inhibitory substance and to synthesize [the inhibitory substance]. The inhibitory substance will be a therapy agent of different type from conventional antibiotics

9855 [0083]

9860

#### Example 8: DNA Vaccine

A gene of a bacterial surface protein which was specifically present in O-157 was cloned into a vaccine strain of salmonella to confirm that the O-157 specific bacterial surface protein is expressed at surface of the vaccine strain of salmonella. The vaccine strain is usable as a vaccine against O-157.

[0084]

# Example 9: Live attenuated vaccine

A nucleic-acid molecule encoding a bacterial surface protein which was specifically present in O-157 was inserted to an expression vector suitable for salmonella to clone [the expression vector] into a vaccine strain of attenuated salmonella. Then, it was confirmed that the O-157 specific surface protein was espressed at surface of the vaccine strain of salmonella. The vaccine strain is usable as a live vaccine against O-157.

[0085]

# Example 10: DNA microarray

O-157 specific gene was amplified by PCR to prepare a DNA chip according to a conventional method. mRNAs were prepared from bacterial cells of O-157 which was cultured under various culture conditions to analyse using the DNA chip. As a result, it will be possible to perform various studies, such as [a study] of regulatory mechanism of expression of O-157 gene and [a study] of [confirming] whether a gene is expressed, or not, under a certain condition.

[0086]

[Industrial applicability]

9885

9890

The present invention provides a nucleotide sequence and a polypeptide encoded thereby which are specific to enterohemorrhagic E.coli O157:H7. These may be useful for detection and/or therapy of infection. In addition, the present invention provides a vaccine composition for preventing or treating O·157 infection. Furthermore, the present invention has a possibility of providing a method of screening a novel pharmaceutical agent and a food additive, and a method of preventing and/or treating a pathosis relating to O·157.

9895 ABSTRACT

[Problems to be solved]

Providing a nucleic-acid molecule, a polypeptide, genetic information thereof and a method of using them which may be useful for detection and therapy of enterohemorrhagic pathogenic-E. coli O-157:H7 infection.

[Means to solve the problem]

Revealing genetic information of novel nucleic acid molecules specific to O-157, novel genes included the nucleic acid molecules, and novel polypeptides encoded by the genes.

9905

9900